

17 February 2026

Company Announcement Officer
ASX Limited
Exchange Centre, 20 Bridge Street
SYDNEY NSW 2000

EXPLORATION UPDATE ON COOMBER SILVER PROSPECT

HIGHLIGHTS

Access secured for Coomber reconnaissance work

- Silver Mines has recently secured land access over the Coomber Silver Prospect (“Coomber” or “the Prospect”), located 23km south of the Bowdens Silver Project.
- Coomber represents one of the primary exploration targets within the Company’s NSW tenement package.
- In 1989, Conzinc Riotinto Australia Exploration (“CRA”) discovered Coomber after following up on historic stream sediment samples. CRA defined outcropping mineralisation and alteration on the edge of a rhyolite dome within the Rylstone Volcanics, similar in style to the early discovery years of the Bowdens Silver Deposit.
- Initial drilling in 1991 intersected Ag dominant significant mineralisation including:
 - **36 metres at 105g/t Ag** from 18 metres, including **16 metres at 176g/t Ag**;
 - **20 metres at 69g/t Ag** from surface; and,
 - **10 metres at 89g/t Ag** from 34 metres, including **4 metres at 183g/t Ag, 0.2g/t Au and 0.36% Zn**.
- Silver Standard Australia conducted follow up drilling at Coomber in both 1994 and 1997 with best results including:
 - **40 metres at 47g/t Ag** from 18 metres;
 - **14 metres at 37g/t Ag** from 86 metres; and,
 - **14 metres at 44g/t Ag** from 48 metres.
- Coomber is considered a caldera with dimensions of about 5km by 3km, with silver dominant mineralisation defined along the northwestern edge of the caldera.
- Initial work programs are designed to aid in defining the structural controls to known mineralisation, building on the modelling of results from the seismic survey completed in 2023¹.
- In addition to silver mineralisation, Coomber also includes the historic Rockwell Antimony Mine. Fieldwork by previous owners identified quartz veins within intensely carbonate altered volcanics with assays including up to 1.7g/t Au and 0.55% Sb.

¹Silver Mines Limited (ASX:SVL) release “Results from Seismic Surveying Identify Potential New Calderas within the Bowdens District” dated 28 June 2024.

Silver Mines Managing Director, Jo Battershill commented: *“We are very pleased to have finalised land access agreements over the Coomber Prospect allowing us to conduct important reconnaissance work. We recognise the patience and cooperation of the landowners during the negotiation of these agreements.*

While the Coomber Prospect has demonstrated significant silver mineralisation from historic drilling, there are a number of gaps within the dataset that need to be filled to allow for systematic exploration and evaluation of the system. We very much look forward to completing this work and reporting back to investors over the coming months.

The Coomber Prospect is further evidence that the Rylstone Volcanics are a significant, highly prospective and underexplored terrain with the potential to host additional deposits similar to the Bowdens Silver Project. As a reminder, Bowdens is the largest undeveloped silver project in Australia and the fifth largest in the world. We remain focussed on progressing Bowdens through the NSW permitting process and into development.”

Introduction

Silver Mines Limited (ASX:SVL) (“Silver Mines” or “the Company”) is pleased to provide this update on exploration activity at the Coomber Silver Prospect, located 40 kilometres southeast of Mudgee in Central New South Wales.

Coomber Silver Prospect

Coomber is situated within Exploration Licence 5920, approximately 22 kilometres southeast of the Bowdens Silver Deposit (see Figure 1). In 1989 Coomber was discovered by CRA shortly after the discovery of the Bowdens Silver Deposit. CRA’s exploration was limited in extent to the NW rim of the newly discovered caldera and consisted of geological mapping, stream, soil and rock sampling, IP surveying, and RC drilling in 1991. In 1994 and 1997 further drilling was completed by Silver Standard Australia (“SSA”) who also at the time owned the Bowdens Silver Deposit. A total of 40 RC drill holes for 2,645 metres has been drilled at Coomber (Figure 2). No substantive exploration has been completed on the Prospect since 1997. Figure 3 shows the coverage of all previous exploration work within the caldera.

Caldera Geology

The Rylstone Volcanics form an elongate NW-SE belt of rhyolitic to dacitic volcanics erupted during the late Carboniferous crustal extension tectonics and have been mostly covered (~90%) by Permian aged Sydney Basin sediments. Typical within the Rylstone Volcanics are caldera eruption centres, such as at Bowdens, Bara Creek, Three Hills, Armentum and Coomber². These eruption centres and associated faults, appear to focus later hydrothermal fluid movement to surface, forming geysers or steam heated vents. In some cases, these fluids are metal bearing (mineralised) and have formed epithermal deposits such as the globally significant Bowdens Silver Deposit, which form between hundreds of metres to a kilometre below the surface.

²Silver Mines Limited (ASX:SVL) release “Results from Seismic Surveying Identify Potential New Calderas within the Bowdens District” dated 28 June 2024.




Figure 1: Bowdens Silver Project with prospects and geology.

The Prospect has formed on the rim of a caldera structure, with a flow-banded rhyolite cryptodome forming the centre of the caldera, which is flanked by pyroclastic volcanics. This dome (fairly impermeable) will have acted to force hydrothermal fluids around the margins of the caldera or into existing faults. Mineralisation intersected by CRA and SSA was both within the Rylstone Volcanics and in the older basement lithologies, surrounding the northwestern margin of the caldera. High-grade mineralisation was intersected within the caldera along NW trending faults.

This higher-grade mineralisation shows that the Coomber prospect has potential to host typical narrow high-grade epithermal mineralisation along prominent lineaments. The caldera has an extent of roughly 3.3 kilometres by 3.3 kilometres and remains largely unexplored.




Figure 2: Drill rig above Coomber Melon Creek during CRA's 1991 drill program, drill hole RC91CB07. Image Credit: Dean Oliver, Dean Oliver Graphics Pty Ltd, c1991.




Figure 3: Geology of the Coomber Prospect showing all historic exploration activity and the modelled caldera outline, from seismic data. Drill collar information is presented in Table 2.

Mineralisation

Significant silver dominant mineralisation was intersected in drill holes which targeted coherent soil anomalies of Ag (>3ppm) and Pb (> 500ppm). Gold was also intersected within the southern drill fence of holes along with high-grade silver and lead. Interestingly, gold dominant mineralisation was intersected in RC91CB01. Significant exploration results are shown in Figure 4. Significant intersections from RC drilling at the Coomber Prospect include:

- **6m @ 156g/t Ag** from surface and **36m @ 105g/t Ag** from 18m (RC91CB13), **40m @ 47g/t Ag** from 18m (CPR011), **20m @ 69g/t Ag** from surface (RC91CB16), using a 30 g/t lower cutoff.
- **4m @ 183g/t Ag, 0.2g/t Au, 1.19% Pb & 0.36% Zn** from 40m (RC91CB04), using a 90 g/t lower cutoff; and
- **12m @ 0.28g/t Au** from 14m (RC91CB01) using a 0.1 g/t Au lower cutoff.




Figure 4: Coomber prospect historic drilling, geology and soil anomalism. Soil anomalies shown by light green (Ag>3ppm) and light blue (Pb>500ppm) shapes. Rock chip sample locations shown as Black dots.

Considering the broader mineralised system, silver mineralisation greater than 10 g/t has been intersected in 24 of the 40 drill holes completed historically. The area containing silver, gold, lead and zinc mineralisation covers an area around 900 metres by 700 metres, with mineralisation currently unbounded. For reference, the planned open cut mine at the Bowdens Silver Deposit (Ore Reserve of 71.7 million ounces silver³) is of the same dimensions.

³Silver Mines Limited (ASX:SVL) release “Bowdens Silver Project Ore Reserves increased to 71.7Moz Silver” dated 10 January 2025.

A list of significant intercepts is presented in Table 1. This Table shows significant intercepts calculated using three different methods. Firstly, significant intercepts using a 30 g/t lower cutoff were calculated to view the wider mineralised system (with a 10m internal dilution factor, and 5 metre minimum intercept length). To present higher grade intercepts, a second set of intercepts were calculated using a 90 g/t Ag lower cutoff (3 metre internal dilution factor, and 1 metre minimum intercept length). Finally, to highlight gold mineralisation, a third set of significant intercepts were calculated at 0.1g/t Au cut-off (3 metre internal dilution factor, and 1 metre minimum intercept length). Of particular interest is RC91CB13, which returned values of 36m @ 105g/t Ag from 18m (with a 30 g/t lower cutoff) and 16m @ 176g/t Ag (90 g/t lower cutoff). Drillhole collar information is presented in Table 2.

Table 1: Significant intersections from historic holes at the Coomber prospect reported in this release.

Hole	Interval	Depth From	Ag (g/t)	Au (g/t)	Pb (ppm)	Zn (ppm)	Prospect
CPR003	6 ¹	52	45	-	0.01	0.03	Coomber
CPR011	40 ¹	18	47	-	0.02	0.06	Coomber
<i>Incl</i>	8 ²	30	92	-	0.02	0.07	Coomber
	14 ¹	86	37	-	0.02	0.08	Coomber
CPR019	14 ¹	48	44	-	0.02	0.14	Coomber
	2 ²	82	148	-	0.00	0.06	Coomber
CPR022	2 ²	44	116	-	0.07	0.01	Coomber
RC91CB01	12 ³	14	2	0.28	0.04	0.03	Coomber
	2 ³	32	5	0.52	0.04	0.02	Coomber
RC91CB04	10 ¹	34	89	0.09	0.60	0.23	Coomber
<i>Incl</i>	4 ²	40	183	0.20	1.19	0.36	Coomber
RC91CB08	2 ²	28	105	0.01	0.10	0.14	Coomber
RC91CB09	8 ¹	42	69	0.02	0.01	0.03	Coomber
<i>Incl</i>	4 ²	42	100	0.03	0.01	0.03	Coomber
RC91CB13	6 ¹	0	156	0.01	0.02	0.07	Coomber
<i>Incl</i>	4 ²	0	215	0.01	0.03	0.06	Coomber
	36 ¹	18	105	0.01	0.01	0.10	Coomber
<i>Incl</i>	16 ²	28	176	0.01	0.02	0.12	Coomber
RC91CB14	14 ¹	34	18	-	0.03	0.12	Coomber
RC91CB15	10 ¹	16	72	-	0.01	0.04	Coomber
<i>Incl</i>	2 ²	18	165	-	0.02	0.05	Coomber
RC91CB16	20 ¹	0	69	-	0.01	0.03	Coomber
<i>Incl</i>	10 ²	2	87	0.01	0.01	0.04	Coomber
	12 ¹	38	37	0.01	0.01	0.03	Coomber
RC91CB17	6 ¹	0	66	0.01	0.04	0.04	Coomber
<i>Incl</i>	2 ²	0	100	0.02	0.05	0.04	Coomber

1. Intercepts calculated using a 30g/t Ag cut-off, 10 metre internal dilution factor, and 5 metre minimum intercept length.

2. Intercepts calculated using a 90g/t Ag cut-off, 3 metre internal dilution factor, and 1 metre minimum intercept length.

3. Intercepts calculated using a 0.1g/t Au cut-off, 3 metre internal dilution factor, and 1 metre minimum intercept length.

Rockwell Antimony Mine

In addition to silver mineralisation, Coomber also includes the historic Rockwell Antimony Mine. Fieldwork by previous owners identified quartz veins within intensely carbonate altered basement tuffaceous rocks with assays including up to 1.7g/t Au and 0.55% Sb, refer to Table 4 below for all rock chip assay results. Antimony (Sb) is often associated with upper levels of epithermal systems and is considered globally as a critical metal of strategic importance. This historic mine is situated only ~400 metres west of silver mineralisation intersected by the drilling presented in this announcement, demonstrating that mineralisation of interest potentially extends much further than that assessed by historic drilling.

Exploration Program

A reconnaissance exploration program including geological mapping, rock and soil sampling has begun. This work duplicates and significantly extends the coverage of historical sampling, aiming to verify historical results and identify further anomalous zones within the Caldera. This will be followed by ground-based gravity surveying to define key faults and highlight areas of dense (potentially mineralised) material within the typically lighter Rylstone Volcanics. All of this work will be completed across the entirety of the caldera which is covered by a Bowdens Silver exploration licence.

Results from this work, coupled with existing drilling results, will guide the planning of a first drilling program by Silver Mines at the Prospect. The Coomber Prospect remains largely underexplored and represents a significant silver resource development opportunity within the Bowdens Silver Project.

About the Coomber Silver Prospect and the Bowdens Silver Project

The Bowdens Silver Project is in central New South Wales, approximately 26 kilometres east of Mudgee (Figure 5). The consolidated project area comprises 2,115 km² (521,000 acres) of titles covering approximately 80 kilometres of strike of the highly mineralised Rylstone Volcanics. Multiple target styles and mineral occurrences have potential throughout the district including analogues to Bowdens Silver, high-grade silver-lead-zinc epithermal and volcanogenic massive sulphide (VMS) systems and copper-gold targets.

Bowdens Silver is the largest undeveloped silver deposit in Australia with substantial resources and a considerable body of high-quality technical work completed. The project boasts outstanding logistics for mine development.




Figure 5: Silver Mines Limited tenement holdings in the Mudgee district.

This document has been authorised for release to the ASX by the Company’s Managing Director, Mr Jonathan Battershill.

Further information:

Jo Battershill
Managing Director
Silver Mines Limited
+61 2 8316 3997

Christina Granger
Account Director
M+C Partners
+61 438 117 286

Competent Persons Statement

The information in this report that relates to Exploration Results is based on information compiled by the Geology Department of Silver Mines Limited, which is managed by Dr Michael Fletcher, General Manager Geology of Silver Mines Limited. Dr Fletcher is a Member of the Australian Institute of Geoscientist (AIG) and has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration, and to the activity being undertaken, to qualify as a Competent Person as defined in the 2012 edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves' (JORC code). Dr Fletcher consents to the inclusion in this report of the matters based on the information in the form and context in which it appears.

The information in this report that relates to Mineral Resources and Ore Reserves within the Bowdens Silver Project is extracted from the ASX release titled "*Bowdens Silver Project Ore Reserves Increased to 71.7Moz Silver*" which was released on ASX on 20 December 2024 and as per the amended announcement released on 10 January 2025.

The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcement and that all material assumptions and technical parameters underpinning the Mineral Resources and Ore Reserves in the relevant market announcement continue to apply and have not materially changed.

The Company confirms that the form and context in which the Competent Person's findings are presented relating to the Mineral Resources and Ore Reserves have not been materially modified from the original market announcement.

Table 2: Drill collar details for holes reported in this release

Hole ID	GDA94 East	GDA94 North	RL (m)	Dip	Azimuth (grid)	Depth (m)	Drill Type	Prospect
CPR001**	774898	6364590	602.1	-90	0	100	RC	Coomber
CPR002**	775016	6364594	601.4	-90	0	100	RC	Coomber
CPR003**	774778	6364594	614.1	-90	0	100	RC	Coomber
CPR004**	774687	6364574	619.9	-90	0	100	RC	Coomber
CPR005**	774687	6364443	622.1	-90	0	100	RC	Coomber
CPR006**	774693	6364319	619.9	-90	0	100	RC	Coomber
CPR007***	774961	6364737	595.0	-60	158.4	50	RC	Coomber
CPR008***	774943	6364783	592.3	-59	160.9	50	RC	Coomber
CPR009***	774923	6364831	589.7	-60	157.4	50	RC	Coomber
CPR010***	774906	6364876	588.3	-59	159.4	50	RC	Coomber
CPR011***	774744	6364749	588.0	-59.5	160.9	100	RC	Coomber
CPR012***	774654	6364741	581.5	-59.5	159.4	144	RC	Coomber
CPR013***	774560	6364656	587.1	-60	160.9	50	RC	Coomber
CPR014***	774541	6364701	581.1	-60	160.9	50	RC	Coomber
CPR015***	774520	6364748	575.1	-59	160.4	50	RC	Coomber
CPR016***	774501	6364793	571.5	-59	162.9	50	RC	Coomber
CPR017***	774404	6364754	582.0	-60	161.4	50	RC	Coomber
CPR018***	774386	6364802	577.3	-58.5	157.9	50	RC	Coomber
CPR019***	774630	6364706	583.9	-59.5	160.9	102	RC	Coomber
CPR020***	774218	6364612	628.6	-59	175.4	54	RC	Coomber

Hole ID	GDA94 East	GDA94 North	RL (m)	Dip	Azimuth (grid)	Depth (m)	Drill Type	Prospect
CPR021***	774463	6364565	593.8	-58	174.9	54	RC	Coomber
CPR022***	774980	6364688	596.3	-59	164.4	50	RC	Coomber
RC91CB01*	774727	6363947	600.1	-60	55.4	54	RC	Coomber
RC91CB02*	774788	6363987	595.6	-60	235.4	60	RC	Coomber
RC91CB03*	774547	6363933	574.1	-60	72.4	102	RC	Coomber
RC91CB04*	774511	6363886	579.7	-60	55.4	50	RC	Coomber
RC91CB05*	774470	6363869	576.2	-61.5	54.4	50	RC	Coomber
RC91CB06*	774339	6363751	583.4	-57.5	247.4	50	RC	Coomber
RC91CB07*	774462	6364199	590.6	-62	197.4	48	RC	Coomber
RC91CB08*	774299	6364595	619.8	-59	334	100	RC	Coomber
RC91CB09*	774401	6364565	606.5	-59	60.4	60	RC	Coomber
RC91CB10*	774469	6364615	590.7	-58.5	235.4	50	RC	Coomber
RC91CB11*	774708	6364797	580.2	-60	181.4	48	RC	Coomber
RC91CB12*	774699	6364748	584.3	-59	198.4	48	RC	Coomber
RC91CB13*	774683	6364688	593.6	-60.5	198.4	78	RC	Coomber
RC91CB14*	774840	6364708	602.0	-59	136.4	50	RC	Coomber
RC91CB15*	774871	6364667	601.4	-60	145.4	52	RC	Coomber
RC91CB16*	774812	6364748	595.2	-61	145.4	50	RC	Coomber
RC91CB17*	774780	6364788	586.4	-63	146.4	50	RC	Coomber
RC91CB18*	774750	6364827	579.2	-59.5	148.4	41	RC	Coomber

*Represents a hole drilled in 1991 by CRA who were previous explorers/owners of the Coomber Prospect and Bowdens Silver Project.

**Represents a hole drilled in 1994 by Golden Shamrock (GSM) who were previous explorers/owners of the Coomber Prospect and Bowdens Silver Project.

***Represents a hole drilled in 1997 by Silver Standard Australia (SSA) who were previous explorers/owners of the Coomber Prospect and Bowdens Silver Project.

Table 3: Table of all drilling results from the Coomber Prospect.

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR001	0	2	1	-	0.01	0.02
CPR001	2	4	1	-	0.01	0.03
CPR001	4	6	1	-	0.01	0.02
CPR001	6	8	1	-	0.01	0.04
CPR001	8	10	1	-	0.01	0.01
CPR001	10	12	1	-	0.01	0.01
CPR001	12	14	1	-	0.01	0.01
CPR001	14	16	1	-	0.01	0.01
CPR001	16	18	1	-	0.01	0.01
CPR001	18	20	1	-	0.01	0.04
CPR001	20	22	1	-	0.01	0.01
CPR001	22	24	1	-	0.01	0.03
CPR001	24	26	1	-	0.01	0.04
CPR001	26	28	1	-	0.01	0.05
CPR001	28	30	1	-	0.01	0.05
CPR001	30	32	2	-	0.02	0.06
CPR001	32	34	1	-	0.01	0.05
CPR001	34	36	1	-	0.01	0.04

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR001	36	38	1	-	0.01	0.06
CPR001	38	40	1	-	0.01	0.04
CPR001	40	42	1	-	0.01	0.04
CPR001	42	44	1	-	0.01	0.05
CPR001	44	46	1	-	0.01	0.03
CPR001	46	48	1	-	0.01	0.02
CPR001	48	50	1	-	0.01	0.03
CPR001	50	52	1	-	0.01	0.03
CPR001	52	54	1	-	0.01	0.04
CPR001	54	56	1	-	0.01	0.03
CPR001	56	58	1	-	0.01	0.04
CPR001	58	60	1	-	0.01	0.03
CPR001	60	62	1	-	0.01	0.06
CPR001	62	64	1	-	0.01	0.03
CPR001	64	66	1	-	0.01	0.04
CPR001	66	68	1	-	0.01	0.05
CPR001	68	70	1	-	0.01	0.05
CPR001	70	72	8	-	0.03	0.03
CPR001	72	74	1	-	0.01	0.06
CPR001	74	76	2	-	0.01	0.04
CPR001	76	78	1	-	0.01	0.03
CPR001	78	80	1	-	0.01	0.04
CPR001	80	82	1	-	0.01	0.03
CPR001	82	84	1	-	0.01	0.04
CPR001	84	86	1	-	0.01	0.04
CPR001	86	88	1	-	0.01	0.05
CPR001	88	90	1	-	0.01	0.05
CPR001	90	92	1	-	0.01	0.03
CPR001	92	94	2	-	0.01	0.04
CPR001	94	96	9	-	0.01	0.03
CPR001	96	98	16	-	0.01	0.03
CPR001	98	100	4	-	0.04	0.12
CPR002	0	2	1	-	0.01	0.01
CPR002	2	4	1	-	0.01	0.01
CPR002	4	6	1	-	0.01	0.02
CPR002	6	8	1	-	0.01	0.01
CPR002	8	10	1	-	0.01	0.02
CPR002	10	12	1	-	0.01	0.01
CPR002	12	14	1	-	0.01	0.01
CPR002	14	16	1	-	0.01	0.03
CPR002	16	18	1	-	0.01	0.02
CPR002	18	20	1	-	0.01	0.02
CPR002	20	22	1	-	0.01	0.03
CPR002	22	24	1	-	0.01	0.01
CPR002	24	26	1	-	0.01	0.02

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR002	26	28	2	-	0.01	0.02
CPR002	28	30	2	-	0.01	0.04
CPR002	30	32	1	-	0.01	0.01
CPR002	32	34	1	-	0.01	0.02
CPR002	34	36	1	-	0.01	0.01
CPR002	36	38	1	-	0.01	0.02
CPR002	38	40	2	-	0.01	0.07
CPR002	40	42	1	-	0.01	0.03
CPR002	42	44	4	-	0.02	0.04
CPR002	44	46	1	-	0.01	0.02
CPR002	46	48	1	-	0.01	0.03
CPR002	48	50	2	-	0.01	0.02
CPR002	50	52	3	-	0.01	0.06
CPR002	52	54	3	-	0.01	0.05
CPR002	54	56	8	-	0.06	0.12
CPR002	56	58	5	-	0.03	0.11
CPR002	58	60	3	-	0.01	0.05
CPR002	60	62	1	-	0.01	0.02
CPR002	62	64	1	-	0.01	0.01
CPR002	64	66	2	-	0.01	0.11
CPR002	66	68	1	-	0.01	0.06
CPR002	68	70	1	-	0.01	0.02
CPR002	70	72	1	-	0.01	0.03
CPR002	72	74	4	-	0.01	0.04
CPR002	74	76	2	-	0.01	0.03
CPR002	76	78	1	-	0.01	0.01
CPR002	78	80	3	-	0.01	0.03
CPR002	80	82	1	-	0.01	0.04
CPR002	82	84	2	-	0.01	0.03
CPR002	84	86	4	-	0.04	0.02
CPR002	86	88	2	-	0.01	0.03
CPR002	88	90	6	-	0.02	0.01
CPR002	90	92	8	-	0.04	0.01
CPR002	92	94	2	-	0.01	0.01
CPR002	94	96	1	-	0.01	0.01
CPR002	96	98	1	-	0.01	0.01
CPR002	98	100	1	-	0.01	0.01
CPR003	0	2	1	-	0.01	0.01
CPR003	2	4	1	-	0.01	0.01
CPR003	4	6	1	-	0.01	0.01
CPR003	6	8	3	-	0.01	0.01
CPR003	8	10	1	-	0.01	0.01
CPR003	10	12	1	-	0.01	0.01
CPR003	12	14	1	-	0.01	0.01
CPR003	14	16	1	-	0.01	0.01

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR003	16	18	1	-	0.01	0.01
CPR003	18	20	1	-	0.01	0.01
CPR003	20	22	1	-	0.01	0.01
CPR003	22	24	1	-	0.01	0.01
CPR003	24	26	1	-	0.01	0.01
CPR003	26	28	1	-	0.01	0.01
CPR003	28	30	1	-	0.01	0.01
CPR003	30	32	4	-	0.01	0.01
CPR003	32	34	1	-	0.01	0.01
CPR003	34	36	1	-	0.01	0.01
CPR003	36	38	1	-	0.01	0.01
CPR003	38	40	2	-	0.01	0.01
CPR003	40	42	1	-	0.01	0.01
CPR003	42	44	2	-	0.01	0.01
CPR003	44	46	1	-	0.01	0.01
CPR003	46	48	1	-	0.01	0.01
CPR003	48	50	1	-	0.01	0.02
CPR003	50	52	14	-	0.01	0.04
CPR003	52	54	31	-	0.01	0.05
CPR003	54	56	18	-	0.02	0.02
CPR003	56	58	86	-	0.01	0.01
CPR003	58	60	17	-	0.02	0.08
CPR003	60	62	6	-	0.03	0.09
CPR003	62	64	9	-	0.03	0.10
CPR003	64	66	5	-	0.02	0.08
CPR003	66	68	3	-	0.01	0.04
CPR003	68	70	8	-	0.03	0.05
CPR003	70	72	3	-	0.01	0.05
CPR003	72	74	6	-	0.04	0.07
CPR003	74	76	4	-	0.01	0.08
CPR003	76	78	6	-	0.02	0.06
CPR003	78	80	7	-	0.04	0.12
CPR003	80	82	20	-	0.02	0.16
CPR003	82	84	26	-	0.05	0.17
CPR003	84	86	13	-	0.04	0.12
CPR003	86	88	8	-	0.08	0.16
CPR003	88	90	6	-	0.03	0.15
CPR003	90	92	4	-	0.01	0.12
CPR003	92	94	6	-	0.04	0.16
CPR003	94	96	13	-	0.01	0.16
CPR003	96	98	11	-	0.02	0.15
CPR003	98	100	34	-	0.06	0.20
CPR004	0	2	1	-	0.01	0.01
CPR004	2	4	1	-	0.01	0.01
CPR004	4	6	1	-	0.01	0.01

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR004	6	8	1	-	0.01	0.01
CPR004	8	10	1	-	0.01	0.01
CPR004	10	12	1	-	0.01	0.01
CPR004	12	14	1	-	0.01	0.01
CPR004	14	16	1	-	0.01	0.01
CPR004	16	18	1	-	0.01	0.01
CPR004	18	20	1	-	0.01	0.01
CPR004	20	22	1	-	0.01	0.01
CPR004	22	24	1	-	0.01	0.01
CPR004	24	26	1	-	0.01	0.01
CPR004	26	28	3	-	0.01	0.01
CPR004	28	30	1	-	0.01	0.01
CPR004	30	32	1	-	0.01	0.01
CPR004	32	34	1	-	0.01	0.01
CPR004	34	36	1	-	0.01	0.01
CPR004	36	38	1	-	0.01	0.02
CPR004	38	40	1	-	0.01	0.04
CPR004	40	42	2	-	0.01	0.08
CPR004	42	44	6	-	0.01	0.04
CPR004	44	46	5	-	0.01	0.03
CPR004	46	48	20	-	0.01	0.06
CPR004	48	50	50	-	0.01	0.07
CPR004	50	52	26	-	0.01	0.03
CPR004	52	54	6	-	0.02	0.04
CPR004	54	56	13	-	0.02	0.08
CPR004	56	58	4	-	0.03	0.08
CPR004	58	60	2	-	0.07	0.04
CPR004	60	62	2	-	0.01	0.01
CPR004	62	64	2	-	0.01	0.03
CPR004	64	66	2	-	0.03	0.04
CPR004	66	68	3	-	0.01	0.02
CPR004	68	70	2	-	0.03	0.14
CPR004	70	72	2	-	0.02	0.11
CPR004	72	74	3	-	0.03	0.13
CPR004	74	76	7	-	0.06	0.24
CPR004	76	78	11	-	0.08	0.19
CPR004	78	80	5	-	0.02	0.09
CPR004	80	82	4	-	0.01	0.05
CPR004	82	84	5	-	0.01	0.06
CPR004	84	86	15	-	0.04	0.12
CPR004	86	88	20	-	0.01	0.06
CPR004	88	90	11	-	0.02	0.03
CPR004	90	92	5	-	0.01	0.02
CPR004	92	94	2	-	0.01	0.04
CPR004	94	96	3	-	0.01	0.06

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR004	96	98	3	-	0.03	0.08
CPR004	98	100	2	-	0.01	0.06
CPR005	0	2	1	-	0.01	0.01
CPR005	2	4	1	-	0.01	0.01
CPR005	4	6	1	-	0.01	0.01
CPR005	6	8	1	-	0.03	0.01
CPR005	8	10	1	-	0.02	0.01
CPR005	10	12	1	-	0.01	0.01
CPR005	12	14	1	-	0.01	0.01
CPR005	14	16	1	-	0.01	0.01
CPR005	16	18	2	-	0.02	0.01
CPR005	18	20	1	-	0.01	0.01
CPR005	20	22	1	-	0.01	0.01
CPR005	22	24	1	-	0.01	0.01
CPR005	24	26	1	-	0.01	0.01
CPR005	26	28	1	-	0.01	0.01
CPR005	28	30	1	-	0.01	0.01
CPR005	30	32	1	-	0.01	0.01
CPR005	32	34	1	-	0.01	0.01
CPR005	34	36	1	-	0.01	0.01
CPR005	36	38	1	-	0.01	0.01
CPR005	38	40	1	-	0.01	0.01
CPR005	40	42	1	-	0.01	0.01
CPR005	42	44	1	-	0.01	0.01
CPR005	44	46	1	-	0.01	0.01
CPR005	46	48	4	-	0.01	0.03
CPR005	48	50	1	-	0.01	0.01
CPR005	50	52	1	-	0.01	0.01
CPR005	52	54	1	-	0.01	0.01
CPR005	54	56	1	-	0.01	0.01
CPR005	56	58	1	-	0.01	0.01
CPR005	58	60	1	-	0.01	0.01
CPR005	60	62	1	-	0.01	0.01
CPR005	62	64	1	-	0.01	0.01
CPR005	64	66	1	-	0.01	0.01
CPR005	66	68	1	-	0.01	0.01
CPR005	68	70	1	-	0.01	0.01
CPR005	70	72	1	-	0.01	0.01
CPR005	72	74	1	-	0.01	0.01
CPR005	74	76	1	-	0.01	0.01
CPR005	76	78	1	-	0.01	0.01
CPR005	78	80	1	-	0.01	0.01
CPR005	80	82	2	-	0.02	0.06
CPR005	82	84	8	-	0.07	0.07
CPR005	84	86	9	-	0.10	0.05

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR005	86	88	3	-	0.02	0.05
CPR005	88	90	2	-	0.02	0.10
CPR005	90	92	7	-	0.02	0.18
CPR005	92	94	7	-	0.04	0.15
CPR005	94	96	3	-	0.01	0.08
CPR005	96	98	3	-	0.02	0.09
CPR005	98	100	7	-	0.06	0.10
CPR006	0	2	1	-	0.02	0.01
CPR006	2	5	1	-	0.01	0.01
CPR006	5	8	1	-	0.01	0.01
CPR006	8	10	1	-	0.01	0.01
CPR006	10	12	1	-	0.01	0.01
CPR006	12	14	1	-	0.01	0.01
CPR006	14	17	1	-	0.01	0.01
CPR006	17	19	1	-	0.01	0.01
CPR006	19	20	1	-	0.01	0.01
CPR006	20	22	1	-	0.01	0.01
CPR006	22	24	1	-	0.01	0.01
CPR006	24	26	1	-	0.01	0.01
CPR006	26	28	1	-	0.01	0.01
CPR006	28	30	1	-	0.01	0.01
CPR006	30	32	1	-	0.01	0.08
CPR006	32	34	2	-	0.01	0.01
CPR006	34	36	2	-	0.01	0.01
CPR006	36	38	1	-	0.01	0.01
CPR006	38	40	2	-	0.01	0.01
CPR006	40	42	4	-	0.07	0.03
CPR006	42	44	2	-	0.02	0.05
CPR006	44	46	1	-	0.03	0.10
CPR006	46	48	2	-	0.06	0.17
CPR006	48	50	3	-	0.10	0.11
CPR006	50	52	1	-	0.06	0.08
CPR006	52	54	1	-	0.02	0.07
CPR006	54	56	2	-	0.04	0.14
CPR006	56	58	2	-	0.04	0.12
CPR006	58	60	7	-	0.05	0.18
CPR006	60	62	3	-	0.02	0.09
CPR006	62	64	2	-	0.01	0.07
CPR006	64	66	2	-	0.03	0.13
CPR006	66	68	2	-	0.01	0.11
CPR006	68	70	1	-	0.01	0.04
CPR006	70	72	1	-	0.01	0.08
CPR006	72	74	1	-	0.01	0.05
CPR006	74	76	1	-	0.01	0.05
CPR006	76	78	1	-	0.01	0.06

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR006	78	80	1	-	0.01	0.05
CPR006	80	82	1	-	0.01	0.14
CPR006	82	84	1	-	0.01	0.06
CPR006	84	86	2	-	0.01	0.10
CPR006	86	88	1	-	0.01	0.04
CPR006	88	90	1	-	0.01	0.03
CPR006	90	92	1	-	0.01	0.03
CPR006	92	94	3	-	0.01	0.05
CPR006	94	96	1	-	0.01	0.06
CPR006	96	98	1	-	0.01	0.05
CPR006	98	100	1	-	0.01	0.03
CPR007	0	2	18.4	-	0.32	0.04
CPR007	2	4	23.9	-	0.61	0.02
CPR007	4	6	20	0.0141	0.17	0.02
CPR007	6	8	8.7	-	0.57	0.03
CPR007	8	10	6.1	-	0.48	0.05
CPR007	10	12	5.4	-	0.27	0.07
CPR007	12	14	0.6	-	0.04	0.02
CPR007	14	16	0.7	-	0.08	0.22
CPR007	16	18	1.2	-	0.03	0.18
CPR007	18	20	0.8	-	0.02	0.17
CPR007	20	22	0.9	-	0.02	0.35
CPR007	22	24	1	-	0.01	0.17
CPR007	24	26	0.25	-	0.01	0.09
CPR007	26	28	0.9	-	0.01	0.10
CPR007	28	30	1.1	-	0.01	0.14
CPR007	30	32	1.1	-	0.01	0.10
CPR007	32	34	0.7	-	0.01	0.11
CPR007	34	36	0.6	-	0.01	0.11
CPR007	36	38	0.6	-	0.01	0.11
CPR007	38	40	0.7	-	0.00	0.06
CPR007	40	42	0.25	-	0.00	0.03
CPR007	42	44	0.8	-	0.00	0.14
CPR007	44	46	0.7	-	0.00	0.02
CPR007	46	48	0.25	-	0.01	0.03
CPR007	48	50	0.9	-	0.02	0.09
CPR008	0	2	18.5	-	0.09	0.09
CPR008	2	4	5.1	-	0.08	0.08
CPR008	4	6	2.6	-	0.10	0.13
CPR008	6	8	2.3	-	0.08	0.14
CPR008	8	10	3	-	0.09	0.12
CPR008	10	12	2.8	-	0.10	0.16
CPR008	12	14	BLD	BLD	0.12	0.25
CPR008	14	16	2.3	-	0.08	0.32
CPR008	16	18	0.7	-	0.06	0.12

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR008	18	20	1.5	-	0.08	0.14
CPR008	20	22	1	-	0.06	0.10
CPR008	22	24	2.3	-	0.05	0.18
CPR008	24	26	1.4	-	0.04	0.11
CPR008	26	28	1.7	-	0.05	0.15
CPR008	28	30	1.1	-	0.05	0.12
CPR008	30	32	1.3	-	0.04	0.08
CPR008	32	34	1.1	-	0.04	0.09
CPR008	34	36	1.3	-	0.03	0.09
CPR008	36	38	1	-	0.01	0.06
CPR008	38	40	2.2	-	0.04	0.10
CPR008	40	42	1.4	-	0.05	0.08
CPR008	42	44	1.5	-	0.03	0.06
CPR008	44	46	1.2	-	0.03	0.08
CPR008	46	48	1.4	-	0.02	0.09
CPR008	48	50	1.2	-	0.03	0.07
CPR009	0	2	3	-	0.06	0.08
CPR009	2	4	3.7	-	0.06	0.11
CPR009	4	6	1.9	-	0.08	0.11
CPR009	6	8	1.6	-	0.06	0.10
CPR009	8	10	1.4	-	0.03	0.08
CPR009	10	12	0.9	-	0.04	0.08
CPR009	12	14	1.3	-	0.05	0.09
CPR009	14	16	2.2	-	0.07	0.10
CPR009	16	18	1.4	-	0.05	0.08
CPR009	18	20	0.7	-	0.02	0.07
CPR009	20	22	1	-	0.04	0.09
CPR009	22	24	BLD	BLD	0.04	0.07
CPR009	24	26	1.2	-	0.05	0.07
CPR009	26	28	0.9	-	0.04	0.06
CPR009	28	30	1	-	0.02	0.05
CPR009	30	32	0.7	-	0.02	0.05
CPR009	32	34	1.3	-	0.04	0.08
CPR009	34	36	1.1	-	0.04	0.08
CPR009	36	38	1.9	-	0.03	0.10
CPR009	38	40	0.25	-	0.01	0.07
CPR009	40	42	0.25	-	0.01	0.06
CPR009	42	44	0.7	-	0.01	0.08
CPR009	44	46	0.9	-	0.03	0.09
CPR009	46	48	0.9	-	0.02	0.08
CPR009	48	50	0.5	-	0.01	0.07
CPR010	0	2	2.3	-	0.03	0.07
CPR010	2	4	1.5	-	0.02	0.05
CPR010	4	6	1.1	-	0.01	0.08
CPR010	6	8	1.4	-	0.05	0.12

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR010	8	10	1.7	-	0.02	0.09
CPR010	10	12	1.1	-	0.02	0.10
CPR010	12	14	1.6	-	0.04	0.16
CPR010	14	16	1.3	-	0.03	0.12
CPR010	16	18	1.7	-	0.05	0.12
CPR010	18	20	1.3	-	0.03	0.07
CPR010	20	22	0.9	-	0.02	0.05
CPR010	22	24	1.3	-	0.04	0.08
CPR010	24	26	0.8	-	0.04	0.06
CPR010	26	28	1.9	-	0.04	0.06
CPR010	28	30	1.4	-	0.05	0.05
CPR010	30	32	0.9	-	0.05	0.07
CPR010	32	34	1.3	-	0.05	0.05
CPR010	34	36	0.9	-	0.06	0.06
CPR010	36	38	0.7	-	0.04	0.06
CPR010	38	40	0.7	-	0.02	0.09
CPR010	40	42	0.25	-	0.01	0.01
CPR010	42	44	0.25	-	0.01	0.05
CPR010	44	46	0.25	-	0.01	0.03
CPR010	46	48	0.25	-	0.01	0.03
CPR010	48	50	0.8	-	0.01	0.05
CPR011	0	2	20.6	-	0.13	0.05
CPR011	2	4	9.8	-	0.10	0.06
CPR011	4	6	10.4	0.0106	0.08	0.06
CPR011	6	8	20.5	-	0.08	0.04
CPR011	8	10	5.8	-	0.08	0.05
CPR011	10	12	5.8	-	0.09	0.11
CPR011	12	14	3.9	-	0.04	0.05
CPR011	14	16	1.7	-	0.04	0.05
CPR011	16	18	7.1	-	0.03	0.06
CPR011	18	20	36.2	-	0.03	0.08
CPR011	20	22	18.8	-	0.02	0.08
CPR011	22	24	16.9	-	0.04	0.08
CPR011	24	26	BLD	BLD	0.03	0.05
CPR011	26	28	54	BLD	0.03	0.06
CPR011	28	30	67.2	BLD	0.03	0.05
CPR011	30	32	97.2	BLD	0.02	0.06
CPR011	32	34	70.2	BLD	0.02	0.04
CPR011	34	36	95.4	BLD	0.02	0.04
CPR011	36	38	106	BLD	0.02	0.12
CPR011	38	40	73.9	BLD	0.02	0.06
CPR011	40	42	40.4	BLD	0.02	0.03
CPR011	42	44	36.9	BLD	0.02	0.05
CPR011	44	46	30.8	BLD	0.02	0.05
CPR011	46	48	33.1	-	0.01	0.05

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR011	48	50	25.9	-	0.01	0.04
CPR011	50	52	29.6	-	0.01	0.03
CPR011	52	54	60.6	BLD	0.02	0.06
CPR011	54	56	11.8	-	0.01	0.04
CPR011	56	58	32.4	-	0.01	0.04
CPR011	58	60	18.2	-	0.01	0.07
CPR011	60	62	14	-	0.01	0.04
CPR011	62	64	2.6	-	0.01	0.05
CPR011	64	66	1.7	-	0.01	0.08
CPR011	66	68	1.8	-	0.01	0.04
CPR011	68	70	4.2	-	0.01	0.04
CPR011	70	72	2.9	-	0.01	0.04
CPR011	72	74	10.2	-	0.01	0.03
CPR011	74	76	9.2	-	0.01	0.03
CPR011	76	78	11.8	-	0.01	0.04
CPR011	78	80	12.6	-	0.02	0.03
CPR011	80	82	6.2	-	0.01	0.03
CPR011	82	84	8.8	-	0.01	0.03
CPR011	84	86	12.7	-	0.01	0.07
CPR011	86	88	55.9	BLD	0.02	0.17
CPR011	88	90	15.6	-	0.01	0.14
CPR011	90	92	24.3	-	0.01	0.04
CPR011	92	94	23.2	-	0.01	0.05
CPR011	94	96	29.7	-	0.02	0.05
CPR011	96	98	59.9	BLD	0.02	0.05
CPR011	98	100	50.7	BLD	0.02	0.04
CPR012	0	2	1.7	-	0.04	0.08
CPR012	2	4	1.2	-	0.03	0.12
CPR012	4	6	2	-	0.04	0.17
CPR012	6	8	1.9	-	0.03	0.14
CPR012	8	10	0.9	-	0.03	0.07
CPR012	10	12	1.4	-	0.03	0.09
CPR012	12	14	BLD	BLD	0.03	0.10
CPR012	14	16	0.7	-	0.04	0.09
CPR012	16	18	0.8	-	0.02	0.07
CPR012	18	20	0.25	-	0.01	0.06
CPR012	20	22	0.25	-	0.00	0.02
CPR012	22	24	0.9	-	0.02	0.12
CPR012	24	26	1.1	-	0.02	0.14
CPR012	26	28	1.9	-	0.04	0.10
CPR012	28	30	1.4	-	0.03	0.10
CPR012	30	32	1.5	-	0.03	0.07
CPR012	32	34	0.25	-	0.02	0.05
CPR012	34	36	0.25	-	0.02	0.06
CPR012	36	38	3.3	-	0.05	0.10

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR012	38	40	2	-	0.04	0.09
CPR012	40	42	1.7	-	0.42	0.08
CPR012	42	44	1.9	-	0.04	0.10
CPR012	44	46	1.8	-	0.04	0.08
CPR012	46	48	2.1	-	0.03	0.07
CPR012	48	50	1.8	-	0.03	0.07
CPR012	50	52	1.9	-	0.03	0.08
CPR012	52	54	2.7	-	0.05	0.07
CPR012	54	56	3.8	-	0.07	0.15
CPR012	56	58	3.3	-	0.05	0.07
CPR012	58	60	8.7	-	0.07	0.11
CPR012	60	62	BLD	BLD	0.06	0.09
CPR012	62	64	3.9	-	0.05	0.11
CPR012	64	66	2.7	-	0.05	0.19
CPR012	66	68	3.6	-	0.05	0.13
CPR012	68	70	1.6	-	0.03	0.09
CPR012	70	72	1	-	0.02	0.05
CPR012	72	74	0.25	-	0.01	0.05
CPR012	74	76	0.9	-	0.02	0.04
CPR012	76	78	2.8	-	0.02	0.05
CPR012	78	80	2.5	-	0.01	0.04
CPR012	80	82	0.9	-	0.01	0.04
CPR012	82	84	1.2	-	0.02	0.05
CPR012	84	86	0.9	-	0.01	0.04
CPR012	86	88	1.3	-	0.02	0.04
CPR012	88	90	1.7	-	0.03	0.05
CPR012	90	92	2.1	-	0.02	0.03
CPR012	92	94	1.1	-	0.02	0.03
CPR012	94	96	1.4	-	0.02	0.03
CPR012	96	98	1.6	-	0.03	0.04
CPR012	98	100	0.7	-	0.03	0.04
CPR012	100	102	0.25	-	0.03	0.04
CPR012	102	104	1.5	-	0.02	0.04
CPR012	104	106	2	-	0.01	0.04
CPR012	106	108	1.5	-	0.01	0.04
CPR012	108	110	1.5	-	0.01	0.04
CPR012	110	112	1.5	-	0.01	0.03
CPR012	112	114	0.25	-	0.01	0.03
CPR012	114	116	1	-	0.01	0.03
CPR012	116	118	0.6	-	0.01	0.03
CPR012	118	120	0.25	-	0.01	0.03
CPR012	120	122	0.25	-	0.01	0.03
CPR012	122	124	0.25	-	0.01	0.03
CPR012	124	126	0.25	-	0.01	0.03
CPR012	126	128	0.25	-	0.01	0.04

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR012	128	130	BLD	BLD	0.01	0.04
CPR012	130	132	0.6	-	0.01	0.03
CPR012	132	134	0.8	-	0.01	0.03
CPR012	134	136	1.6	-	0.02	0.03
CPR012	136	138	2.6	-	0.02	0.04
CPR012	138	140	0.9	-	0.01	0.04
CPR012	140	142	1.4	-	0.01	0.04
CPR012	142	144	1.1	-	0.01	0.04
CPR013	0	2	4.7	-	0.01	0.01
CPR013	2	4	7.4	-	0.02	0.03
CPR013	4	6	8.8	-	0.01	0.03
CPR013	6	8	7.1	-	0.04	0.06
CPR013	8	10	6.3	-	0.05	0.03
CPR013	10	12	7.8	-	0.05	0.03
CPR013	12	14	6	-	0.05	0.02
CPR013	14	16	9.9	-	0.05	0.08
CPR013	16	18	6.3	-	0.03	0.03
CPR013	18	20	4.9	-	0.03	0.11
CPR013	20	22	1.7	-	0.02	0.10
CPR013	22	24	3.6	-	0.02	0.17
CPR013	24	26	BLD	BLD	0.03	0.22
CPR013	26	28	4.8	-	0.03	0.10
CPR013	28	30	2.1	-	0.03	0.04
CPR013	30	32	0.9	-	0.02	0.07
CPR013	32	34	0.8	-	0.01	0.05
CPR013	34	36	0.25	-	0.04	0.08
CPR013	36	38	1.2	-	0.01	0.04
CPR013	38	40	1.1	-	0.04	0.06
CPR013	40	42	0.6	-	0.03	0.06
CPR013	42	44	0.25	-	0.04	0.07
CPR013	44	46	0.7	-	0.03	0.06
CPR013	46	48	0.25	-	0.03	0.06
CPR013	48	50	0.25	-	0.01	0.04
CPR014	0	2	3	-	0.00	0.01
CPR014	2	4	7.1	-	0.01	0.02
CPR014	4	6	5.9	-	0.05	0.18
CPR014	6	8	BLD	0.0094	0.04	0.19
CPR014	8	10	2.1	-	0.05	0.15
CPR014	10	12	2	-	0.02	0.16
CPR014	12	14	1.4	-	0.03	0.17
CPR014	14	16	0.25	-	0.01	0.09
CPR014	16	18	0.25	-	0.01	0.09
CPR014	18	20	0.25	-	0.00	0.07
CPR014	20	22	0.5	-	0.00	0.04
CPR014	22	24	0.7	-	0.01	0.05

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR014	24	26	0.9	-	0.01	0.03
CPR014	26	28	0.25	-	0.01	0.04
CPR014	28	30	1	-	0.01	0.05
CPR014	30	32	1	-	0.01	0.04
CPR014	32	34	1	-	0.03	0.14
CPR014	34	36	1.2	-	0.03	0.15
CPR014	36	38	1.2	-	0.03	0.17
CPR014	38	40	2.5	-	0.03	0.20
CPR014	40	42	1.4	-	0.03	0.12
CPR014	42	44	1.1	-	0.02	0.05
CPR014	44	46	1.8	-	0.06	0.17
CPR014	46	48	1.3	-	0.05	0.16
CPR014	48	50	2.1	-	0.03	0.11
CPR015	0	2	7.8	-	0.02	0.04
CPR015	2	4	3.1	-	0.04	0.13
CPR015	4	6	2.5	-	0.04	0.06
CPR015	6	8	0.8	-	0.04	0.08
CPR015	8	10	0.25	-	0.02	0.08
CPR015	10	12	0.25	-	0.04	0.13
CPR015	12	14	0.25	-	0.03	0.13
CPR015	14	16	BLD	0.009	0.04	0.28
CPR015	16	18	0.9	-	0.03	0.16
CPR015	18	20	0.6	-	0.02	0.05
CPR015	20	22	0.25	-	0.02	0.07
CPR015	22	24	0.25	-	0.02	0.07
CPR015	24	26	1.5	-	0.02	0.07
CPR015	26	28	1.6	-	0.03	0.13
CPR015	28	30	2.1	-	0.05	0.13
CPR015	30	32	0.7	-	0.03	0.16
CPR015	32	34	0.9	-	0.02	0.08
CPR015	34	36	1.3	-	0.04	0.20
CPR015	36	38	0.6	-	0.04	0.34
CPR015	38	40	2.2	-	0.05	0.48
CPR015	40	42	1.5	-	0.06	0.17
CPR015	42	44	1.4	-	0.05	0.15
CPR015	44	46	0.8	-	0.02	0.11
CPR015	46	48	2	-	0.05	0.17
CPR015	48	50	1.7	-	0.06	0.18
CPR016	0	2	2.6	-	0.05	0.19
CPR016	2	4	1.4	-	0.04	0.22
CPR016	4	6	0.25	-	0.02	0.12
CPR016	6	8	0.25	-	0.03	0.12
CPR016	8	10	0.25	-	0.03	0.10
CPR016	10	12	0.25	-	0.05	0.14
CPR016	12	14	0.25	-	0.05	0.09

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR016	14	16	0.25	-	0.03	0.07
CPR016	16	18	0.25	-	0.02	0.06
CPR016	18	20	0.25	-	0.03	0.10
CPR016	20	22	0.25	-	0.04	0.08
CPR016	22	24	0.25	-	0.03	0.06
CPR016	24	26	0.25	-	0.05	0.08
CPR016	26	28	0.25	-	0.04	0.11
CPR016	28	30	0.25	-	0.01	0.04
CPR016	30	32	0.25	-	0.01	0.05
CPR016	32	34	0.25	-	0.04	0.08
CPR016	34	36	0.25	-	0.02	0.06
CPR016	36	38	0.25	-	0.05	0.10
CPR016	38	40	0.25	-	0.06	0.12
CPR016	40	42	0.25	-	0.04	0.08
CPR016	42	44	0.25	-	0.01	0.04
CPR016	44	46	0.6	-	0.02	0.05
CPR016	46	48	0.25	-	0.01	0.04
CPR016	48	50	0.25	-	0.01	0.03
CPR017	0	2	4	-	0.06	0.13
CPR017	2	4	3.5	-	0.06	0.19
CPR017	4	6	3.8	-	0.06	0.20
CPR017	6	8	8	-	0.08	0.25
CPR017	8	10	BLD	BLD	0.10	0.16
CPR017	10	12	2.4	-	0.04	0.15
CPR017	12	14	1.2	-	0.04	0.13
CPR017	14	16	2.8	-	0.06	0.19
CPR017	16	18	1	-	0.06	0.26
CPR017	18	20	0.25	-	0.06	0.47
CPR017	20	22	0.25	-	0.03	0.25
CPR017	22	24	0.25	-	0.04	0.09
CPR017	24	26	0.25	-	0.01	0.04
CPR017	26	28	0.25	-	0.01	0.04
CPR017	28	30	0.25	-	0.02	0.06
CPR017	30	32	0.25	-	0.01	0.04
CPR017	32	34	0.25	-	0.02	0.05
CPR017	34	36	0.7	-	0.02	0.04
CPR017	36	38	1.1	-	0.00	0.03
CPR017	38	40	0.7	-	0.00	0.02
CPR017	40	42	0.25	-	0.01	0.04
CPR017	42	44	0.6	-	0.00	0.03
CPR017	44	46	0.25	-	0.00	0.03
CPR017	46	48	0.7	-	0.00	0.04
CPR017	48	50	0.25	-	0.00	0.01
CPR018	0	2	2.6	-	0.05	0.17
CPR018	2	4	4.5	-	0.04	0.18

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR018	4	6	2.2	-	0.02	0.09
CPR018	6	8	1	-	0.00	0.05
CPR018	8	10	3	-	0.02	0.09
CPR018	10	12	BLD	0.0082	0.04	0.14
CPR018	12	14	3.2	-	0.03	0.19
CPR018	14	16	2.1	-	0.04	0.14
CPR018	16	18	7	-	0.04	0.19
CPR018	18	20	5.5	-	0.04	0.17
CPR018	20	22	0.8	-	0.01	0.07
CPR018	22	24	0.25	-	0.02	0.14
CPR018	24	26	0.9	-	0.01	0.07
CPR018	26	28	0.25	-	0.00	0.04
CPR018	28	30	0.5	-	0.01	0.04
CPR018	30	32	0.6	-	0.01	0.07
CPR018	32	34	0.6	-	0.01	0.03
CPR018	34	36	0.9	-	0.00	0.02
CPR018	36	38	1	-	0.01	0.06
CPR018	38	40	0.25	-	0.00	0.03
CPR018	40	42	0.6	-	0.00	0.03
CPR018	42	44	0.6	-	0.00	0.01
CPR018	44	46	0.25	-	0.00	0.02
CPR018	46	48	0.25	-	0.01	0.05
CPR018	48	50	0.25	-	0.01	0.04
CPR019	0	2	8.6	-	0.05	0.40
CPR019	2	4	6.3	-	0.07	0.51
CPR019	4	6	3.2	-	0.06	0.24
CPR019	6	8	BLD	BLD	0.06	0.28
CPR019	8	10	2.5	-	0.05	0.17
CPR019	10	12	3.3	-	0.05	0.25
CPR019	12	14	0.7	-	0.01	0.11
CPR019	14	16	0.25	-	0.01	0.31
CPR019	16	18	1	-	0.02	0.15
CPR019	18	20	0.25	-	0.02	0.10
CPR019	20	22	0.25	-	0.01	0.09
CPR019	22	24	0.25	-	0.00	0.11
CPR019	24	27	0.25	-	0.00	0.15
CPR019	27	29	0.25	-	0.01	0.08
CPR019	29	30	0.25	-	0.01	0.07
CPR019	30	32	0.6	-	0.01	0.06
CPR019	32	34	1	-	0.02	0.11
CPR019	34	36	1.3	-	0.02	0.11
CPR019	36	38	0.6	-	0.02	0.08
CPR019	38	40	1.5	-	0.02	0.09
CPR019	40	42	2.8	-	0.02	0.08
CPR019	42	44	2.4	-	0.02	0.11

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR019	44	46	2.9	-	0.02	0.10
CPR019	46	48	3.7	-	0.01	0.06
CPR019	48	50	48.7	BLD	0.02	0.09
CPR019	50	52	30	BLD	0.02	0.10
CPR019	52	54	26.8	BLD	0.02	0.09
CPR019	54	56	78.1	BLD	0.02	0.24
CPR019	56	58	9.6	BLD	0.01	0.09
CPR019	58	60	81.8	BLD	0.03	0.21
CPR019	60	62	36.3	BLD	0.01	0.13
CPR019	62	64	14.7	-	0.01	0.11
CPR019	64	66	9	-	0.01	0.06
CPR019	66	68	14.7	-	0.02	0.14
CPR019	68	70	24.1	-	0.02	0.12
CPR019	70	72	7.7	-	0.01	0.06
CPR019	72	74	6.3	-	0.01	0.06
CPR019	74	76	7.1	-	0.01	0.06
CPR019	76	78	9.6	-	0.01	0.07
CPR019	78	80	11.6	-	0.01	0.07
CPR019	80	82	12.8	-	0.00	0.07
CPR019	82	84	148.1	-	0.00	0.06
CPR019	84	86	9.3	-	0.01	0.05
CPR019	86	88	0.25	-	0.01	0.04
CPR019	88	90	0.25	-	0.01	0.08
CPR019	90	92	2.5	-	0.01	0.11
CPR019	92	94	0.25	-	0.01	0.07
CPR019	94	96	6.9	-	0.02	0.11
CPR019	96	98	7.9	BLD	0.06	0.34
CPR019	98	100	2.7	-	0.01	0.06
CPR019	100	102	1.1	-	0.01	0.10
CPR020	24	26	5.5	-	0.13	0.18
CPR020	26	28	3.9	-	0.12	0.14
CPR020	28	30	1.3	-	0.08	0.17
CPR020	30	32	0.25	-	0.06	0.28
CPR020	32	34	2.1	-	0.05	0.19
CPR020	34	36	0.25	-	0.05	0.17
CPR020	36	38	BLD	BLD	0.07	0.25
CPR020	38	40	0.25	-	0.05	0.18
CPR020	40	42	2.2	-	0.05	0.12
CPR020	42	44	0.25	-	0.05	0.11
CPR020	44	46	1.9	-	0.06	0.16
CPR020	46	48	0.25	-	0.07	0.13
CPR020	48	50	1.2	-	0.08	0.17
CPR020	50	52	3.4	-	0.15	0.14
CPR020	52	54	1.6	-	0.13	0.25
CPR020	0	2	0.25	-	0.04	0.19

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR020	2	4	0.25	-	0.06	0.28
CPR020	4	6	0.25	-	0.05	0.24
CPR020	6	8	0.25	-	0.06	0.12
CPR020	8	10	1.4	-	0.06	0.14
CPR020	10	12	BLD	BLD	0.07	0.22
CPR020	12	14	0.25	-	0.06	0.16
CPR020	14	16	0.25	-	0.09	0.22
CPR020	16	18	0.25	-	0.06	0.16
CPR020	18	20	0.7	-	0.02	0.11
CPR020	20	22	0.8	-	0.02	0.11
CPR020	22	24	1.2	-	0.06	0.12
CPR021	0	2	28.4	-	0.01	0.02
CPR021	2	4	36	BLD	0.05	0.03
CPR021	4	6	12.7	-	0.03	0.04
CPR021	6	8	8.9	-	0.03	0.05
CPR021	8	10	20.9	-	0.06	0.04
CPR021	10	12	10.3	-	0.03	0.07
CPR021	12	15	3.6	-	0.01	0.06
CPR021	15	17	2.7	-	0.01	0.06
CPR021	17	18	0.6	-	0.01	0.06
CPR021	18	20	0.25	-	0.00	0.03
CPR021	20	22	0.25	-	0.00	0.03
CPR021	22	24	0.25	-	0.00	0.03
CPR021	24	26	8.9	-	0.02	0.04
CPR021	26	28	6	-	0.03	0.06
CPR021	28	30	27.8	BLD	0.05	0.07
CPR021	30	32	BLD	BLD	0.02	0.09
CPR021	32	34	30.9	-	0.05	0.08
CPR021	34	36	2.7	-	0.01	0.05
CPR021	36	38	1.8	-	0.02	0.06
CPR021	38	40	0.9	-	0.01	0.04
CPR021	40	42	0.7	-	0.01	0.06
CPR021	42	44	0.9	-	0.01	0.03
CPR021	44	46	0.7	-	0.01	0.05
CPR021	46	48	0.6	-	0.01	0.05
CPR021	48	50	0.25	-	0.01	0.07
CPR021	50	52	0.25	-	0.01	0.09
CPR021	52	54	0.5	-	0.02	0.07
CPR022	0	2	5.7	-	0.02	0.02
CPR022	2	4	13.6	-	0.02	0.01
CPR022	4	6	19.4	-	0.01	0.01
CPR022	6	8	23.1	-	0.04	0.01
CPR022	8	10	23.8	-	0.07	0.01
CPR022	10	12	18.1	-	0.03	0.01
CPR022	12	14	24	-	0.03	0.01

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
CPR022	14	16	17.5	-	0.04	0.01
CPR022	16	18	30.3	-	0.06	0.01
CPR022	18	20	12.8	-	0.04	0.02
CPR022	20	22	14.3	-	0.02	0.01
CPR022	22	24	29.4	-	0.02	0.01
CPR022	24	26	14.6	BLD	0.02	BLD
CPR022	26	28	9.4	-	0.03	0.01
CPR022	28	30	15.8	-	0.04	0.02
CPR022	30	33	13.2	-	0.03	0.02
CPR022	33	35	8.8	-	0.04	0.02
CPR022	35	36	6	-	0.04	0.02
CPR022	36	38	14.8	-	0.05	0.02
CPR022	38	40	11.9	-	0.03	0.01
CPR022	40	42	11.8	-	0.02	0.01
CPR022	42	44	12.6	-	0.02	0.01
CPR022	44	46	116	0.0196	0.07	0.01
CPR022	46	48	42.4	0.0066	0.02	BLD
CPR022	48	50	9.1	-	0.01	0.01
RC91CB01	0	2	5	0.03	0.02	0.02
RC91CB01	2	4	3	0.02	0.03	0.04
RC91CB01	4	6	2	0.03	0.01	0.02
RC91CB01	6	8	3	0.02	0.08	0.02
RC91CB01	8	10	2	0.02	0.03	0.03
RC91CB01	10	12	2	0.03	0.03	0.03
RC91CB01	12	14	3	0.06	0.07	0.03
RC91CB01	14	16	2	0.19	0.04	0.02
RC91CB01	16	18	2	0.11	0.04	0.04
RC91CB01	18	20	2	0.24	0.02	0.04
RC91CB01	20	22	2	0.5	0.05	0.03
RC91CB01	22	24	3	0.41	0.05	0.03
RC91CB01	24	26	2	0.21	0.02	0.02
RC91CB01	26	28	4	0.03	0.02	0.02
RC91CB01	28	30	2	0.03	0.02	0.04
RC91CB01	30	32	2	0.03	0.02	0.04
RC91CB01	32	34	5	0.52	0.04	0.02
RC91CB01	34	36	7	0.06	0.07	0.02
RC91CB01	36	38	4	0.04	0.03	0.03
RC91CB01	38	40	35	0.03	0.16	0.07
RC91CB01	40	42	1	0.05	0.03	0.02
RC91CB01	42	44	3	0.04	0.07	0.08
RC91CB01	44	46	4	0.02	0.04	0.04
RC91CB01	46	48	4	0.03	0.04	0.02
RC91CB01	48	50	7	0.02	0.09	0.12
RC91CB01	50	52	2	0.01	0.10	0.17
RC91CB01	52	54	7	0.02	0.21	0.37

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB02	0	2	2	0.05	0.05	0.01
RC91CB02	2	4	7	0.05	0.04	0.01
RC91CB02	4	6	2	0.04	0.03	0.01
RC91CB02	6	8	2	0.17	0.01	0.01
RC91CB02	8	10	2	0.09	0.01	0.00
RC91CB02	10	12	4	0.07	0.02	0.01
RC91CB02	12	14	3	0.07	0.02	0.02
RC91CB02	14	16	4	0.05	0.02	0.01
RC91CB02	16	18	5	0.06	0.04	0.01
RC91CB02	18	20	10	0.05	0.07	0.01
RC91CB02	20	22	26	0.07	0.23	0.02
RC91CB02	22	24	6	0.03	0.04	0.01
RC91CB02	24	26	5	0.02	0.05	0.01
RC91CB02	26	28	2	0.02	0.02	0.01
RC91CB02	28	30	2	0.01	0.03	0.01
RC91CB02	30	32	13	0.05	0.13	0.01
RC91CB02	32	34	7	0.02	0.08	0.01
RC91CB02	34	36	10	0.07	0.08	0.01
RC91CB02	36	38	9	0.09	0.13	0.02
RC91CB02	38	40	3	0.04	0.15	0.02
RC91CB02	40	42	13	0.03	0.15	0.07
RC91CB02	42	44	2	0.06	0.32	0.22
RC91CB02	44	46	2	0.03	0.20	0.19
RC91CB02	46	48	2	0.01	0.12	0.14
RC91CB02	48	50	2	0.02	0.21	0.30
RC91CB02	50	52	3	0.01	0.14	0.16
RC91CB02	52	54	1	0.02	0.09	0.16
RC91CB02	54	56	4	0.05	0.36	0.19
RC91CB02	56	58	2	0.03	0.25	0.16
RC91CB02	58	60	3	0.15	0.16	0.13
RC91CB03	0	2	2	0.01	0.04	0.07
RC91CB03	2	4	3	BLD	0.10	0.07
RC91CB03	4	6	3	0.02	0.07	0.32
RC91CB03	6	8	3	0.02	0.06	0.16
RC91CB03	8	10	0.5	0.01	0.05	0.19
RC91CB03	10	12	0.5	0.01	0.02	0.15
RC91CB03	12	14	0.5	0.01	0.02	0.11
RC91CB03	14	16	8	0.01	0.10	0.24
RC91CB03	16	18	1	BLD	0.02	0.12
RC91CB03	18	20	1	BLD	0.02	0.17
RC91CB03	20	22	1	BLD	0.02	0.14
RC91CB03	22	24	6	BLD	0.05	0.21
RC91CB03	24	26	3	BLD	0.05	0.30
RC91CB03	26	28	2	BLD	0.06	0.23
RC91CB03	28	30	2	BLD	0.07	0.28

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB03	30	32	1	BLD	0.04	0.14
RC91CB03	32	34	2	BLD	0.05	0.16
RC91CB03	34	36	42	0.01	0.28	0.21
RC91CB03	36	38	1	0.01	0.05	0.08
RC91CB03	38	40	1	0.01	0.05	0.06
RC91CB03	40	42	1	BLD	0.05	0.11
RC91CB03	42	44	1	0.01	0.02	0.06
RC91CB03	44	46	1	BLD	0.02	0.06
RC91CB03	46	48	1	BLD	0.03	0.11
RC91CB03	48	50	1	BLD	0.02	0.08
RC91CB03	50	52	2	BLD	0.03	0.08
RC91CB03	52	54	1	BLD	0.03	0.08
RC91CB03	54	56	10	BLD	0.03	0.12
RC91CB03	56	58	1	BLD	0.02	0.14
RC91CB03	58	60	2	BLD	0.01	0.14
RC91CB03	60	62	2	BLD	0.01	0.05
RC91CB03	62	64	0.5	BLD	0.01	0.05
RC91CB03	64	66	1	BLD	0.01	0.08
RC91CB03	66	68	0.5	BLD	0.01	0.04
RC91CB03	68	70	1	0.05	0.05	0.02
RC91CB03	70	72	32	0.11	0.17	0.10
RC91CB03	72	74	50	0.07	0.34	0.26
RC91CB03	74	76	20	0.04	0.15	0.13
RC91CB03	76	78	1	0.04	0.03	0.02
RC91CB03	78	80	2	0.04	0.07	0.04
RC91CB03	80	82	1	0.03	0.03	0.02
RC91CB03	82	84	1	0.02	0.02	0.02
RC91CB03	84	86	0.5	0.03	0.01	0.01
RC91CB03	86	88	1	0.02	0.01	0.01
RC91CB03	88	90	0.5	0.02	0.02	0.02
RC91CB03	90	92	1	0.05	0.01	0.01
RC91CB03	92	94	2	0.06	0.01	0.01
RC91CB03	94	96	0.5	0.01	0.01	0.02
RC91CB03	96	98	1	0.04	0.01	0.01
RC91CB03	98	100	0.5	0.02	0.01	0.01
RC91CB03	100	102	1	0.02	0.01	0.01
RC91CB04	0	2	4	0.01	0.03	0.01
RC91CB04	2	4	24	0.02	0.02	0.00
RC91CB04	4	6	3	0.02	0.01	0.00
RC91CB04	6	8	7	0.01	0.02	0.00
RC91CB04	8	10	15	0.02	0.02	0.00
RC91CB04	10	12	15	0.04	0.01	0.00
RC91CB04	12	14	15	0.03	0.02	0.00
RC91CB04	14	16	14	0.05	0.04	0.01
RC91CB04	16	18	2	0.06	0.03	0.07

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB04	18	20	9	0.02	0.05	0.26
RC91CB04	20	22	8	0.05	0.01	0.41
RC91CB04	22	24	3	0.03	0.01	0.30
RC91CB04	24	26	2	0.02	0.01	0.11
RC91CB04	26	28	3	0.03	0.01	0.07
RC91CB04	28	30	15	0.05	0.04	0.05
RC91CB04	30	32	7	0.03	0.02	0.02
RC91CB04	32	34	2	0.02	0.01	0.06
RC91CB04	34	36	51	0.04	0.41	0.13
RC91CB04	36	38	22	0.03	0.15	0.11
RC91CB04	38	40	8	BLD	0.06	0.21
RC91CB04	40	42	250	0.18	1.64	0.18
RC91CB04	42	44	115	0.21	0.74	0.53
RC91CB04	44	46	22	0.01	0.21	0.24
RC91CB04	46	48	15	0.02	0.11	0.14
RC91CB04	48	50	11	0.02	0.07	0.13
RC91CB05	0	2	1	BLD	0.02	0.05
RC91CB05	2	4	1	0.01	0.02	0.05
RC91CB05	4	6	0.5	0.01	0.01	0.05
RC91CB05	6	8	0.5	0.01	0.01	0.05
RC91CB05	8	10	0.5	0.01	0.01	0.06
RC91CB05	10	12	0.5	0.01	0.01	0.07
RC91CB05	12	14	7	0.01	0.08	0.17
RC91CB05	14	16	2	0.05	0.02	0.06
RC91CB05	16	18	2	0.02	0.02	0.04
RC91CB05	18	20	3	0.02	0.12	0.13
RC91CB05	20	22	2	0.01	0.11	0.21
RC91CB05	22	24	0.5	0.02	0.02	0.06
RC91CB05	24	26	1	0.01	0.03	0.11
RC91CB05	26	28	2	0.02	0.05	0.13
RC91CB05	28	30	3	0.01	0.04	0.12
RC91CB05	30	32	1	0.01	0.01	0.05
RC91CB05	32	34	1	0.01	0.01	0.08
RC91CB05	34	36	0.5	0.03	0.01	0.08
RC91CB05	36	38	1	0.04	0.00	0.10
RC91CB05	38	40	1	0.03	0.00	0.12
RC91CB05	40	42	0.5	0.01	0.00	0.07
RC91CB05	42	44	0.5	0.01	0.00	0.06
RC91CB05	44	46	0.5	0.01	0.00	0.11
RC91CB05	46	48	7	0.02	0.04	0.05
RC91CB05	48	50	1	0.03	0.01	0.07
RC91CB06	0	2	0.5	BLD	0.03	0.10
RC91CB06	2	4	0.5	BLD	0.02	0.07
RC91CB06	4	6	0.5	BLD	0.01	0.07
RC91CB06	6	8	0.5	BLD	0.01	0.06

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB06	8	10	0.5	BLD	0.01	0.06
RC91CB06	10	12	1	BLD	0.01	0.05
RC91CB06	12	14	0.5	0.01	0.01	0.06
RC91CB06	14	16	1	0.01	0.00	0.04
RC91CB06	16	18	0.5	0.01	0.01	0.06
RC91CB06	18	20	1	0.01	0.01	0.06
RC91CB06	20	22	1	0.01	0.01	0.04
RC91CB06	22	24	2	0.01	0.01	0.01
RC91CB06	24	26	1	0.01	0.01	0.01
RC91CB06	26	28	0.5	0.01	0.01	0.06
RC91CB06	28	30	1	0.01	0.01	0.04
RC91CB06	30	32	0.5	BLD	0.01	0.05
RC91CB06	32	34	0.5	0.01	0.01	0.03
RC91CB06	34	36	0.5	0.01	0.01	0.03
RC91CB06	36	38	0.5	0.02	0.00	0.02
RC91CB06	38	40	0.5	0.03	0.00	0.01
RC91CB06	40	42	0.5	0.02	0.00	0.01
RC91CB06	42	44	0.5	0.02	0.01	0.05
RC91CB06	44	46	2	0.01	0.05	0.03
RC91CB06	46	48	4	0.01	0.02	0.02
RC91CB06	48	50	0.5	0.01	0.00	0.01
RC91CB07	0	2	0.5	0.02	0.01	0.01
RC91CB07	2	4	4	0.01	0.03	0.00
RC91CB07	4	6	5	0.02	0.03	0.01
RC91CB07	6	8	3	0.01	0.02	0.01
RC91CB07	8	10	6	0.01	0.05	0.01
RC91CB07	10	12	13	0.02	0.26	0.03
RC91CB07	12	14	7	0.02	0.17	0.03
RC91CB07	14	16	2	BLD	0.06	0.03
RC91CB07	16	18	5	0.02	0.05	0.02
RC91CB07	18	20	0.5	0.01	0.03	0.02
RC91CB07	20	22	0.5	0.02	0.02	0.05
RC91CB07	22	24	1	0.01	0.01	0.03
RC91CB07	24	26	0.5	0.01	0.01	0.02
RC91CB07	26	28	6	0.03	0.03	0.08
RC91CB07	28	30	7	0.03	0.05	0.06
RC91CB07	30	32	1	0.01	0.05	0.05
RC91CB07	32	34	1	0.02	0.04	0.04
RC91CB07	34	36	1	0.01	0.07	0.18
RC91CB07	36	38	2	0.02	0.01	0.07
RC91CB07	38	40	2	0.02	0.04	0.06
RC91CB07	40	42	1	0.01	0.02	0.04
RC91CB07	42	44	1	0.01	0.02	0.05
RC91CB07	44	46	1	0.01	0.02	0.03
RC91CB07	46	48	1	0.03	0.01	0.03

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB08	0	2	2	0.01	0.01	0.00
RC91CB08	2	4	1	0.01	0.01	0.01
RC91CB08	4	6	1	0.03	0.01	0.00
RC91CB08	6	8	0.5	0.04	0.00	0.00
RC91CB08	8	10	1	0.04	0.00	0.00
RC91CB08	10	12	3	0.05	0.00	0.00
RC91CB08	12	14	2	0.04	0.00	0.00
RC91CB08	14	16	1	0.04	0.00	0.00
RC91CB08	16	18	2	0.05	0.00	0.01
RC91CB08	18	20	2	0.06	0.00	0.01
RC91CB08	20	22	4	0.12	0.00	0.01
RC91CB08	22	24	13	0.16	0.00	0.02
RC91CB08	24	26	21	0.03	0.02	0.04
RC91CB08	26	28	30	0.01	0.08	0.19
RC91CB08	28	30	105	0.01	0.10	0.14
RC91CB08	30	32	19	0.01	0.08	0.09
RC91CB08	32	34	7	0.01	0.07	0.07
RC91CB08	34	36	1	0.01	0.08	0.13
RC91CB08	36	38	1	0.02	0.06	0.13
RC91CB08	38	40	0.5	BLD	0.12	0.23
RC91CB08	40	42	1	0.01	0.21	0.56
RC91CB08	42	44	3	0.01	0.21	0.68
RC91CB08	44	46	0.5	BLD	0.20	0.65
RC91CB08	46	48	1	0.01	0.12	0.27
RC91CB08	48	50	0.5	0.01	0.07	0.19
RC91CB08	50	52	1	0.01	0.10	0.24
RC91CB08	52	54	1	0.02	0.08	0.23
RC91CB08	54	56	1	0.02	0.10	0.24
RC91CB08	56	58	2	0.02	0.06	0.18
RC91CB08	58	60	1	0.01	0.06	0.12
RC91CB08	60	62	1	0.01	0.03	0.08
RC91CB08	62	64	1	0.01	0.02	0.10
RC91CB08	64	66	0.5	0.01	0.08	0.13
RC91CB08	66	68	1	BLD	0.06	0.14
RC91CB08	68	70	1	BLD	0.09	0.15
RC91CB08	70	72	1	BLD	0.06	0.13
RC91CB08	72	74	1	0.01	0.08	0.21
RC91CB08	74	76	1	BLD	0.05	0.13
RC91CB08	76	78	1	BLD	0.10	0.17
RC91CB08	78	80	1	BLD	0.16	0.36
RC91CB08	80	82	0.5	BLD	0.08	0.26
RC91CB08	82	84	0.5	BLD	0.06	0.11
RC91CB08	84	86	0.5	BLD	0.06	0.14
RC91CB08	86	88	0.5	0.01	0.05	0.12
RC91CB08	88	90	1	BLD	0.05	0.13

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB08	90	92	2	BLD	0.04	0.07
RC91CB08	92	94	1	BLD	0.04	0.06
RC91CB08	94	96	1	0.01	0.01	0.03
RC91CB08	96	98	1	0.01	0.02	0.05
RC91CB08	98	100	20	BLD	0.47	0.23
RC91CB09	0	2	12	BLD	0.01	0.01
RC91CB09	2	4	13	0.01	0.00	0.01
RC91CB09	4	6	15	BLD	0.00	0.01
RC91CB09	6	8	26	BLD	0.00	0.01
RC91CB09	8	10	30	BLD	0.00	0.01
RC91CB09	10	12	10	BLD	0.00	0.01
RC91CB09	12	14	13	BLD	0.02	0.01
RC91CB09	14	16	5	BLD	0.03	0.04
RC91CB09	16	18	9	BLD	0.01	0.03
RC91CB09	18	20	8	BLD	0.01	0.02
RC91CB09	20	22	5	BLD	0.00	0.02
RC91CB09	22	24	3	BLD	0.01	0.04
RC91CB09	24	26	5	BLD	0.01	0.03
RC91CB09	26	28	6	0.01	0.02	0.02
RC91CB09	28	30	8	BLD	0.02	0.04
RC91CB09	30	32	4	0.01	0.02	0.03
RC91CB09	32	34	8	BLD	0.02	0.06
RC91CB09	34	36	6	0.02	0.01	0.07
RC91CB09	36	38	5	0.03	0.00	0.02
RC91CB09	38	40	8	0.02	0.00	0.02
RC91CB09	40	42	5	0.03	0.00	0.01
RC91CB09	42	44	105	0.02	0.01	0.04
RC91CB09	44	46	95	0.03	0.00	0.02
RC91CB09	46	48	38	0.02	0.00	0.02
RC91CB09	48	50	39	0.02	0.03	0.03
RC91CB09	50	52	13	0.01	0.03	0.02
RC91CB09	52	54	5	BLD	0.04	0.05
RC91CB09	54	56	4	BLD	0.04	0.08
RC91CB09	56	58	1	BLD	0.03	0.06
RC91CB09	58	60	3	BLD	0.02	0.08
RC91CB10	0	2	31	BLD	0.04	0.05
RC91CB10	2	4	4	0.01	0.03	0.03
RC91CB10	4	6	2	BLD	0.04	0.06
RC91CB10	6	8	6	BLD	0.02	0.11
RC91CB10	8	10	2	BLD	0.02	0.07
RC91CB10	10	12	3	BLD	0.03	0.05
RC91CB10	12	14	2	0.01	0.04	0.06
RC91CB10	14	16	1	BLD	0.02	0.06
RC91CB10	16	18	1	BLD	0.02	0.09
RC91CB10	18	20	1	0.01	0.03	0.10

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB10	20	22	1	BLD	0.04	0.12
RC91CB10	22	24	0.5	BLD	0.01	0.10
RC91CB10	24	26	0.5	0.01	0.01	0.09
RC91CB10	26	28	40	0.04	0.21	0.11
RC91CB10	28	30	0.5	0.01	0.02	0.07
RC91CB10	30	32	0.5	BLD	0.01	0.04
RC91CB10	32	34	0.5	BLD	0.02	0.05
RC91CB10	34	36	0.5	0.01	0.01	0.05
RC91CB10	36	38	0.5	0.01	0.01	0.04
RC91CB10	38	40	11	0.04	0.20	0.03
RC91CB10	40	42	0.5	0.01	0.01	0.05
RC91CB10	42	44	0.5	0.01	0.02	0.05
RC91CB10	44	46	0.5	0.02	0.01	0.05
RC91CB10	46	48	0.5	BLD	0.01	0.03
RC91CB10	48	50	0.5	BLD	0.01	0.03
RC91CB11	0	2	10	BLD	0.02	0.08
RC91CB11	2	4	2	BLD	0.02	0.15
RC91CB11	4	6	3	BLD	0.02	0.11
RC91CB11	6	8	3	0.01	0.03	0.11
RC91CB11	8	10	13	0.01	0.06	0.29
RC91CB11	10	12	10	0.01	0.04	0.20
RC91CB11	12	14	5	0.01	0.03	0.13
RC91CB11	14	16	3	BLD	0.03	0.12
RC91CB11	16	18	1	BLD	0.02	0.05
RC91CB11	18	20	1	0.01	0.02	0.06
RC91CB11	20	22	1	0.01	0.03	0.07
RC91CB11	22	24	2	0.01	0.05	0.05
RC91CB11	24	26	2	BLD	0.04	0.05
RC91CB11	26	28	1	BLD	0.01	0.04
RC91CB11	28	30	1	BLD	0.01	0.04
RC91CB11	30	32	0.5	BLD	0.00	0.02
RC91CB11	32	34	0.5	BLD	0.02	0.04
RC91CB11	34	36	0.5	BLD	0.01	0.02
RC91CB11	36	38	0.5	BLD	0.01	0.03
RC91CB11	38	40	0.5	0.01	0.01	0.03
RC91CB11	40	42	0.5	BLD	0.02	0.04
RC91CB11	42	44	0.5	BLD	0.01	0.02
RC91CB11	44	46	0.5	BLD	0.02	0.04
RC91CB11	46	48	0.5	BLD	0.02	0.03
RC91CB12	0	2	12	0.01	0.06	0.13
RC91CB12	2	4	5	0.01	0.04	0.10
RC91CB12	4	6	1	0.01	0.05	0.11
RC91CB12	6	8	1	BLD	0.04	0.07
RC91CB12	8	10	1	BLD	0.05	0.10
RC91CB12	10	12	1	BLD	0.05	0.12

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB12	12	14	1	BLD	0.04	0.13
RC91CB12	14	16	2	BLD	0.05	0.14
RC91CB12	16	18	2	BLD	0.05	0.11
RC91CB12	18	20	4	BLD	0.09	0.04
RC91CB12	20	22	4	0.05	0.06	0.08
RC91CB12	22	24	3	BLD	0.06	0.07
RC91CB12	24	26	3	BLD	0.06	0.04
RC91CB12	26	28	2	BLD	0.06	0.05
RC91CB12	28	30	2	BLD	0.06	0.06
RC91CB12	30	32	4	BLD	0.05	0.05
RC91CB12	32	34	8	BLD	0.08	0.07
RC91CB12	34	36	5	BLD	0.05	0.11
RC91CB12	36	38	3	BLD	0.04	0.14
RC91CB12	38	40	4	BLD	0.04	0.07
RC91CB12	40	42	10	0.01	0.04	0.05
RC91CB12	42	44	23	0.01	0.04	0.07
RC91CB12	44	46	6	0.02	0.03	0.07
RC91CB12	46	48	22	0.01	0.03	0.10
RC91CB13	0	2	255	0.01	0.03	0.07
RC91CB13	2	4	175	0.01	0.03	0.05
RC91CB13	4	6	38	0.01	0.02	0.08
RC91CB13	6	8	12	0.01	0.01	0.13
RC91CB13	8	10	27	0.01	0.01	0.14
RC91CB13	10	12	16	0.01	0.01	0.17
RC91CB13	12	14	4	0.01	0.01	0.13
RC91CB13	14	16	12	0.02	0.01	0.12
RC91CB13	16	18	19	0.01	0.01	0.07
RC91CB13	18	20	36	0.01	0.01	0.13
RC91CB13	20	22	44	0.01	0.01	0.15
RC91CB13	22	24	40	0.01	0.01	0.06
RC91CB13	24	26	6	0.01	0.01	0.08
RC91CB13	26	28	51	0.01	0.01	0.17
RC91CB13	28	30	140	0.01	0.02	0.15
RC91CB13	30	32	200	0.01	0.02	0.11
RC91CB13	32	34	260	0.01	0.01	0.06
RC91CB13	34	36	135	0.01	0.01	0.16
RC91CB13	36	38	230	0.01	0.02	0.20
RC91CB13	38	40	130	0.01	0.02	0.10
RC91CB13	40	42	135	0.01	0.02	0.13
RC91CB13	42	44	175	0.02	0.01	0.04
RC91CB13	44	46	69	0.01	0.01	0.05
RC91CB13	46	48	51	0.01	0.01	0.07
RC91CB13	48	50	65	0.01	0.01	0.11
RC91CB13	50	52	61	0.01	0.01	0.08
RC91CB13	52	54	56	0.01	0.01	0.06

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB13	54	56	27	0.01	0.01	0.07
RC91CB13	56	58	23	0.01	0.01	0.06
RC91CB13	58	60	9	0.01	0.01	0.05
RC91CB13	60	62	2	0.01	0.00	0.03
RC91CB13	62	64	2	0.01	0.01	0.03
RC91CB13	64	66	12	0.01	0.01	0.04
RC91CB13	66	68	1	0.01	0.00	0.03
RC91CB13	68	70	1	0.01	0.00	0.02
RC91CB13	70	72	1	0.01	0.01	0.03
RC91CB13	72	74	1	0.01	0.01	0.04
RC91CB13	74	76	0.5	0.01	0.01	0.04
RC91CB13	76	78	0.5	0.01	0.01	0.03
RC91CB14	0	2	3	0.01	0.00	0.01
RC91CB14	2	4	8	0.01	0.01	0.01
RC91CB14	4	6	15	0.01	0.01	0.01
RC91CB14	6	8	0.5	BLD	0.00	0.01
RC91CB14	8	10	8	0.01	0.01	0.01
RC91CB14	10	12	4	0.01	0.00	0.01
RC91CB14	12	14	5	BLD	0.00	0.01
RC91CB14	14	16	4	0.01	0.01	0.01
RC91CB14	16	18	5	0.01	0.00	0.01
RC91CB14	18	20	6	0.01	0.00	0.01
RC91CB14	20	22	6	0.01	0.00	0.01
RC91CB14	22	24	4	BLD	0.00	0.01
RC91CB14	24	26	7	BLD	0.01	0.02
RC91CB14	26	28	5	BLD	0.02	0.01
RC91CB14	28	30	6	0.36	0.08	0.03
RC91CB14	30	32	2	BLD	0.03	0.03
RC91CB14	32	34	16	BLD	0.05	0.08
RC91CB14	34	36	30	BLD	0.03	0.13
RC91CB14	36	38	20	BLD	0.03	0.17
RC91CB14	38	40	6	BLD	0.03	0.12
RC91CB14	40	42	11	0.02	0.04	0.19
RC91CB14	42	44	17	BLD	0.04	0.10
RC91CB14	44	46	11	BLD	0.03	0.07
RC91CB14	46	48	30	BLD	0.03	0.06
RC91CB14	48	50	13	BLD	0.04	0.08
RC91CB15	0	2	59	BLD	0.01	0.02
RC91CB15	2	4	2	BLD	0.00	0.02
RC91CB15	4	6	0.5	BLD	0.00	0.02
RC91CB15	6	8	0.5	BLD	0.00	0.01
RC91CB15	8	10	0.5	BLD	0.00	0.03
RC91CB15	10	12	0.5	BLD	0.00	0.03
RC91CB15	12	14	0.5	BLD	0.00	0.05
RC91CB15	14	16	1	BLD	0.00	0.04

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB15	16	18	42	0.01	0.00	0.03
RC91CB15	18	20	165	BLD	0.02	0.05
RC91CB15	20	22	17	BLD	0.01	0.04
RC91CB15	22	24	64	BLD	0.01	0.05
RC91CB15	24	26	72	BLD	0.02	0.05
RC91CB15	26	28	11	0.01	0.02	0.10
RC91CB15	28	30	10	0.01	0.03	0.10
RC91CB15	30	32	10	BLD	0.03	0.11
RC91CB15	32	34	3	BLD	0.04	0.11
RC91CB15	34	36	0.5	BLD	0.01	0.04
RC91CB15	36	38	6	BLD	0.05	0.05
RC91CB15	38	40	7	BLD	0.05	0.06
RC91CB15	40	42	6	BLD	0.03	0.08
RC91CB15	42	44	7	BLD	0.01	0.05
RC91CB15	44	46	12	BLD	0.01	0.04
RC91CB15	46	48	11	0.01	0.02	0.07
RC91CB15	48	50	0.5	0.01	0.00	0.05
RC91CB15	50	52	0.5	BLD	0.00	0.02
RC91CB16	0	2	69	0.01	0.01	0.03
RC91CB16	2	4	108	0.01	0.01	0.07
RC91CB16	4	6	44	BLD	0.01	0.05
RC91CB16	6	8	97	0.01	0.01	0.03
RC91CB16	8	10	49	0.02	0.01	0.02
RC91CB16	10	12	135	0.01	0.01	0.03
RC91CB16	12	14	79	0.02	0.01	0.03
RC91CB16	14	16	44	BLD	0.01	0.03
RC91CB16	16	18	35	BLD	0.01	0.03
RC91CB16	18	20	33	0.01	0.01	0.03
RC91CB16	20	22	16	0.01	0.01	0.03
RC91CB16	22	24	19	0.01	0.00	0.02
RC91CB16	24	26	23	0.01	0.01	0.04
RC91CB16	26	28	8	BLD	0.00	0.02
RC91CB16	28	30	4	0.01	0.01	0.02
RC91CB16	30	32	7	BLD	0.01	0.03
RC91CB16	32	34	8	BLD	0.01	0.03
RC91CB16	34	36	22	0.01	0.00	0.03
RC91CB16	36	38	25	BLD	0.01	0.03
RC91CB16	38	40	32	0.01	0.01	0.03
RC91CB16	40	42	47	0.01	0.01	0.02
RC91CB16	42	44	23	0.01	0.01	0.03
RC91CB16	44	46	36	0.01	0.01	0.03
RC91CB16	46	48	28	0.02	0.01	0.04
RC91CB16	48	50	56	0.02	0.01	0.04
RC91CB17	0	2	100	0.02	0.05	0.04
RC91CB17	2	4	64	BLD	0.05	0.04

Hole ID	Depth From	Depth To	Ag (g/t)	Au (g/t)	Pb (%)	Zn (%)
RC91CB17	4	6	34	0.01	0.03	0.03
RC91CB17	6	8	23	0.01	0.03	0.05
RC91CB17	8	10	17	0.01	0.04	0.04
RC91CB17	10	12	3	0.01	0.05	0.04
RC91CB17	12	14	1	BLD	0.02	0.05
RC91CB17	14	16	2	BLD	0.01	0.05
RC91CB17	16	18	0.5	BLD	0.01	0.04
RC91CB17	18	20	0.5	BLD	0.01	0.06
RC91CB17	20	22	3	0.01	0.04	0.06
RC91CB17	22	24	9	0.01	0.03	0.06
RC91CB17	24	26	1	BLD	0.02	0.04
RC91CB17	26	28	0.5	0.01	0.02	0.03
RC91CB17	28	30	6	BLD	0.02	0.04
RC91CB17	30	32	15	BLD	0.04	0.07
RC91CB17	32	34	1	BLD	0.01	0.03
RC91CB17	34	36	0.5	BLD	0.00	0.02
RC91CB17	36	38	0.5	0.01	0.00	0.02
RC91CB17	38	40	2	BLD	0.04	0.05
RC91CB17	40	42	15	0.01	0.03	0.05
RC91CB17	42	44	23	0.01	0.02	0.03
RC91CB17	44	46	17	0.01	0.02	0.02
RC91CB17	46	48	15	0.01	0.02	0.04
RC91CB17	48	50	3	0.01	0.02	0.04
RC91CB18	0	2	6	BLD	0.03	0.17
RC91CB18	2	4	2	0.01	0.01	0.04
RC91CB18	4	6	3	0.01	0.04	0.08
RC91CB18	6	8	4	0.01	0.03	0.07
RC91CB18	8	10	1	0.01	0.03	0.08
RC91CB18	10	12	0.5	BLD	0.03	0.06
RC91CB18	12	14	0.5	BLD	0.03	0.06
RC91CB18	14	16	0.5	BLD	0.02	0.05
RC91CB18	16	18	0.5	0.01	0.01	0.03
RC91CB18	18	20	0.5	BLD	0.01	0.02
RC91CB18	20	22	0.5	BLD	0.01	0.03
RC91CB18	22	24	0.5	BLD	0.02	0.06
RC91CB18	24	26	0.5	BLD	0.01	0.03
RC91CB18	26	28	0.5	0.03	0.02	0.08
RC91CB18	28	30	1	0.01	0.04	0.10
RC91CB18	30	32	0.5	BLD	0.03	0.10
RC91CB18	32	34	1	BLD	0.03	0.06
RC91CB18	34	36	1	0.01	0.03	0.11
RC91CB18	36	38	0.5	BLD	0.01	0.04
RC91CB18	38	40	1	BLD	0.04	0.06
RC91CB18	40	41	1	0.01	0.04	0.07

*BLD = Below level of detection.

Table 4: Assay results and location of all historic rock samples collected by previous explorers on the Coomber Prospect.

Sample ID	Grid ID	Northing	Easting	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Sb (ppm)	Zn (%)
10401	MGA94 Z55	6364816	774737	0.003	1	0.01	0.02	2.5	0.04
10402	MGA94 Z55	6364836	774710	0.005	0.5	0.01	0.06	5	0.07
10403	MGA94 Z55	6364855	774718	0.007	0.5	0.00	0.00	2.5	0.05
10404	MGA94 Z55	6364861	774719	0.004	0.5	0.01	0.01	2.5	0.08
10405	MGA94 Z55	6364861	774762	0.005	0.5	0.02	0.01	2.5	0.06
10406	MGA94 Z55	6364859	774779	0.001	1	0.02	0.01	2.5	0.06
10407	MGA94 Z55	6364872	774728	0.0005	1	0.02	0.03	2.5	0.18
10408	MGA94 Z55	6364905	774730	0.003	0.5	0.00	0.00	2.5	0.02
10409	MGA94 Z55	6364927	774734	0.004	0.5	0.02	0.03	5	0.12
10410	MGA94 Z55	6364953	774738	0.003	0.5	0.02	0.00	2.5	0.02
10411	MGA94 Z55	6364976	774761	0.003	0.5	0.01	0.02	2.5	0.08
10412	MGA94 Z55	6365006	774768	0.003	0.5	0.02	0.02	2.5	0.09
10413	MGA94 Z55	6364997	774797	0.004	0.5	0.01	0.00	2.5	0.03
10414	MGA94 Z55	6365003	774792	0.004	0.5	0.01	0.01	2.5	0.08
10415	MGA94 Z55	6364507	774499	0.005	1	0.00	0.01	5	0.00
10416	MGA94 Z55	6364480	774493	0.036	1	0.00	0.00	2.5	0.00
10417	MGA94 Z55	6364463	774488	0.019	2	0.00	0.00	5	0.00
10418	MGA94 Z55	6364695	774608	0.006	3	0.00	0.00	2.5	0.01
10419	MGA94 Z55	6364700	774637	0.017	0.5	0.00	0.00	2.5	0.00
10420	MGA94 Z55	6364701	774661	0.003	2	0.01	0.04	13	0.15
10421	MGA94 Z55	6364725	774613	0.0005	23	0.01	0.01	9	0.08
10422	MGA94 Z55	6364739	774614	0.0005	1	0.02	0.00	2.5	0.15
10423	MGA94 Z55	6364771	774657	0.002	0.5	0.01	0.00	2.5	0.04
10424	MGA94 Z55	6364800	774624	0.002	0.5	0.01	0.01	2.5	0.11
10425	MGA94 Z55	6364799	774632	0.003	1	0.01	0.02	2.5	0.16
10426	MGA94 Z55	6364799	774632	0.002	3	0.01	0.02	2.5	0.23
10427	MGA94 Z55	6364836	774630	0.0005	0.5	0.01	0.01	2.5	0.09
10428	MGA94 Z55	6364855	774628	0.0005	1	0.00	0.01	2.5	0.06
10429	MGA94 Z55	6364849	774644	0.005	1	0.00	0.00	2.5	0.01
10430	MGA94 Z55	6364848	774672	0.0005	0.5	0.01	0.02	2.5	0.11
10431	MGA94 Z55	6364880	774623	0.001	3	0.01	0.06	2.5	0.24
10432	MGA94 Z55	6364881	774658	0.003	0.5	0.01	0.00	2.5	0.02
10433	MGA94 Z55	6364919	774694	0.001	0.5	0.01	0.01	2.5	0.03
10434	MGA94 Z55	6364965	774676	0.0005	0.5	0.01	0.00	2.5	0.04
10435	MGA94 Z55	6364967	774684	0.0005	1	0.02	0.06	2.5	0.24
10436	MGA94 Z55	6365006	774653	0.0005	0.5	0.01	0.02	2.5	0.05
10437	MGA94 Z55	6364853	774613	0.0005	0.5	0.02	0.00	2.5	0.04
10438	MGA94 Z55	6364853	774613	0.001	0.5	0.02	0.07	2.5	0.39
10439	MGA94 Z55	6364865	774547	0.002	2	0.01	0.01	2.5	0.10
10440	MGA94 Z55	6364972	774549	0.002	0.5	0.02	0.01	5	0.03
10441	MGA94 Z55	6364844	774484	0.001	0.5	0.02	0.00	2.5	0.03
10442	MGA94 Z55	6364951	774434	0.004	0.5	0.02	0.01	2.5	0.03
10443	MGA94 Z55	6364844	774528	0.005	1	0.01	0.02	2.5	0.06
10444	MGA94 Z55	6364825	774540	0.001	1	0.00	0.01	2.5	0.03

Sample ID	Grid ID	Northing	Easting	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Sb (ppm)	Zn (%)
10445	MGA94 Z55	6364802	774517	0.002	0.5	0.01	0.06	2.5	0.08
10446	MGA94 Z55	6364785	774518	0.0005	0.5	0.01	0.02	2.5	0.08
10447	MGA94 Z55	6364770	774563	0.0005	1	0.00	0.00	2.5	0.01
10448	MGA94 Z55	6364757	774517	0.002	1	0.01	0.06	2.5	0.10
10449	MGA94 Z55	6364733	774548	0.0005	1	0.00	0.00	2.5	0.00
10450	MGA94 Z55	6364726	774571	0.001	1	0.00	0.00	2.5	0.00
10516	MGA94 Z55	6364957	774967	0.001	0.5	0.01	0.01	2.5	0.03
10517	MGA94 Z55	6364967	774967	0.0005	0.5	0.01	0.02	2.5	0.04
10518	MGA94 Z55	6365048	774944	0.0005	0.5	0.01	0.01	2.5	0.03
10519	MGA94 Z55	6364971	775020	0.0005	0.5	0.01	0.03	2.5	0.05
10520	MGA94 Z55	6364976	775008	0.0005	0.5	0.01	0.01	2.5	0.03
10521	MGA94 Z55	6364965	774924	0.003	0.5	0.01	0.01	2.5	0.08
10522	MGA94 Z55	6364960	774911	0.001	0.5	0.00	0.00	2.5	0.02
10523	MGA94 Z55	6364683	774844	0.001	10	0.00	0.00	14	0.01
10524	MGA94 Z55	6364715	774850	0.0005	0.5	0.00	0.00	2.5	0.01
10525	MGA94 Z55	6364685	774825	0.002	1	0.00	0.00	6	0.00
10526	MGA94 Z55	6364694	774780	0.001	0.5	0.00	0.00	2.5	0.00
10527	MGA94 Z55	6364694	774759	0.0005	0.5	0.00	0.00	2.5	0.00
10528	MGA94 Z55	6364701	774733	0.001	2	0.00	0.01	7	0.00
10529	MGA94 Z55	6364710	774713	0.001	0.5	0.00	0.00	2.5	0.00
10530	MGA94 Z55	6364696	774672	0.0005	7	0.01	0.01	6	0.06
10531	MGA94 Z55	6364717	774823	0.0005	10	0.00	0.00	10	0.00
10532	MGA94 Z55	6364711	774822	0.003	1	0.00	0.00	12	0.00
10533	MGA94 Z55	6364740	774828	0.0005	1	0.00	0.00	11	0.00
10534	MGA94 Z55	6364783	774784	0.001	42	0.01	0.01	14	0.06
10535	MGA94 Z55	6364780	774845	0.001	1	0.00	0.02	2.5	0.01
10536	MGA94 Z55	6364811	774833	0.002	1	0.01	0.03	5	0.03
10537	MGA94 Z55	6364836	774826	0.001	1	0.01	0.04	2.5	0.10
10538	MGA94 Z55	6364868	774827	0.001	1	0.01	0.04	10	0.10
10539	MGA94 Z55	6364856	774854	0.006	2	0.01	0.06	7	0.11
10540	MGA94 Z55	6364888	774851	0.001	0.5	0.01	0.02	2.5	0.06
10541	MGA94 Z55	6364909	774847	0.002	0.5	0.01	0.03	2.5	0.05
10542	MGA94 Z55	6364939	774846	0.002	0.5	0.01	0.01	2.5	0.04
10543	MGA94 Z55	6364959	774868	0.0005	0.5	0.00	0.00	2.5	0.02
10544	MGA94 Z55	6364987	774866	0.002	0.5	0.02	0.03	10	0.08
10545	MGA94 Z55	6364833	774939	0.0005	1	0.01	0.03	2.5	0.13
10546	MGA94 Z55	6364819	774920	0.001	19	0.00	0.01	7	0.00
10547	MGA94 Z55	6364745	774893	0.0005	1	0.01	0.01	2.5	0.10
10548	MGA94 Z55	6364820	774859	0.0005	12	0.02	0.05	2.5	0.14
10549	MGA94 Z55	6364757	774737	0.009	1	0.01	0.05	2.5	0.03
10550	MGA94 Z55	6364807	774702	0.001	0.5	0.01	0.01	2.5	0.03
10551	MGA94 Z55	6364726	774594	0.001	1	0.01	0.04	2.5	0.12
10552	MGA94 Z55	6364735	774500	0.003	2	0.01	0.04	2.5	0.04
10553	MGA94 Z55	6364741	774468	0.005	1	0.01	0.03	2.5	0.02
10554	MGA94 Z55	6364735	774452	0.003	1	0.00	0.02	8	0.05

Sample ID	Grid ID	Northing	Easting	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Sb (ppm)	Zn (%)
10555	MGA94 Z55	6364699	774532	0.001	0.5	0.00	0.00	2.5	0.00
10556	MGA94 Z55	6364669	774482	0.002	12	0.01	0.01	2.5	0.07
10557	MGA94 Z55	6364645	774477	0.002	3	0.01	0.04	2.5	0.07
10558	MGA94 Z55	6364620	774479	0.002	4	0.00	0.01	10	0.02
10559	MGA94 Z55	6364593	774474	0.004	10	0.00	0.01	9	0.01
10560	MGA94 Z55	6364571	774464	0.002	14	0.00	0.01	14	0.01
10561	MGA94 Z55	6364575	774450	0.002	7	0.00	0.00	8	0.00
10562	MGA94 Z55	6364586	774427	0.002	1	0.00	0.00	6	0.00
10563	MGA94 Z55	6364589	774402	0.005	4	0.00	0.00	9	0.00
10564	MGA94 Z55	6364565	774385	0.002	1	0.00	0.00	2.5	0.00
10565	MGA94 Z55	6364540	774392	0.0005	0.5	0.00	0.00	2.5	0.01
10566	MGA94 Z55	6364513	774395	0.0005	1	0.00	0.01	7	0.00
10567	MGA94 Z55	6364488	774384	0.0005	1	0.00	0.01	2.5	0.01
10568	MGA94 Z55	6364463	774379	0.0005	1	0.00	0.01	2.5	0.01
10569	MGA94 Z55	6364594	774377	0.003	1	0.00	0.00	2.5	0.00
10570	MGA94 Z55	6364591	774357	0.002	2	0.01	0.06	27	0.02
10571	MGA94 Z55	6364592	774357	0.0005	2	0.01	0.02	6	0.02
10572	MGA94 Z55	6364598	774327	0.003	2	0.00	0.01	9	0.01
10573	MGA94 Z55	6364611	774367	0.0005	12	0.00	0.00	6	0.01
10574	MGA94 Z55	6364638	774409	0.001	1	0.01	0.06	6	0.03
10575	MGA94 Z55	6364665	774413	0.001	1	0.02	0.05	2.5	0.05
10576	MGA94 Z55	6364684	774426	0.001	5	0.01	0.04	8	0.05
10577	MGA94 Z55	6364748	774427	0.0005	21	0.01	0.02	22	0.03
10578	MGA94 Z55	6364772	774419	0.0005	4	0.02	0.06	22	0.28
10579	MGA94 Z55	6364787	774442	0.001	0.5	0.01	0.02	2.5	0.06
10580	MGA94 Z55	6364816	774438	0.0005	0.5	0.01	0.02	2.5	0.07
10581	MGA94 Z55	6364835	774440	0.0005	0.5	0.01	0.01	2.5	0.06
10582	MGA94 Z55	6364749	774405	0.0005	3	0.01	0.04	8	0.12
10583	MGA94 Z55	6364755	774380	0.0005	1	0.01	0.04	2.5	0.05
10584	MGA94 Z55	6364755	774353	0.003	0.5	0.01	0.05	2.5	0.07
10585	MGA94 Z55	6364789	774326	0.002	0.5	0.01	0.04	2.5	0.20
10586	MGA94 Z55	6364810	774333	0.002	0.5	0.01	0.01	2.5	0.05
10587	MGA94 Z55	6364770	774315	0.001	0.5	0.01	0.00	2.5	0.02
10588	MGA94 Z55	6364764	774298	0.002	0.5	0.01	0.05	2.5	0.18
10589	MGA94 Z55	6364770	774279	0.003	0.5	0.02	0.05	8	0.17
10590	MGA94 Z55	6364774	774255	0.001	0.5	0.01	0.00	2.5	0.01
10591	MGA94 Z55	6364777	774228	0.005	0.5	0.01	0.02	2.5	0.17
10592	MGA94 Z55	6364755	774229	0.005	0.5	0.01	0.00	2.5	0.05
10593	MGA94 Z55	6364756	774217	0.0005	0.5	0.01	0.02	6	0.28
10594	MGA94 Z55	6364739	774327	0.001	0.5	0.01	0.04	5	0.06
10595	MGA94 Z55	6364709	774326	0.001	0.5	0.01	0.05	2.5	0.11
10596	MGA94 Z55	6364676	774309	0.003	0.5	0.01	0.00	2.5	0.01
10597	MGA94 Z55	6364665	774321	0.001	0.5	0.01	0.03	5	0.11
10598	MGA94 Z55	6364655	774323	0.0005	1	0.01	0.05	16	0.12
10599	MGA94 Z55	6364658	774305	0.004	0.5	0.02	0.08	13	0.12

Sample ID	Grid ID	Northing	Easting	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Sb (ppm)	Zn (%)
10600	MGA94 Z55	6364634	774314	0.01	0.5	0.00	0.00	38	0.00
10988	MGA94 Z55	6364990	774501	0.002	0.5	0.02	0.01	2.5	0.03
10989	MGA94 Z55	6364990	774500	0.002	0.5	0.01	0.01	2.5	0.02
10990	MGA94 Z55	6364990	774501	0.002	0.5	0.01	0.01	2.5	0.01
10991	MGA94 Z55	6364993	774496	0.002	1	0.01	0.05	2.5	0.08
10992	MGA94 Z55	6364987	774495	0.004	0.5	0.01	0.01	2.5	0.03
10993	MGA94 Z55	6364993	774506	0.002	0.5	0.01	0.00	8	0.02
10994	MGA94 Z55	6365012	774522	0.003	0.5	0.01	0.01	2.5	0.03
10995	MGA94 Z55	6364677	774907	0.0005	24	0.00	0.01	12	0.00
10996	MGA94 Z55	6364691	774921	0.0005	4	0.00	0.02	2.5	0.01
10997	MGA94 Z55	6364749	774936	0.0005	8	0.00	0.02	5	0.01
10998	MGA94 Z55	6364797	774966	0.0005	3	0.01	0.02	2.5	0.04
10999	MGA94 Z55	6364870	774948	0.002	0.5	0.02	0.01	2.5	0.06
11000	MGA94 Z55	6364948	774964	0.001	0.5	0.01	0.00	2.5	0.03
11001	MGA94 Z55	6364626	774329	0.015	4	0.00	0.00	16	0.01
11002	MGA94 Z55	6364626	774329	0.002	11	0.00	0.00	7	0.01
11003	MGA94 Z55	6364626	774329	0.015	12	0.00	0.01	29	0.01
11004	MGA94 Z55	6364608	774309	0.007	1	0.00	0.00	18	0.00
11005	MGA94 Z55	6364618	774282	0.001	0.5	0.00	0.00	26	0.00
11006	MGA94 Z55	6364626	774247	0.005	0.5	0.01	0.07	50	0.02
11007	MGA94 Z55	6364630	774233	0.003	0.5	0.02	0.03	7	0.15
11008	MGA94 Z55	6364588	774297	0.025	1	0.00	0.00	30	0.00
11009	MGA94 Z55	6364570	774293	0.004	0.5	0.00	0.00	6	0.00
11010	MGA94 Z55	6364539	774283	0.0005	0.5	0.00	0.00	8	0.00
11011	MGA94 Z55	6364521	774264	0.006	2	0.00	0.00	21	0.00
11012	MGA94 Z55	6364479	774281	0.019	1	0.00	0.00	12	0.00
11013	MGA94 Z55	6364736	774334	0.0005	0.5	0.00	0.00	2.5	0.01
11014	MGA94 Z55	6364706	774334	0.006	0.5	0.01	0.01	5	0.04
11015	MGA94 Z55	6364709	774227	0.006	0.5	0.01	0.03	2.5	0.11
11016	MGA94 Z55	6364684	774222	0.004	0.5	0.01	0.01	5	0.05
11017	MGA94 Z55	6364661	774194	0.001	0.5	0.01	0.06	12	0.40
11018	MGA94 Z55	6364634	774211	0.0005	0.5	0.01	0.13	10	0.28
11019	MGA94 Z55	6364599	774209	0.003	0.5	0.01	0.01	2.5	0.14
11020	MGA94 Z55	6364586	774198	0.004	0.5	0.01	0.06	2.5	0.08
11021	MGA94 Z55	6364555	774214	0.015	120	0.01	0.00	44	0.01
11022	MGA94 Z55	6364541	774165	0.0005	1	0.01	0.03	2.5	0.04
11023	MGA94 Z55	6364530	774206	0.002	11	0.00	0.00	10	0.00
11024	MGA94 Z55	6364509	774187	0.002	5	0.00	0.00	2.5	0.00
11025	MGA94 Z55	6364486	774183	0.01	2	0.00	0.00	18	0.01
11026	MGA94 Z55	6364460	774176	0.021	4	0.00	0.00	2.5	0.00
11027	MGA94 Z55	6364441	774172	0.009	25	0.00	0.01	17	0.00
2199054	MGA94 Z55	6363174	775393	0.01	1	0.01	0.00	4	0.01
2199055	MGA94 Z55	6363174	775393	0.01	2	0.00	0.03	2	0.01
2199056	MGA94 Z55	6363174	775393	0.01	0.5	0.00	0.01	8	0.10
2199057	MGA94 Z55	6362644	775553	0.01	0.5	0.00	0.00	2	0.01

Sample ID	Grid ID	Northing	Easting	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Sb (ppm)	Zn (%)
2199058	MGA94 Z55	6362644	775553	0.01	0.5	0.00	0.00	2	0.01
2199059	MGA94 Z55	6362644	775553	0.01	0.5	0.00	0.00	2	0.01
2199060	MGA94 Z55	6362644	775553	0.005	0.5	0.00	0.00	2	0.00
2199061	MGA94 Z55	6362494	775672	0.01	0.5	0.00	0.00	2	0.03
2199062	MGA94 Z55	6362464	775013	0.01	0.5	0.00	0.00	2	0.05
2199063	MGA94 Z55	6362694	774913	0.01	0.5	0.00	0.00	2	0.01
2199064	MGA94 Z55	6363484	775273	0.005	0.5	0.00	0.01	2	0.03
2199065	MGA94 Z55	6363434	775113	0.01	1	0.00	0.01	2	0.06
2199066	MGA94 Z55	6363434	775113	0.02	1	0.00	0.02	2	0.01
2199067	MGA94 Z55	6363434	775113	0.01	2	0.01	0.03	36	0.03
2199068	MGA94 Z55	6363364	775113	0.005	1	0.00	0.03	2	0.02
2199069	MGA94 Z55	6364514	773893	0.005	0.5	0.02	0.00	2	0.01
2199070	MGA94 Z55	6364514	773893	0.01	0.5	0.02	0.01	2	0.03
2199071	MGA94 Z55	6364514	773893	0.005	0.5	0.00	0.00	68	0.03
2199072	MGA94 Z55	6364514	773893	0.36	0.5	0.00	0.00	56	0.03
2199073	MGA94 Z55	6364514	773893	0.01	0.5	0.02	0.01	104	0.09
2199074	MGA94 Z55	6364514	773893	0.02	0.5	0.02	0.01	36	0.13
2199075	MGA94 Z55	6364514	773893	0.01	0.5	0.01	0.00	2	0.04
2199076	MGA94 Z55	6364514	773893	1.66	2	0.05	0.13	5500	0.01
2199077	MGA94 Z55	6364514	773893	0.35	0.5	0.00	0.00	76	0.00
2199078	MGA94 Z55	6364404	775173	0.01	24	0.00	0.11	12	0.23
2199080	MGA94 Z55	6363174	775393	0.01	1	0.00	0.00	2	0.00
2219535	MGA94 Z55	6363584	775483	0.005	0.5	0.00	0.00	2.5	0.02
2600818	MGA94 Z55	6364519	774518	0.03	2	0.00	0.00	5	0.01
2600819	MGA94 Z55	6364499	774438	0.02	0.5	0.00	0.00	2.5	0.01
2600820	MGA94 Z55	6364534	774428	0.04	2	0.00	0.01	2.5	0.01
2600821	MGA94 Z55	6364519	774433	0.01	0.5	0.00	0.00	2.5	0.01
2600822	MGA94 Z55	6364219	774123	0.42	315	0.02	1.39	220	0.07
2600823	MGA94 Z55	6364219	774123	0.07	590	0.01	0.70	440	0.02
2600824	MGA94 Z55	6363894	773688	0.01	11	0.00	0.01	85	0.31
2600825	MGA94 Z55	6363774	773618	0.005	0.5	0.01	0.00	2.5	0.04
2600826	MGA94 Z55	6362689	773928	0.01	0.5	0.00	0.00	2.5	0.00
2600828	MGA94 Z55	6364634	774253	0.01	370	0.01	0.01	105	0.01
2600829	MGA94 Z55	6364639	774303	0.01	44	0.00	0.01	55	0.01
2600830	MGA94 Z55	6364609	774343	0.01	0.5	0.01	0.04	2.5	0.04
2600831	MGA94 Z55	6364614	774373	0.005	8	0.00	0.01	2.5	0.00
2600832	MGA94 Z55	6361834	775063	0.02	0.5	0.00	0.00	2.5	0.02
52020	MGA94 Z55	6365201	775023	0.008	0.1	0.01	0.00	1	0.01
52021	MGA94 Z55	6365126	775138	0.001	0.1	0.02	0.00	1	0.02
52022	MGA94 Z55	6365203	775055	0.003	0.1	0.01	0.00	2	0.00
52023	MGA94 Z55	6363731	774242	0.002	0.9	0.00	0.04	2	0.02
56764	MGA94 Z55	6361801	775749	0.001	0.1	0.00	0.00	1	0.00
56765	MGA94 Z55	6361575	775712	0.001	0.1	0.00	0.00	1	0.00
56766	MGA94 Z55	6361853	775700	0.001	0.1	0.00	0.00	2	0.00
56767	MGA94 Z55	6363451	775105	0.004	1.4	0.00	0.02	3	0.01

Sample ID	Grid ID	Northing	Easting	Au (g/t)	Ag (g/t)	Cu (%)	Pb (%)	Sb (ppm)	Zn (%)
56768	MGA94 Z55	6363528	775287	0.003	0.1	0.00	0.00	1	0.03
56769	MGA94 Z55	6365137	774999	0.001	0.1	0.01	0.00	1	0.03
56770	MGA94 Z55	6365142	775016	0.001	0.1	0.01	0.01	1	0.03
56771	MGA94 Z55	6365139	775044	0.001	0.1	0.01	0.00	1	0.02
56772	MGA94 Z55	6364816	773400	0.0005	0.1	0.02	0.00	1	0.01
56773	MGA94 Z55	6364870	773389	0.001	0.1	0.00	0.00	1	0.01
56774	MGA94 Z55	6365114	773574	0.0005	0.1	0.02	0.00	1	0.01
56872	MGA94 Z55	6361712	775147	0.0005	0.1	0.00	0.00	2	0.00
56873	MGA94 Z55	6361712	775147	0.0005	0.1	0.00	0.00	1	0.00
56874	MGA94 Z55	6361676	775215	0.0005	0.1	0.00	0.00	1	0.00
56875	MGA94 Z55	6361824	775050	0.001	0.1	0.00	0.00	1	0.01

APPENDIX 1: JORC Code 2012 Edition

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
<p>Sampling techniques</p>	<ul style="list-style-type: none"> • <i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i> • <i>In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1m samples from which 3kg was pulverised to produce a 30g charge for fire assay.') In other cases, more explanation may be required such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i> 	<p>Drilling:</p> <ul style="list-style-type: none"> • CRA (1991) collected RC chip samples continuously downhole during an 18-hole RC program (RC91CB01–18). These are provided in Annual Reports in drill logs and assay ledgers. • Sampling intervals were 2 m based and were logged using a hand lens. • 1kg sample splits submitted to ALS Orange for multi-element analysis for Cu, Pb, Zn, Ag, As, Sb, Fe, Mn, Cd and Bi using AAS and Au by Fire Assay/AAS. • CRA QAQC control samples included selected RC cuttings and CRA standards comprising silica sand and standard pulps from the Bowdens Silver Deposit. • Golden Shamrock Mines (1994–96) completed six RC percussion drillholes (CPR01–06). Silver Standard Australia (1997) completed a further 16 RC percussion drillholes (CPR07-22). • Drilling completed by Anderson Drilling using a truck-mounted Universal Drill Rig 650 with air compressor. All holes were drilling with a 4.5 inch face-sample bit. • Sampling done on 1m intervals and every 2 samples combined to form a single 2m composite. Each 1m interval was split using a 3-stage riffle splitter splitting the sample into 1/8 and 7/8. Each 1/8 split combined into a 2m composite. Assayed completed by Analabs in Orange using ICPOES (method 1104, formerly GI211). • GSM and SSA Site standards routinely inserted at an unknown rate, submitted blind to the laboratory. <p>Soil and Rock samples:</p> <ul style="list-style-type: none"> • Soil sampling by CRA included composite samples of 5 subsamples at 5m spacing along sample lines which were assayed at ALS Orange for Cu, Pb, Zn, Ag, As, Sb, Fe, Mn,

Criteria	JORC Code explanation	Commentary
		<p>Cd and Bi by AAS; Au by Fire Assay.</p> <ul style="list-style-type: none"> Control samples submitted at rate of about 1 in 10. Rock chip sampling by SSA was undertaken within a defined grid area of the northern portion of the Coomber Prospect. Samples were assayed for Ag, As, Cu, Pb, Sb and Zn by ALS Orange using ICP (method IC58I). Gold was also assayed using an aqua regia digest, solvent extraction, and graphite furnace AAS (method PM205).
Drilling techniques	<ul style="list-style-type: none"> Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc). 	<p>Drilling:</p> <ul style="list-style-type: none"> All drilling was reverse circulation (RC) percussion drilling: <ul style="list-style-type: none"> CRA: 18 RC holes (1,041 m total). GSM: 6 RC holes (600 m total). SSA: 16 RC holes (1,004 m total). For CRA drilling – Drilling undertaken by R&P Lord Bros, Lithgow using a Gemco H22A top drive rig. For GSM and SSA drilling - Drilling completed by Anderson Drilling using a truck-mounted Universal Drill Rig 650 with air compressor. All holes were drilling with a 4.5 inch face-sample bit.
Drill sample recovery	<ul style="list-style-type: none"> Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material. 	<p>Drilling:</p> <ul style="list-style-type: none"> No sample recovery measurements recorded. No issues with drilling conditions described.
Logging	<ul style="list-style-type: none"> Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography. The total length and percentage of the relevant intersections logged. 	<p>Drilling:</p> <ul style="list-style-type: none"> CRA logged lithology, alteration, sulphides and magnetic susceptibility on 2 m intervals. GSM and SSA logged lithology, alteration and sulphides on 1 m intervals.
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> If core, whether cut or sawn and whether quarter, half or all core 	<p>Drilling:</p>

Criteria	JORC Code explanation	Commentary
	<p>were taken.</p> <ul style="list-style-type: none"> If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance, results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled. 	<ul style="list-style-type: none"> Splits for CRA drilling were 1kg each. ALS Orange crushed and pulverized samples. No mention of duplicates. <p>Soil and Rock samples:</p> <ul style="list-style-type: none"> CRA soils collected 5 samples every 5m to form a composite soil sample every 25 metres. No information provided of sample prep or mesh size.
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibration factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established. 	<p>Drilling:</p> <ul style="list-style-type: none"> ALS Orange laboratory used. Elements assayed are appropriate to the style of mineralisation. CRA QAQC control samples included selected RC cuttings and CRA standards comprising silica sand and standard pulps from the Bowdens Silver Deposit. No QAQC results are available. GSM and SSA Site standards routinely inserted at an unknown rate, submitted blind to the laboratory. <p>Soil and Rock samples:</p> <ul style="list-style-type: none"> The elements assayed by SSA for rock samples are considered appropriate for the style of mineralisation targeted. No evidence in reports of QAQC methodologies for rock sampling.
Verification of sampling and assaying	<ul style="list-style-type: none"> The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data. 	<p>Drilling:</p> <ul style="list-style-type: none"> No twinned holes performed by any previous company. No data adjustments reported.

Criteria	JORC Code explanation	Commentary
Location of data points	<ul style="list-style-type: none"> • Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control. 	<p>Drilling:</p> <ul style="list-style-type: none"> • Drill collars are shown on plans NSWs 4901-4951 in annual report GS1992/154. A local base grid was used by CRA, surveyed using a theodolite. This base grid has been georeferenced into appropriate GIS software. It is not known whether the base grid was established by a registered surveyor. • AMG 64 grid used by both companies. <p>Soil and Rock samples:</p> <ul style="list-style-type: none"> • Local base grid and AMG 64 grids used.
Data spacing and distribution	<ul style="list-style-type: none"> • Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied. 	<p>Drilling:</p> <ul style="list-style-type: none"> • Drill holes were designed as reconnaissance drill holes without any prior knowledge on orientation of mineralising structures. Therefore, drill holes were orientated specific to each target being tested and the prevailing local geological trends. Two drill fences were completed by CRA amongst their other drill holes. These had a spacing roughly 60 metres apart. • Holes were designed to target significantly anomalous soil sampling, rock sampling and IP chargeability targets. • GSM and SSA RC drilling was designed as exploration guided by previous CRA drill holes. SSA completed more structured drill spacing around 50 metre spaced drill holes. • There is insufficient drill density for resource estimation purposes. <p>Soil and Rock samples:</p> <ul style="list-style-type: none"> • Soil sampling by CRA included composite samples of 5 subsamples at 5m spacing along sample lines. These samples were based off an initial baseline grid which also included IP surveying. • Rock chip sampling by SSA was undertaken within a defined grid area of the northern portion of the Coomber Prospect.

Criteria	JORC Code explanation	Commentary
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material. 	<p>Drilling:</p> <ul style="list-style-type: none"> Holes oriented to test soil/IP anomalies along caldera margin. True widths unknown. <p>Soil and Rock samples:</p> <ul style="list-style-type: none"> Soil sampling completed on a baseline grid oriented orthogonal to the prevailing geological trends, including the caldera rim and interpreted faults. Rock sampling completed both on a defined grid which was perpendicular to the main geological contact of Rylstone Volcanics with basement geologies, as well as randomly at various outcrops and float throughout the prospect.
Sample security	<ul style="list-style-type: none"> The measures taken to ensure sample security. 	<ul style="list-style-type: none"> Not documented for any sampling method.
Audits or reviews	<ul style="list-style-type: none"> The results of any audits or reviews of sampling techniques and data. 	<ul style="list-style-type: none"> No external audits reported for CRA, GSM or SSA.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area. 	<ul style="list-style-type: none"> The Bowdens Silver Resource is located wholly within Exploration Licence No EL5920, held wholly by Silver Mines Limited and is located approximately 26 kilometres east of Mudgee, New South Wales. The Coomber Prospect is also located with EL5920, in the southern part of the licence, situated to the west of the towns of Rylstone and Kandos. Coomber is roughly 23km south of the Bowdens Silver Project. The tenement is in good standing. The project has a 2.0% Net Smelter Royalty which reduces to 1.0% after the payment of US\$5 million over 100% of the EL5920. The project has a 0.85% Gross Royalty over 100% of EL5920.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> The Bowdens project was previously managed by Kingsgate Consolidated, Silver Standard Australia, Golden Shamrock and CRA Exploration.

Criteria	JORC Code explanation	Commentary
		<ul style="list-style-type: none"> The historic results reported under this table are based on work conducted solely by CRA Exploration, SSA and GSM. All historic exploration activity has been fully rehabilitated. As such, Silver Mines has not been able to validate any historic drill hole locations. Exploration activities are designed to confirm historic geochemistry and future planned drilling will be designed to duplicate some historic drill results.
Geology	<ul style="list-style-type: none"> <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> The Coomber Prospect is a silver dominant epithermal system with additional mineralisation of gold, lead and zinc. The prospect is hosted on the edge of a late Carboniferous caldera, which forms part of the broader volcanic terrain known as the Rylstone Volcanics. The prospect represents a known mineral discovery. Mineralisation includes veins, breccias and fracture fill veins within rhyolite, tuff and basement rocks. The orientation of mineralisation or the major controls to the geometry have not been determined.
Drill hole Information	<ul style="list-style-type: none"> <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <i>easting and northing of the drill hole collar;</i> <i>elevation or RL (Reduced Level elevation above sea level in metres) of the drill hole collar;</i> <i>dip and azimuth of the hole;</i> <i>down hole length and interception depth; and</i> <i>hole length.</i> <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> Information related to drill holes referred to in this announcement is included in Table 1, Table 2 and Table 3 of the Report above. All intersections represent exploration knowledge and are not informative for any mineral resource estimates.
Data aggregation methods	<ul style="list-style-type: none"> <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and</i> 	<ul style="list-style-type: none"> Intersection calculations are weighted to sample length. The average sample represents 2 metres of drilling. Three types of significant intercept calculations are made: <ol style="list-style-type: none"> using a 30g/t Ag cut-off, 10 m internal dilution, and 5m intercept length. using a 90g/t Ag cut-off, 3 metre internal dilution factor, and 1 metre minimum intercept length

Criteria	JORC Code explanation	Commentary
	<p><i>some typical examples of such aggregations should be shown in detail.</i></p> <ul style="list-style-type: none"> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	<ul style="list-style-type: none"> 3) using a 0.1g/t Au cut-off, 3 metre internal dilution factor, an metre minimum intercept length No top cutting of data or grades was undertaken in the reporting of these results.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i> 	<ul style="list-style-type: none"> Limited information is available to determine any relationship between mineralisation widths and intercept lengths. Drilling logs support the quantification of drilling assays, ie. where mineralisation is logged, assays support this visual observation.
Diagrams	<ul style="list-style-type: none"> <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to, a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> Maps provided in the body of this report.
Balanced reporting	<ul style="list-style-type: none"> <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i> 	<ul style="list-style-type: none"> All information related to drilling referred to in this report is included in Table 1, Table 2 and Table 3 of the report above.
Other substantive exploration data	<ul style="list-style-type: none"> <i>Other exploration data, if meaningful and material, should be reported including but not limited to: geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics and potential deleterious or contaminating substances.</i> 	<ul style="list-style-type: none"> This report relates historic exploration data collected by previous explorers.
Further work	<ul style="list-style-type: none"> <i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i> 	<ul style="list-style-type: none"> Silver Mines Limited is actively exploring the Bowdens Silver Project and will use the newly released information, including historic information, to guide further exploration work programs.