

17 March 2026

Continued Drilling Success at Iguana with multiple high-grade intersections

Highlights

- **Beacon has received assay results for a further 192 RC holes totalling 34,062 metres. Key results include the following (not exhaustive):**
 - 9 metres @ 25.94 g/t gold from 132 metres (26IGRD0420)
 - Including 6 metres @ **38.63 g/t** gold from 132 metres
 - Including 1 metre @ **69.7 g/t** gold from 134 metres
 - Including 1 metre @ **58.2 g/t** gold from 132 metres
 - 7 metres @ 23.74 g/t gold from 81 metres (26IGRD0373)
 - Including 1 metre @ **163 g/t** gold from 81 metres
 - 11 metres @ 13.46 g/t gold from 152 metres (26IGRD0300)
 - Including 1 metre @ **80.5 g/t** gold from 157 metres
 - Including 1 metre @ **41.5 g/t** gold from 158 metres
 - 3 metres @ 47.87 g/t gold from 13 metres (26IGRD00298)
 - Including 1 metre @ **96.4 g/t** gold from 13 metres
 - 4 metres @ 27.38 g/t gold from 50 metres (26IGRD0298)
 - Including 1 metre @ **54.9 g/t** gold from 52 metres
 - 14 metres @ 9.81 g/t gold from 18 metres (26IGRD0372)
 - Including 1 metre @ **64.9 g/t** gold from 25 metres
- **Further High Grade results at 1m intervals are not mentioned above include:**
 - 80.5 g/t from 157m depth (26IGRD0300)
 - 73.8 g/t from 95m depth (26IGRD0317)
 - 64.9g/t from 25m depth (26IGRC0372)
- **Beacon continues drilling at Iguana, with two Raglan RC drill rigs and a Terra Diamond Drill rig**
- **Mineralisation continues to be extensive, with recent drilling further confirming the enormous potential of the Iguana Deposit**
- **Revised March Quarter Guidance is 4,600 to 5,400 ozs**



Figure 1: Two RC Drill Rigs from Raglan Drilling on-site at Iguana as of 26 January 2016. Imagery looking south, with the Jamaican Rock test pit in foreground

Beacon Minerals Executive Chairman and Managing Director Graham McGarry commented:

“The Iguana Deposit continues to demonstrate its transformative potential for Beacon Minerals. The deposit remains untested at depth and is still open along strike to the south and east, highlighting significant potential for further expansion.

“Beacon Minerals remains committed to ongoing drilling at Iguana, with results to date continuing to reinforce the scale and quality of the deposit. The Company is confident that Iguana will continue to grow in both Mineral Resource and Ore Reserve and will evolve into a cornerstone asset for Beacon Minerals into the future.”

Overview

Beacon Minerals Limited (ASX: BCN) (“Beacon Minerals” or “the Company”) is pleased to announce the first batch of assay results from the FY2026 Resource Development drill program at Lady Ida – Iguana Deposit.

The Iguana deposit is a part of the Lady Ida Project, which sits on the inferred extension of the Ida Fault and is a part of the north-south striking Mount Ida Greenstone Belt. It is predominantly metamorphosed (upper greenschist-amphibolite facies) mafic and ultramafic rocks. The complex structural history provides the space for mineralisation deposition. The mineralisation is controlled by structural and hydrothermal alteration.

On the deposit scale the depth of weathering increases significantly within shear zones and reaches depths of 90m in the centre of the deposit. Supergene gold enrichment is apparent from grade control drilling in the upper portion of the existing Jamaican Rock pit (mined by Delta Gold in 2000) where significantly higher grades were mined compared to the current resource model.

Recent Diamond Drilling has indicated two distinct “In situ” mineralisation styles within the Iguana deposit.

Early Stage Mineralisation

- Dominant mineralisation style of the Iguana deposit
- Sulphide-rich gold mineralisation
- Quartz is notably absent

Later Stage Mineralisation

- Quartz-Fuchsite mineralisation style locally includes coarse visible gold
- Relatively small percentage of Iguana’s mineralisation




Figure 2: Iguana Local Geology and Tenements



Figure 3: Collar Locations of Iguana Resource Development Drill Program




Figure 5: Cross Section of Iguana Resource Development Drill Program -662,24090 Northing

Gold Production March 2026 Quarter

Gold production for the March 2026 Quarter is expected to be below previously issued guidance, with revised quarterly production now anticipated to be in the range of 4,600 to 5,400 ounces.

The lower production outcome for February 2026 primarily reflects the following factors:

- The final three benches at the MacPhersons pit underperformed in grade relative to expectations.
- A scheduled mill shutdown and periods of unplanned downtime during February, which was a shorter processing month, reduced overall milling availability.
- Lower ore grades processed during the period resulting from the treatment of MacPhersons stockpiles and lower grade ore mined from the final MacPhersons cutback.

During the quarter, MacPhersons ROM ore was supplemented by lower-grade MacPhersons material and accumulated low-grade oxide stockpiles, which did not carry a historical mining cost base.

The Company also processed low-grade material from Hodari North, under the Lady Ida Joint Venture Agreement, which contributed to the reduced guidance.

Processing of Iguana laterite material commenced on Friday, 13 March 2026, marking an important step in integrating the Iguana deposit into the Jaurdi processing schedule.

Despite the lower production during the quarter, the Company continues to accumulate gold held in its metal account with the Perth Mint, providing ongoing exposure to the current gold price environment.

About the Lady Ida Project

The Lady Ida Project consist of M16/262 (the Iguana Deposit is located on M16/262), M16/263, M16/264, L15/224, L16/58, L16/62, L16/103, L16/142 and application L16/138 which is the ground the subject of the Earn-In, JV and Tenement Transfer Agreement between the Company, Beacon Mining Pty Ltd, Lamerton Pty Ltd and Geoda Pty Ltd.

For further details in relation to the Earn-In, JV and Tenement Transfer Agreement for the Lady Ida Project refer to ASX releases dated 6 December 2023 entitled *“Beacon to Acquire an interest in the Lady Ida Gold Project”* and 4 September 2024 *“Lady Ida Completes and Appointment of New Director”*.




Figure 6: Location of the Lady Ida Project (Iguana Deposit)

Authorised for release by the Board of Beacon Minerals Limited.

Graham McGarry
Managing Director/Chairman
Beacon Minerals Limited
+61 459 240 379

Geoffrey Greenhill
Non-Executive Director
Beacon Minerals Limited
+61 419 991 713

Competent Person Statement:

The information in the report relating to the exploration results and targets have been compiled by Lachlan Kenna BSc (Hons) MAusIMM. Mr. Kenna has sufficient experience which is relevant to the style of mineralisation and types of deposits under consideration and to the activities being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr. Kenna is a full-time employee of Beacon Minerals Limited.

Mr Kenna consents to the inclusion in the report of the matters based on his information in the form and context in which it appears.

Previously released exploration results

Specific exploration results referred to in this announcement were originally reported in the following Company announcements in accordance with ASX Listing Rule 5.7:

Title	Date
Further Resource Definition Drilling Results Demonstrate Continued Mineralisation at Depth	12-Jan-26
First Batch of Iguana Resource Development Assays Received	09-Dec-25
Laterite Ore Reserve Statement - Iguana Deposit	23-Oct-25
Resource Development Drill Program Commences at Iguana Deposit	08-Oct-25
Final Batch of Iguana Grade Control Assays Received	22-Sep-25
Third Batch of Iguana Grade Control Assays Received	08-Sep-25
Second Batch of Assay Results at Iguana Deposit	18-Aug-25
Stage 2 Grade Control Program Completed at Lady Ida Iguana Deposit	11-Aug-25
Updated Laterite Mineral Resource for Iguana Deposit	5-Aug-25
Results of the Iguana Diamond Drill Program	29-Jul-25
Stage 2 Grade Control Program Commences at Lady Ida Iguana Deposit	22-Jul-25
Extensive Near Surface Laterite Mineralisation Identified at Iguana	16-Jul-25
Extensive Mineralisation Confirmed in First Pass Drill Program at Iguana	18-Jun-25
Stage 2 Laterite Drill Program completed at Lady Ida Iguana Deposit	4-Jun-25
Core Drilling commences at Lady Ida Iguana Deposit	21-Jan-25

The Company confirms that it is not aware of any information or data that materially affects the information included in the said original announcements and the form and context in which the Competent Persons' findings are presented have not materially modified from the original market announcements.

Forward Looking Statements:

This ASX announcement (Announcement) has been prepared by Beacon Minerals Limited ("Beacon" or "the Company"). It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this Announcement.

This Announcement contains summary information about Beacon, its subsidiaries and their activities which is current as at the date of this Announcement. The information in this Announcement is of a general nature and does not purport to be complete nor does it contain all the information which a prospective investor may require in evaluating a possible investment in Beacon.

By its very nature exploration for minerals is a high risk business and is not suitable for certain investors. Beacon's securities are speculative. Potential investors should consult their stockbroker or financial advisor. There are a number of risks, both specific to Beacon and of a general nature which may affect the future operating and financial performance of Beacon and the value of an investment in Beacon including but not limited to economic conditions, stock market fluctuations, gold price movements, regional infrastructure constraints, timing of approvals from relevant authorities, regulatory risks, operational risks and reliance on key personnel.

Certain statements contained in this announcement, including information as to the future financial or operating performance of Beacon and its projects, are forward-looking statements that:

- may include, among other things, statements regarding targets, estimates and assumptions in respect of mineral reserves and mineral resources and anticipated grades and recovery rates, production and prices, recovery costs and results, capital expenditures, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions;
- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Beacon, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; and,
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements.

Beacon disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.

All forward looking statements made in this announcement are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein. No verification: Although all reasonable care has been undertaken to ensure that the facts and opinions given in this Announcement are accurate, the information provided in this Announcement has not been independently verified.

Disclaimer

This ASX announcement (Announcement) has been prepared by Beacon Minerals Limited ("Beacon" or "the Company"). It should not be considered as an offer or invitation to subscribe for or purchase any securities in the Company or as an inducement to make an offer or invitation with respect to those securities. No agreement to subscribe for securities in the Company will be entered into on the basis of this Announcement.

This Announcement contains summary information about Beacon, its subsidiaries and their activities which is current as at the date of this Announcement. The information in this Announcement is of a general nature and does not purport to be complete nor does it contain all the information which a prospective investor may require in evaluating a possible investment in Beacon.

By its very nature exploration for minerals is a high risk business and is not suitable for certain investors. Beacon's securities are speculative. Potential investors should consult their stockbroker or financial advisor. There are a number of risks, both specific to Beacon and of a general nature which may affect the future operating and financial performance of Beacon and the value of an investment in Beacon including but not limited to economic conditions, stock market fluctuations, gold price movements, regional infrastructure

constraints, timing of approvals from relevant authorities, regulatory risks, operational risks and reliance on key personnel.

Certain statements contained in this announcement, including information as to the future financial or operating performance of Beacon and its projects, are forward-looking statements that:

- may include, among other things, statements regarding targets, estimates and assumptions in respect of mineral reserves and mineral resources and anticipated grades and recovery rates, production and prices, recovery costs and results, capital expenditures, and are or may be based on assumptions and estimates related to future technical, economic, market, political, social and other conditions;
- are necessarily based upon a number of estimates and assumptions that, while considered reasonable by Beacon, are inherently subject to significant technical, business, economic, competitive, political and social uncertainties and contingencies; and,
- involve known and unknown risks and uncertainties that could cause actual events or results to differ materially from estimated or anticipated events or results reflected in such forward-looking statements.

Beacon disclaims any intent or obligation to update publicly any forward-looking statements, whether as a result of new information, future events or results or otherwise. The words 'believe', 'expect', 'anticipate', 'indicate', 'contemplate', 'target', 'plan', 'intends', 'continue', 'budget', 'estimate', 'may', 'will', 'schedule' and similar expressions identify forward-looking statements.

All forward looking statements made in this announcement are qualified by the foregoing cautionary statements. Investors are cautioned that forward-looking statements are not guarantees of future performance and accordingly investors are cautioned not to put undue reliance on forward-looking statements due to the inherent uncertainty therein.

No verification: Although all reasonable care has been undertaken to ensure that the facts and opinions given in this Announcement are accurate, the information provided in this Announcement has not been independently verified.

Appendix 1: Significant Intercepts Table for the Iguana Resource Development Drill program

All intervals of greater than 0.5 g/t gold with intervals of 3m samples only shown. The highly deformed nature of the deposit, and extensive mineralized envelop prevent the effective use or calculation of True Widths.

Hole ID	From	To	Interval	Average Grade g/t	Gram Metres
26IGRD0124	21	44	23	1.58	36.44
26IGRD0124	48	49	1	0.68	0.68
26IGRD0124	63	64	1	2.03	2.03
26IGRD0124	67	71	4	1.65	6.61
26IGRD0124	86	88	2	1.44	2.87
26IGRD0124	100	104	4	1.16	4.62
26IGRD0124	113	114	1	0.54	0.54
26IGRD0124	134	135	1	1.03	1.03
26IGRD0124	137	150	13	1.10	14.29
26IGRD0124	167	168	1	0.83	0.83
26IGRD0133	4	5	1	0.63	0.63
26IGRD0133	102	103	1	0.93	0.93
26IGRD0133	129	130	1	0.60	0.60
26IGRD0133	138	143	5	2.07	10.33
26IGRD0138	33	34	1	0.84	0.84
26IGRD0139	3	4	1	0.88	0.88
26IGRD0139	46	47	1	0.51	0.51
26IGRD0139	121	122	1	0.58	0.58
26IGRD0139	134	135	1	0.68	0.68
26IGRD0139	144	145	1	1.05	1.05
26IGRD0139	150	153	3	0.58	1.74
26IGRD0139	157	162	5	4.54	22.72
26IGRD0149	90	91	1	0.70	0.70
26IGRD0149	120	124	4	1.39	5.56
26IGRD0149	177	180	3	1.83	5.49
26IGRD0149	183	185	2	8.88	17.76
26IGRD0156	2	4	2	5.16	10.31
26IGRD0156	43	44	1	0.82	0.82
26IGRD0156	73	74	1	0.63	0.63
26IGRD0156	76	80	4	0.87	3.48
26IGRD0156	106	107	1	2.17	2.17
26IGRD0156	110	120	10	1.07	10.67
26IGRD0156	124	129	5	1.15	5.75
26IGRD0156	139	140	1	1.17	1.17
26IGRD0156	148	157	9	1.06	9.52
26IGRD0162	38	44	6	1.35	8.09
26IGRD0162	132	134	2	2.36	4.71
26IGRD0162	138	139	1	0.55	0.55

26IGRD0162	142	143	1	0.50	0.50
26IGRD0167	106	107	1	0.70	0.70
26IGRD0167	198	201	3	5.49	16.48
26IGRD0170	21	22	1	0.59	0.59
26IGRD0170	45	46	1	0.52	0.52
26IGRD0170	47	48	1	0.51	0.51
26IGRD0170	68	70	2	3.46	6.92
26IGRD0170	78	81	3	3.03	9.08
26IGRD0170	92	93	1	0.53	0.53
26IGRD0170	109	110	1	1.16	1.16
26IGRD0170	143	144	1	0.74	0.74
26IGRD0172	2	3	1	0.61	0.61
26IGRD0172	44	45	1	0.77	0.77
26IGRD0172	56	61	5	1.10	5.48
26IGRD0172	86	87	1	0.53	0.53
26IGRD0172	115	117	2	0.97	1.93
26IGRD0173	72	73	1	0.58	0.58
26IGRD0173	157	159	2	7.71	15.42
26IGRD0173	162	163	1	0.52	0.52
26IGRD0174	5	6	1	0.54	0.54
26IGRD0174	43	44	1	1.31	1.31
26IGRD0181	3	4	1	0.60	0.60
26IGRD0181	42	44	2	3.85	7.69
26IGRD0181	59	60	1	0.64	0.64
26IGRD0181	61	62	1	0.70	0.70
26IGRD0181	65	66	1	0.85	0.85
26IGRD0181	68	69	1	3.47	3.47
26IGRD0181	77	80	3	1.68	5.04
26IGRD0181	85	102	17	2.44	41.40
26IGRD0181	106	107	1	0.84	0.84
26IGRD0181	114	116	2	0.61	1.21
26IGRD0181	117	121	4	0.99	3.95
26IGRD0181	142	146	4	1.32	5.28
26IGRD0181	152	155	3	1.76	5.27
26IGRD0181	160	161	1	0.55	0.55
26IGRD0181	174	178	4	4.10	16.41
26IGRD0181	184	185	1	2.00	2.00
26IGRD0181	192	193	1	0.64	0.64
26IGRD0181	206	208	2	1.51	3.01
26IGRD0181	211	212	1	0.55	0.55
26IGRD0183	8	9	1	1.41	1.41
26IGRD0183	46	50	4	0.70	2.79
26IGRD0183	168	169	1	0.63	0.63
26IGRD0183	187	197	10	3.00	30.01
26IGRD0183	201	207	6	2.62	15.72
26IGRD0189	1	2	1	0.79	0.79

26IGRD0189	3	4	1	1.02	1.02
26IGRD0189	26	27	1	1.29	1.29
26IGRD0189	37	38	1	0.54	0.54
26IGRD0189	55	56	1	1.00	1.00
26IGRD0189	60	62	2	0.56	1.12
26IGRD0189	64	70	6	0.83	5.00
26IGRD0189	77	83	6	2.03	12.19
26IGRD0189	87	88	1	0.51	0.51
26IGRD0189	101	109	8	1.36	10.84
26IGRD0189	112	113	1	0.61	0.61
26IGRD0189	160	161	1	2.74	2.74
26IGRD0190	12	18	6	5.41	32.47
26IGRD0190	22	23	1	0.67	0.67
26IGRD0190	42	43	1	1.29	1.29
26IGRD0190	50	58	8	1.67	13.37
26IGRD0190	71	72	1	1.88	1.88
26IGRD0190	75	76	1	1.02	1.02
26IGRD0190	112	116	4	0.88	3.52
26IGRD0190	126	131	5	1.83	9.13
26IGRD0190	145	146	1	1.61	1.61
26IGRD0191	2	4	2	2.10	4.19
26IGRD0191	48	58	10	1.10	10.99
26IGRD0191	69	70	1	1.54	1.54
26IGRD0191	77	78	1	5.43	5.43
26IGRD0191	140	141	1	1.26	1.26
26IGRD0191	193	194	1	0.95	0.95
26IGRD0192	4	6	2	1.25	2.49
26IGRD0192	55	56	1	0.78	0.78
26IGRD0192	58	59	1	0.75	0.75
26IGRD0192	61	62	1	0.63	0.63
26IGRD0192	73	74	1	0.55	0.55
26IGRD0192	98	104	6	7.59	45.56
26IGRD0192	129	130	1	10.20	10.20
26IGRD0192	136	138	2	0.88	1.75
26IGRD0192	146	154	8	3.43	27.40
26IGRD0199	0	1	1	0.72	0.72
26IGRD0199	30	31	1	0.72	0.72
26IGRD0199	64	65	1	1.04	1.04
26IGRD0199	73	75	2	1.18	2.36
26IGRD0199	99	100	1	1.71	1.71
26IGRD0199	108	109	1	0.79	0.79
26IGRD0199	111	116	5	1.05	5.26
26IGRD0200	8	9	1	0.73	0.73
26IGRD0200	52	53	1	0.60	0.60
26IGRD0200	55	56	1	0.53	0.53
26IGRD0200	63	68	5	3.27	16.35

26IGRD0200	92	95	3	3.18	9.54
26IGRD0200	105	106	1	1.62	1.62
26IGRD0200	110	111	1	0.65	0.65
26IGRD0200	128	129	1	0.79	0.79
26IGRD0200	134	138	4	1.31	5.23
26IGRD0201	3	4	1	0.89	0.89
26IGRD0201	23	24	1	0.61	0.61
26IGRD0201	58	59	1	0.53	0.53
26IGRD0201	92	93	1	1.27	1.27
26IGRD0202	23	24	1	1.00	1.00
26IGRD0202	45	46	1	1.19	1.19
26IGRD0202	64	65	1	1.68	1.68
26IGRD0202	65	66	1	0.53	0.53
26IGRD0202	71	72	1	5.85	5.85
26IGRD0202	72	73	1	0.67	0.67
26IGRD0202	73	74	1	0.50	0.50
26IGRD0202	75	76	1	4.42	4.42
26IGRD0202	83	84	1	1.11	1.11
26IGRD0202	84	85	1	0.80	0.80
26IGRD0202	84	85	1	0.74	0.74
26IGRD0202	88	89	1	0.88	0.88
26IGRD0202	114	115	1	2.35	2.35
26IGRD0202	115	116	1	4.13	4.13
26IGRD0202	118	119	1	0.67	0.67
26IGRD0202	119	120	1	1.05	1.05
26IGRD0202	165	166	1	2.43	2.43
26IGRD0202	166	167	1	1.30	1.30
26IGRD0202	167	168	1	1.38	1.38
26IGRD0203	68	70	2	0.52	1.04
26IGRD0203	85	86	1	3.90	3.90
26IGRD0208	4	5	1	0.72	0.72
26IGRD0208	71	72	1	0.56	0.56
26IGRD0208	78	79	1	0.64	0.64
26IGRD0208	112	113	1	0.99	0.99
26IGRD0209	4	5	1	0.70	0.70
26IGRD0209	49	51	2	0.66	1.32
26IGRD0209	53	54	1	0.59	0.59
26IGRD0209	104	105	1	0.50	0.50
26IGRD0209	117	119	2	1.19	2.37
26IGRD0210	2	3	1	0.60	0.60
26IGRD0210	4	5	1	0.55	0.55
26IGRD0210	7	8	1	7.16	7.16
26IGRD0210	12	13	1	2.96	2.96
26IGRD0210	16	18	2	0.81	1.61
26IGRD0210	22	23	1	0.87	0.87
26IGRD0210	27	31	4	0.71	2.84

26IGRD0210	127	128	1	0.51	0.51
26IGRD0210	136	137	1	0.65	0.65
26IGRD0210	160	161	1	1.19	1.19
26IGRD0211	133	136	3	12.15	36.46
26IGRD0211	142	143	1	2.14	2.14
26IGRD0211	151	152	1	0.56	0.56
26IGRD0211	172	175	3	1.13	3.40
26IGRD0211	183	184	1	1.63	1.63
26IGRD0211	189	190	1	1.01	1.01
26IGRD0211	197	204	7	6.39	44.74
26IGRD0212	165	166	1	0.59	0.59
26IGRD0212	198	200	2	2.18	4.35
26IGRD0217	21	22	1	0.50	0.50
26IGRD0217	25	26	1	2.91	2.91
26IGRD0217	31	48	17	0.72	12.22
26IGRD0217	53	55	2	6.49	12.97
26IGRD0217	58	59	1	0.81	0.81
26IGRD0217	62	69	7	1.02	7.14
26IGRD0217	75	77	2	0.90	1.80
26IGRD0217	81	82	1	0.77	0.77
26IGRD0217	94	98	4	9.06	36.25
26IGRD0217	123	125	2	0.61	1.21
26IGRD0217	138	140	2	1.64	3.28
26IGRD0217	153	157	4	0.93	3.70
26IGRD0217	160	161	1	1.35	1.35
26IGRD0218	70	71	1	0.66	0.66
26IGRD0218	80	81	1	1.66	1.66
26IGRD0218	138	139	1	2.94	2.94
26IGRD0218	166	167	1	1.07	1.07
26IGRD0218	170	175	5	1.54	7.72
26IGRD0219	4	6	2	4.40	8.80
26IGRD0219	130	132	2	0.86	1.71
26IGRD0219	135	150	15	7.25	108.78
26IGRD0219	161	162	1	1.12	1.12
26IGRD0219	165	168	3	2.16	6.47
26IGRD0219	172	173	1	0.88	0.88
26IGRD0219	177	178	1	0.51	0.51
26IGRD0219	183	187	4	0.86	3.43
26IGRD0220	16	17	1	0.94	0.94
26IGRD0220	135	136	1	0.67	0.67
26IGRD0220	147	148	1	0.67	0.67
26IGRD0220	162	163	1	1.46	1.46
26IGRD0220	182	184	2	1.04	2.07
26IGRD0220	188	190	2	0.56	1.11
26IGRD0220	192	216	24	2.81	67.52
26IGRD0220	219	220	1	1.16	1.16

26IGRD0224	0	1	1	5.11	5.11
26IGRD0224	0	1	1	0.52	0.52
26IGRD0224	10	11	1	0.84	0.84
26IGRD0224	14	15	1	0.87	0.87
26IGRD0224	17	18	1	0.62	0.62
26IGRD0224	35	36	1	0.83	0.83
26IGRD0224	40	41	1	0.60	0.60
26IGRD0225	3	5	2	2.07	4.13
26IGRD0225	28	29	1	1.58	1.58
26IGRD0225	38	44	6	0.83	4.96
26IGRD0225	49	50	1	0.58	0.58
26IGRD0225	55	56	1	0.74	0.74
26IGRD0225	64	65	1	5.46	5.46
26IGRD0225	74	77	3	1.42	4.27
26IGRD0225	84	85	1	0.53	0.53
26IGRD0225	90	91	1	0.91	0.91
26IGRD0225	112	114	2	0.75	1.50
26IGRD0225	123	124	1	0.94	0.94
26IGRD0225	158	159	1	0.56	0.56
26IGRD0226	4	5	1	0.57	0.57
26IGRD0226	59	60	1	0.92	0.92
26IGRD0226	90	91	1	0.70	0.70
26IGRD0226	92	94	2	0.72	1.43
26IGRD0226	124	133	9	1.37	12.30
26IGRD0226	137	138	1	0.53	0.53
26IGRD0226	139	141	2	0.61	1.22
26IGRD0226	151	152	1	0.62	0.62
26IGRD0226	155	156	1	0.86	0.86
26IGRD0226	160	161	1	0.53	0.53
26IGRD0227	147	152	5	1.92	9.60
26IGRD0227	158	160	2	1.40	2.79
26IGRD0227	167	169	2	0.99	1.97
26IGRD0227	176	179	3	2.07	6.20
26IGRD0228	149	150	1	0.56	0.56
26IGRD0228	171	172	1	1.13	1.13
26IGRD0228	175	179	4	1.08	4.30
26IGRD0228	188	196	8	1.31	10.45
26IGRD0228	202	205	3	1.15	3.46
26IGRD0228	209	210	1	0.82	0.82
26IGRD0232	3	6	3	4.46	13.37
26IGRD0232	45	48	3	0.62	1.86
26IGRD0232	52	55	3	0.92	2.77
26IGRD0232	61	65	4	2.63	10.53
26IGRD0232	109	113	4	1.56	6.23
26IGRD0232	117	118	1	1.88	1.88
26IGRD0232	123	124	1	1.00	1.00

26IGRD0232	127	128	1	0.91	0.91
26IGRD0232	140	145	5	0.78	3.90
26IGRD0233	0	2	2	0.57	1.13
26IGRD0233	99	100	1	2.53	2.53
26IGRD0233	143	144	1	0.92	0.92
26IGRD0233	149	150	1	10.90	10.90
26IGRD0233	160	161	1	0.55	0.55
26IGRD0234	3	4	1	0.65	0.65
26IGRD0234	95	96	1	0.56	0.56
26IGRD0234	97	98	1	1.34	1.34
26IGRD0234	135	136	1	1.15	1.15
26IGRD0234	166	176	10	1.08	10.82
26IGRD0234	181	183	2	0.69	1.38
26IGRD0235	3	5	2	0.84	1.67
26IGRD0235	122	126	4	2.65	10.60
26IGRD0235	131	132	1	0.59	0.59
26IGRD0235	164	166	2	1.03	2.06
26IGRD0236	2	3	1	2.26	2.26
26IGRD0236	140	142	2	2.33	4.66
26IGRD0236	178	179	1	0.91	0.91
26IGRD0236	182	183	1	1.16	1.16
26IGRD0236	186	188	2	5.10	10.19
26IGRD0240B	34	36	2	0.70	1.39
26IGRD0240B	52	58	6	6.38	38.30
26IGRD0240B	75	78	3	3.77	11.30
26IGRD0240B	81	86	5	1.68	8.39
26IGRD0240B	106	111	5	1.23	6.14
26IGRD0240B	121	126	5	0.67	3.34
26IGRD0240B	145	162	17	0.73	12.44
26IGRD0240B	184	188	4	0.87	3.48
26IGRD0241	45	46	1	0.51	0.51
26IGRD0241	68	69	1	0.53	0.53
26IGRD0242	2	5	3	1.73	5.19
26IGRD0243	132	135	3	4.39	13.18
26IGRD0249	44	56	12	2.27	27.29
26IGRD0249	64	71	7	1.36	9.50
26IGRD0249	97	104	7	2.91	20.37
26IGRD0249	123	124	1	0.63	0.63
26IGRD0249	144	145	1	0.60	0.60
26IGRD0249	152	153	1	1.77	1.77
26IGRD0249	162	165	3	1.10	3.29
26IGRD0250	1	4	3	1.33	3.99
26IGRD0250	55	56	1	0.57	0.57
26IGRD0250	57	58	1	0.52	0.52
26IGRD0250	78	79	1	0.74	0.74
26IGRD0250	107	108	1	0.73	0.73

26IGRD0250	109	112	3	1.64	4.92
26IGRD0250	122	123	1	1.34	1.34
26IGRD0250	126	129	3	5.04	15.11
26IGRD0250	135	136	1	1.18	1.18
26IGRD0250	191	192	1	1.81	1.81
26IGRD0250	211	212	1	0.50	0.50
26IGRD0250	218	219	1	0.53	0.53
26IGRD0251	4	5	1	0.85	0.85
26IGRD0251	63	64	1	0.82	0.82
26IGRD0252	167	168	1	0.80	0.80
26IGRD0252	187	192	5	2.75	13.77
26IGRD0252	200	201	1	0.88	0.88
26IGRD0258	14	15	1	1.23	1.23
26IGRD0258	37	40	3	1.71	5.12
26IGRD0258	79	80	1	0.55	0.55
26IGRD0258	108	109	1	0.71	0.71
26IGRD0258	114	119	5	1.33	6.66
26IGRD0258	124	128	4	2.88	11.53
26IGRD0258	165	166	1	0.79	0.79
26IGRD0259	39	41	2	0.52	1.04
26IGRD0259	45	46	1	0.66	0.66
26IGRD0259	47	48	1	0.93	0.93
26IGRD0259	56	57	1	0.60	0.60
26IGRD0259	76	77	1	0.98	0.98
26IGRD0259	146	147	1	0.89	0.89
26IGRD0260	4	6	2	1.54	3.08
26IGRD0260	44	46	2	2.11	4.21
26IGRD0260	52	53	1	0.89	0.89
26IGRD0260	57	58	1	0.58	0.58
26IGRD0260	64	65	1	1.09	1.09
26IGRD0260	80	81	1	1.11	1.11
26IGRD0260	102	104	2	2.99	5.97
26IGRD0260	138	140	2	0.57	1.14
26IGRD0260	157	160	3	1.38	4.14
26IGRD0260	178	181	3	1.54	4.61
26IGRD0260	189	190	1	1.36	1.36
26IGRD0261	2	6	4	1.03	4.10
26IGRD0261	50	52	2	1.04	2.07
26IGRD0261	57	62	5	0.82	4.10
26IGRD0261	67	68	1	0.68	0.68
26IGRD0261	111	125	14	2.98	41.65
26IGRD0261	137	138	1	0.98	0.98
26IGRD0261	141	142	1	1.34	1.34
26IGRD0261	144	145	1	0.50	0.50
26IGRD0261	150	151	1	2.53	2.53
26IGRD0261	158	164	6	0.64	3.84

26IGRD0262	5	6	1	0.58	0.58
26IGRD0262	124	125	1	0.89	0.89
26IGRD0262	133	134	1	1.26	1.26
26IGRD0262	196	197	1	0.68	0.68
26IGRD0263	2	3	1	0.64	0.64
26IGRD0263	48	49	1	0.53	0.53
26IGRD0263	65	66	1	0.50	0.50
26IGRD0271	27	28	1	0.68	0.68
26IGRD0271	33	35	2	0.77	1.54
26IGRD0271	55	56	1	0.93	0.93
26IGRD0271	65	66	1	0.54	0.54
26IGRD0271	75	76	1	0.58	0.58
26IGRD0271	99	103	4	4.42	17.69
26IGRD0271	150	157	7	1.41	9.90
26IGRD0271	205	207	2	1.22	2.43
26IGRD0271	266	267	1	0.67	0.67
26IGRD0271	274	276	2	1.94	3.88
26IGRD0274	80	83	3	0.91	2.73
26IGRD0274	161	162	1	0.69	0.69
26IGRD0274	168	169	1	0.53	0.53
26IGRD0274	194	196	2	3.05	6.10
26IGRD0275	27	34	7	0.70	4.87
26IGRD0275	38	42	4	2.19	8.75
26IGRD0276	55	61	6	0.69	4.15
26IGRD0276	75	76	1	0.54	0.54
26IGRD0276	79	80	1	0.66	0.66
26IGRD0276	85	88	3	0.58	1.73
26IGRD0277	45	46	1	0.52	0.52
26IGRD0277	50	52	2	0.98	1.96
26IGRD0277	100	101	1	0.67	0.67
26IGRD0278	34	35	1	0.53	0.53
26IGRD0278	67	68	1	0.81	0.81
26IGRD0278	74	79	5	0.85	4.25
26IGRD0278	87	95	8	0.66	5.24
26IGRD0278	118	119	1	0.67	0.67
26IGRD0279	69	70	1	0.50	0.50
26IGRD0279	126	127	1	1.03	1.03
26IGRD0279	132	134	2	1.73	3.46
26IGRD0280	51	52	1	0.50	0.50
26IGRD0281	36	37	1	0.88	0.88
26IGRD0281	47	50	3	1.69	5.06
26IGRD0281	65	67	2	1.14	2.28
26IGRD0282	27	29	2	1.10	2.19
26IGRD0282	33	37	4	0.56	2.22
26IGRD0282	39	43	4	0.76	3.03
26IGRD0282	52	54	2	0.71	1.42

26IGRD0282	79	80	1	0.50	0.50
26IGRD0283	0	1	1	0.93	0.93
26IGRD0283	1	2	1	0.89	0.89
26IGRD0283	26	27	1	0.57	0.57
26IGRD0283	155	156	1	0.51	0.51
26IGRD0283	178	179	1	0.67	0.67
26IGRD0284	57	58	1	0.54	0.54
26IGRD0284	66	67	1	0.61	0.61
26IGRD0284	74	76	2	0.74	1.48
26IGRD0284	80	85	5	1.67	8.34
26IGRD0284	130	138	8	0.58	4.67
26IGRD0285	1	2	1	0.52	0.52
26IGRD0285	56	60	4	3.10	12.38
26IGRD0285	103	105	2	1.59	3.17
26IGRD0287	33	35	2	0.62	1.23
26IGRD0287	43	44	1	0.68	0.68
26IGRD0287	47	49	2	0.77	1.53
26IGRD0287	54	72	18	2.27	40.84
26IGRD0287	81	86	5	1.09	5.45
26IGRD0288	2	5	3	1.85	5.54
26IGRD0288	45	48	3	1.14	3.42
26IGRD0288	97	98	1	0.58	0.58
26IGRD0288	135	136	1	0.61	0.61
26IGRD0288	155	156	1	0.55	0.55
26IGRD0288	168	170	2	0.52	1.03
26IGRD0288	181	182	1	0.57	0.57
26IGRD0288	184	185	1	0.79	0.79
26IGRD0289	113	114	1	0.55	0.55
26IGRD0290	2	3	1	0.66	0.66
26IGRD0290	133	134	1	0.63	0.63
26IGRD0290	145	147	2	0.63	1.25
26IGRD0291	33	34	1	0.66	0.66
26IGRD0291	121	122	1	0.71	0.71
26IGRD0292	28	29	1	0.55	0.55
26IGRD0292	30	36	6	1.11	6.66
26IGRD0292	39	45	6	1.70	10.21
26IGRD0292	49	50	1	0.76	0.76
26IGRD0292	51	52	1	0.63	0.63
26IGRD0292	56	57	1	1.43	1.43
26IGRD0292	64	65	1	0.56	0.56
26IGRD0292	68	69	1	0.72	0.72
26IGRD0292	71	83	12	2.37	28.39
26IGRD0292	86	88	2	5.70	11.40
26IGRD0292	91	92	1	1.35	1.35
26IGRD0292	97	98	1	2.62	2.62
26IGRD0292	116	118	2	0.86	1.72

26IGRD0292	121	123	2	0.97	1.93
26IGRD0292	128	129	1	0.51	0.51
26IGRD0293	21	22	1	0.73	0.73
26IGRD0293	39	40	1	0.64	0.64
26IGRD0293	42	54	12	0.68	8.16
26IGRD0293	62	63	1	0.65	0.65
26IGRD0293	79	80	1	6.54	6.54
26IGRD0293	87	88	1	0.58	0.58
26IGRD0293	91	95	4	4.37	17.48
26IGRD0293	131	136	5	1.86	9.29
26IGRD0293	142	143	1	0.59	0.59
26IGRD0293	150	151	1	3.47	3.47
26IGRD0294	107	108	1	0.61	0.61
26IGRD0295	72	73	1	0.73	0.73
26IGRD0295	107	114	7	1.13	7.92
26IGRD0295	107	108	1	2.32	2.32
26IGRD0295	122	125	3	5.27	15.82
26IGRD0295	131	133	2	1.52	3.03
26IGRD0295	141	143	2	0.93	1.85
26IGRD0296	33	34	1	0.60	0.60
26IGRD0296	114	116	2	1.24	2.48
26IGRD0297	24	25	1	0.58	0.58
26IGRD0297	35	36	1	0.56	0.56
26IGRD0297	83	86	3	0.91	2.72
26IGRD0297	93	95	2	7.01	14.02
26IGRD0297	99	100	1	1.29	1.29
26IGRD0297	104	105	1	2.28	2.28
26IGRD0297	109	111	2	0.67	1.34
26IGRD0297	123	126	3	10.36	31.08
26IGRD0297	131	133	2	0.62	1.24
26IGRD0297	136	140	4	1.17	4.66
26IGRD0297	144	145	1	0.51	0.51
26IGRD0297	152	153	1	0.78	0.78
26IGRD0297	156	158	2	0.53	1.06
26IGRD0298	13	16	3	47.87	143.62
26IGRD0298	20	21	1	0.57	0.57
26IGRD0298	22	40	18	2.03	36.53
26IGRD0298	39	46	7	1.46	10.22
26IGRD0298	50	54	4	27.38	109.52
26IGRD0298	64	66	2	0.88	1.76
26IGRD0298	72	80	8	1.53	12.22
26IGRD0298	89	90	1	0.61	0.61
26IGRD0298	91	92	1	0.80	0.80
26IGRD0298	102	103	1	0.52	0.52
26IGRD0298	104	105	1	0.72	0.72
26IGRD0298	134	137	3	1.02	3.05

26IGRD0298	168	170	2	0.85	1.69
26IGRD0298	200	201	1	1.61	1.61
26IGRD0299	42	46	4	0.56	2.24
26IGRD0299	70	71	1	0.53	0.53
26IGRD0299	82	84	2	0.74	1.47
26IGRD0299	88	89	1	1.02	1.02
26IGRD0299	98	108	10	2.27	22.74
26IGRD0299	113	114	1	1.03	1.03
26IGRD0299	117	121	4	4.75	19.01
26IGRD0299	137	138	1	1.24	1.24
26IGRD0299	172	173	1	0.84	0.84
26IGRD0299	178	179	1	0.50	0.50
26IGRD0299	193	196	3	1.11	3.32
26IGRD0300	11	12	1	0.80	0.80
26IGRD0300	94	95	1	0.51	0.51
26IGRD0300	100	101	1	1.48	1.48
26IGRD0300	130	132	2	2.12	4.24
26IGRD0300	145	147	2	3.85	7.70
26IGRD0300	152	163	11	13.46	148.06
26IGRD0300	167	168	1	1.41	1.41
26IGRD0300	183	184	1	0.54	0.54
26IGRD0301	120	124	4	1.45	5.81
26IGRD0301	158	159	1	0.51	0.51
26IGRD0301	175	176	1	0.64	0.64
26IGRD0301	185	186	1	1.46	1.46
26IGRD0301	193	198	5	1.53	7.63
26IGRD0301	197	211	14	3.76	52.67
26IGRD0301	214	215	1	0.86	0.86
26IGRD0303	66	67	1	0.66	0.66
26IGRD0303	95	96	1	0.73	0.73
26IGRD0303	100	102	2	1.27	2.54
26IGRD0303	135	137	2	1.78	3.55
26IGRD0303	140	141	1	1.41	1.41
26IGRD0303	184	197	13	5.43	70.59
26IGRD0303	204	207	3	3.35	10.06
26IGRD0303	212	213	1	2.15	2.15
26IGRD0303	216	217	1	1.07	1.07
26IGRD0303	219	220	1	0.59	0.59
26IGRD0306	1	4	3	2.99	8.97
26IGRD0306	10	11	1	2.47	2.47
26IGRD0306	23	53	30	2.93	87.88
26IGRD0306	63	64	1	0.55	0.55
26IGRD0306	72	73	1	2.61	2.61
26IGRD0306	80	81	1	0.61	0.61
26IGRD0306	87	88	1	0.57	0.57
26IGRD0306	117	118	1	0.85	0.85

26IGRD0306	128	130	2	0.85	1.70
26IGRD0306	133	134	1	0.50	0.50
26IGRD0306	137	144	7	1.33	9.28
26IGRD0307	1	2	1	0.51	0.51
26IGRD0307	11	12	1	0.94	0.94
26IGRD0307	13	14	1	0.56	0.56
26IGRD0307	15	16	1	1.84	1.84
26IGRD0307	16	17	1	5.13	5.13
26IGRD0307	17	18	1	1.17	1.17
26IGRD0307	18	19	1	0.60	0.60
26IGRD0307	18	20	2	1.70	3.40
26IGRD0307	21	23	2	2.44	4.87
26IGRD0307	21	22	1	2.83	2.83
26IGRD0307	22	24	2	1.05	2.09
26IGRD0307	23	25	2	0.66	1.31
26IGRD0307	26	27	1	4.24	4.24
26IGRD0307	27	29	2	1.38	2.75
26IGRD0307	27	28	1	22.30	22.30
26IGRD0307	28	29	1	4.59	4.59
26IGRD0307	30	32	2	5.19	10.37
26IGRD0307	34	35	1	8.90	8.90
26IGRD0307	35	36	1	0.63	0.63
26IGRD0307	36	37	1	1.07	1.07
26IGRD0307	37	38	1	1.51	1.51
26IGRD0307	39	40	1	0.77	0.77
26IGRD0307	40	41	1	1.67	1.67
26IGRD0307	41	42	1	1.70	1.70
26IGRD0307	42	43	1	0.59	0.59
26IGRD0307	44	45	1	1.45	1.45
26IGRD0307	46	47	1	13.90	13.90
26IGRD0307	47	48	1	0.72	0.72
26IGRD0307	48	49	1	0.50	0.50
26IGRD0307	49	50	1	1.08	1.08
26IGRD0307	50	51	1	6.12	6.12
26IGRD0307	51	52	1	0.99	0.99
26IGRD0307	52	53	1	0.80	0.80
26IGRD0307	56	57	1	0.82	0.82
26IGRD0307	57	58	1	1.17	1.17
26IGRD0307	58	59	1	0.59	0.59
26IGRD0307	59	60	1	0.69	0.69
26IGRD0307	60	62	2	3.07	6.13
26IGRD0307	61	62	1	2.29	2.29
26IGRD0307	62	63	1	6.16	6.16
26IGRD0307	63	64	1	4.33	4.33
26IGRD0307	64	65	1	7.61	7.61
26IGRD0307	65	66	1	1.48	1.48

26IGRD0307	66	68	2	1.47	2.93
26IGRD0307	69	70	1	0.75	0.75
26IGRD0307	70	71	1	0.60	0.60
26IGRD0307	73	74	1	1.17	1.17
26IGRD0307	77	78	1	1.29	1.29
26IGRD0307	78	79	1	2.59	2.59
26IGRD0307	78	80	2	4.04	8.08
26IGRD0307	80	81	1	0.95	0.95
26IGRD0307	80	81	1	0.98	0.98
26IGRD0307	81	82	1	0.54	0.54
26IGRD0307	82	84	2	1.20	2.40
26IGRD0307	84	85	1	0.60	0.60
26IGRD0307	87	88	1	4.23	4.23
26IGRD0307	87	88	1	1.29	1.29
26IGRD0307	96	97	1	1.80	1.80
26IGRD0307	98	99	1	0.74	0.74
26IGRD0307	99	100	1	1.85	1.85
26IGRD0307	100	101	1	0.78	0.78
26IGRD0307	101	102	1	1.48	1.48
26IGRD0307	102	103	1	0.56	0.56
26IGRD0307	108	109	1	0.89	0.89
26IGRD0307	109	110	1	0.57	0.57
26IGRD0307	111	112	1	1.35	1.35
26IGRD0307	112	113	1	0.97	0.97
26IGRD0307	112	114	2	21.54	43.08
26IGRD0307	120	121	1	0.63	0.63
26IGRD0307	121	122	1	1.21	1.21
26IGRD0307	122	123	1	0.60	0.60
26IGRD0307	123	124	1	0.50	0.50
26IGRD0307	124	125	1	0.96	0.96
26IGRD0307	125	126	1	1.64	1.64
26IGRD0307	126	127	1	2.29	2.29
26IGRD0307	127	128	1	2.00	2.00
26IGRD0307	128	130	2	1.31	2.61
26IGRD0307	128	129	1	1.24	1.24
26IGRD0307	146	147	1	0.59	0.59
26IGRD0307	147	148	1	1.07	1.07
26IGRD0307	150	151	1	0.92	0.92
26IGRD0307	163	164	1	1.02	1.02
26IGRD0307	165	166	1	4.50	4.50
26IGRD0307	167	168	1	6.47	6.47
26IGRD0307	169	170	1	1.87	1.87
26IGRD0307	170	171	1	1.73	1.73
26IGRD0307	171	172	1	0.86	0.86
26IGRD0307	172	173	1	0.73	0.73
26IGRD0307	173	174	1	0.74	0.74

26IGRD0307	174	175	1	1.70	1.70
26IGRD0307	178	179	1	0.71	0.71
26IGRD0307	179	180	1	2.89	2.89
26IGRD0307	181	182	1	0.56	0.56
26IGRD0307	182	184	2	1.00	1.99
26IGRD0307	183	184	1	0.58	0.58
26IGRD0307	184	186	2	0.81	1.61
26IGRD0307	185	186	1	0.62	0.62
26IGRD0307	191	192	1	0.57	0.57
26IGRD0307	193	194	1	21.80	21.80
26IGRD0307	194	196	2	0.60	1.19
26IGRD0308	0	3	3	1.02	3.05
26IGRD0308	17	18	1	0.72	0.72
26IGRD0308	27	28	1	0.76	0.76
26IGRD0308	31	36	5	0.94	4.70
26IGRD0308	41	45	4	1.32	5.26
26IGRD0308	48	51	3	0.90	2.70
26IGRD0308	54	64	10	0.57	5.67
26IGRD0308	68	70	2	1.31	2.61
26IGRD0308	80	82	2	1.96	3.92
26IGRD0308	86	90	4	0.63	2.51
26IGRD0308	92	94	2	0.74	1.48
26IGRD0308	97	103	6	2.30	13.82
26IGRD0308	111	112	1	0.70	0.70
26IGRD0308	131	134	3	0.80	2.39
26IGRD0308	147	149	2	0.75	1.50
26IGRD0309	31	32	1	0.52	0.52
26IGRD0309	94	95	1	0.69	0.69
26IGRD0309	99	100	1	0.53	0.53
26IGRD0309	102	103	1	0.94	0.94
26IGRD0309	114	115	1	0.52	0.52
26IGRD0309	116	117	1	0.66	0.66
26IGRD0309	117	118	1	22.50	22.50
26IGRD0309	118	119	1	10.30	10.30
26IGRD0309	119	120	1	4.55	4.55
26IGRD0309	123	124	1	2.13	2.13
26IGRD0309	127	128	1	2.44	2.44
26IGRD0309	128	129	1	4.62	4.62
26IGRD0309	129	130	1	3.40	3.40
26IGRD0309	130	132	2	1.84	3.67
26IGRD0309	131	132	1	0.94	0.94
26IGRD0309	132	133	1	4.23	4.23
26IGRD0309	133	134	1	0.58	0.58
26IGRD0309	135	136	1	0.65	0.65
26IGRD0309	138	139	1	1.00	1.00
26IGRD0309	151	152	1	0.58	0.58

26IGRD0310	0	1	1	0.61	0.61
26IGRD0310	64	65	1	0.75	0.75
26IGRD0310	121	125	4	0.65	2.58
26IGRD0310	132	133	1	0.67	0.67
26IGRD0310	137	138	1	1.52	1.52
26IGRD0311	30	31	1	0.74	0.74
26IGRD0311	85	89	4	3.03	12.10
26IGRD0311	94	95	1	1.06	1.06
26IGRD0311	101	102	1	0.58	0.58
26IGRD0311	126	128	2	0.68	1.36
26IGRD0311	134	135	1	0.55	0.55
26IGRD0312	128	129	1	0.91	0.91
26IGRD0312	140	141	1	2.32	2.32
26IGRD0313	2	3	1	1.02	1.02
26IGRD0315	41	44	3	1.46	4.38
26IGRD0315	52	58	6	1.72	10.31
26IGRD0315	61	63	2	1.53	3.06
26IGRD0315	68	79	11	1.72	18.95
26IGRD0315	84	88	4	0.91	3.64
26IGRD0315	103	106	3	1.52	4.56
26IGRD0316	17	31	14	2.20	30.73
26IGRD0316	34	42	8	1.12	8.93
26IGRD0316	45	58	13	0.78	10.19
26IGRD0316	64	68	4	7.81	31.23
26IGRD0316	76	77	1	1.25	1.25
26IGRD0316	96	108	12	1.12	13.45
26IGRD0316	111	112	1	0.58	0.58
26IGRD0316	128	129	1	6.14	6.14
26IGRD0316	135	137	2	5.30	10.59
26IGRD0316	142	144	2	2.02	4.04
26IGRD0316	147	151	4	1.12	4.48
26IGRD0316	173	174	1	1.40	1.40
26IGRD0317	15	21	6	6.03	36.20
26IGRD0317	30	47	17	1.69	28.72
26IGRD0317	50	52	2	0.72	1.44
26IGRD0317	56	58	2	0.78	1.55
26IGRD0317	95	97	2	37.18	74.35
26IGRD0317	115	116	1	9.44	9.44
26IGRD0317	137	138	1	1.91	1.91
26IGRD0319	3	4	1	0.84	0.84
26IGRD0319	90	91	1	0.97	0.97
26IGRD0319	94	95	1	0.95	0.95
26IGRD0320	2	3	1	0.86	0.86
26IGRD0320	26	32	6	2.00	11.98
26IGRD0320	35	36	1	0.88	0.88
26IGRD0320	97	100	3	2.07	6.22

26IGRD0320	142	143	1	0.57	0.57
26IGRD0320	144	146	2	0.77	1.53
26IGRD0320	169	170	1	0.65	0.65
26IGRD0321	82	84	2	3.25	6.49
26IGRD0323	21	26	5	0.61	3.04
26IGRD0323	32	33	1	0.83	0.83
26IGRD0323	36	38	2	1.44	2.88
26IGRD0323	49	52	3	1.13	3.38
26IGRD0323	61	66	5	2.77	13.83
26IGRD0323	69	71	2	3.56	7.11
26IGRD0323	75	76	1	0.86	0.86
26IGRD0323	80	93	13	3.88	50.43
26IGRD0323	96	97	1	1.07	1.07
26IGRD0323	105	106	1	0.66	0.66
26IGRD0324	14	19	5	4.16	20.81
26IGRD0324	23	24	1	0.56	0.56
26IGRD0324	30	39	9	0.96	8.67
26IGRD0324	48	49	1	0.56	0.56
26IGRD0324	53	65	12	1.30	15.61
26IGRD0324	80	81	1	0.64	0.64
26IGRD0325	26	39	13	1.12	14.56
26IGRD0325	42	45	3	1.24	3.73
26IGRD0325	63	65	2	1.11	2.22
26IGRD0327	60	61	1	1.09	1.09
26IGRD0327	104	105	1	0.50	0.50
26IGRD0327	124	126	2	0.58	1.16
26IGRD0327	128	148	20	1.22	24.41
26IGRD0327	156	157	1	0.56	0.56
26IGRD0327	158	165	7	0.96	6.75
26IGRD0328	38	40	2	0.60	1.19
26IGRD0328	42	47	5	0.78	3.91
26IGRD0328	63	64	1	0.84	0.84
26IGRD0328	67	68	1	2.83	2.83
26IGRD0328	84	93	9	1.90	17.11
26IGRD0328	96	97	1	0.59	0.59
26IGRD0328	103	104	1	0.52	0.52
26IGRD0328	105	106	1	2.71	2.71
26IGRD0328	110	112	2	1.47	2.94
26IGRD0328	116	118	2	3.61	7.21
26IGRD0328	123	124	1	3.08	3.08
26IGRD0328	134	139	5	3.40	16.98
26IGRD0328	150	151	1	0.58	0.58
26IGRD0328	166	167	1	1.41	1.41
26IGRD0329	22	23	1	0.75	0.75
26IGRD0329	55	56	1	0.51	0.51
26IGRD0329	58	88	30	1.87	56.12

26IGRD0329	92	93	1	0.67	0.67
26IGRD0329	95	96	1	2.60	2.60
26IGRD0329	102	104	2	0.62	1.24
26IGRD0329	106	115	9	1.01	9.10
26IGRD0329	119	120	1	3.67	3.67
26IGRD0329	125	126	1	0.97	0.97
26IGRD0330	27	28	1	0.71	0.71
26IGRD0330	30	31	1	1.05	1.05
26IGRD0330	40	41	1	0.53	0.53
26IGRD0330	48	49	1	0.90	0.90
26IGRD0330	54	66	12	1.37	16.45
26IGRD0330	81	82	1	1.46	1.46
26IGRD0330	132	133	1	3.55	3.55
26IGRD0330	137	138	1	0.53	0.53
26IGRD0331	27	33	6	3.52	21.14
26IGRD0331	44	48	4	1.81	7.25
26IGRD0331	55	59	4	1.51	6.04
26IGRD0331	66	67	1	0.55	0.55
26IGRD0331	69	72	3	0.94	2.83
26IGRD0331	82	83	1	1.29	1.29
26IGRD0331	88	89	1	0.56	0.56
26IGRD0331	93	97	4	0.68	2.70
26IGRD0331	115	116	1	0.57	0.57
26IGRD0331	117	118	1	0.79	0.79
26IGRD0331	131	132	1	1.58	1.58
26IGRD0331	136	137	1	0.80	0.80
26IGRD0332	20	26	6	1.70	10.21
26IGRD0332	31	33	2	5.02	10.04
26IGRD0332	40	41	1	1.01	1.01
26IGRD0332	45	46	1	0.50	0.50
26IGRD0332	49	51	2	1.55	3.09
26IGRD0332	63	65	2	4.02	8.03
26IGRD0332	104	106	2	4.11	8.21
26IGRD0332	109	112	3	0.84	2.52
26IGRD0332	122	123	1	0.64	0.64
26IGRD0334	54	55	1	1.51	1.51
26IGRD0334	64	65	1	0.75	0.75
26IGRD0334	79	80	1	0.53	0.53
26IGRD0334	84	85	1	1.48	1.48
26IGRD0334	100	101	1	0.61	0.61
26IGRD0334	104	105	1	1.23	1.23
26IGRD0335	28	29	1	0.63	0.63
26IGRD0335	38	39	1	0.72	0.72
26IGRD0335	50	55	5	2.03	10.15
26IGRD0335	63	64	1	0.82	0.82
26IGRD0335	77	78	1	0.57	0.57

26IGRD0335	81	85	4	0.55	2.19
26IGRD0335	92	93	1	1.54	1.54
26IGRD0335	96	99	3	0.74	2.23
26IGRD0336	17	18	1	0.56	0.56
26IGRD0336	40	41	1	0.51	0.51
26IGRD0336	46	48	2	1.22	2.43
26IGRD0336	53	54	1	0.50	0.50
26IGRD0336	63	67	4	1.37	5.48
26IGRD0336	79	82	3	2.48	7.44
26IGRD0336	89	90	1	0.50	0.50
26IGRD0337	9	12	3	1.58	4.73
26IGRD0337	28	38	10	0.72	7.23
26IGRD0337	41	47	6	1.21	7.23
26IGRD0337	51	52	1	0.95	0.95
26IGRD0337	60	63	3	4.78	14.33
26IGRD0337	68	71	3	0.96	2.89
26IGRD0340	67	69	2	0.78	1.55
26IGRD0340	98	99	1	0.53	0.53
26IGRD0340	101	102	1	0.85	0.85
26IGRD0340	105	106	1	0.78	0.78
26IGRD0340	115	127	12	1.30	15.59
26IGRD0340	130	134	4	1.92	7.68
26IGRD0340	138	147	9	0.77	6.92
26IGRD0340	150	154	4	3.67	14.68
26IGRD0340	158	159	1	1.60	1.60
26IGRD0340	158	160	2	2.61	5.21
26IGRD0340	163	164	1	0.52	0.52
26IGRD0340	165	166	1	1.25	1.25
26IGRD0340	169	170	1	2.02	2.02
26IGRD0340	173	174	1	0.50	0.50
26IGRD0340	190	191	1	1.11	1.11
26IGRD0340	198	200	2	1.00	2.00
26IGRD0342	32	41	9	1.23	11.11
26IGRD0342	45	48	3	1.70	5.10
26IGRD0342	51	52	1	12.70	12.70
26IGRD0342	55	56	1	2.33	2.33
26IGRD0342	60	61	1	2.49	2.49
26IGRD0342	65	67	2	2.86	5.71
26IGRD0342	71	72	1	0.62	0.62
26IGRD0342	73	75	2	1.92	3.84
26IGRD0342	82	86	4	0.85	3.38
26IGRD0342	101	102	1	0.69	0.69
26IGRD0342	110	111	1	0.50	0.50
26IGRD0342	120	121	1	0.72	0.72
26IGRD0342	123	124	1	0.57	0.57
26IGRD0342	130	131	1	0.59	0.59

26IGRD0342	145	158	13	0.99	12.90
26IGRD0342	166	167	1	0.59	0.59
26IGRD0342	169	170	1	1.14	1.14
26IGRD0342	175	176	1	0.56	0.56
26IGRD0342	179	180	1	0.50	0.50
26IGRD0342	184	186	2	2.96	5.92
26IGRD0342	190	191	1	1.89	1.89
26IGRD0342	194	201	7	0.80	5.57
26IGRD0342	209	216	7	1.49	10.44
26IGRD0343	16	20	4	1.07	4.29
26IGRD0343	32	33	1	0.55	0.55
26IGRD0343	37	38	1	0.66	0.66
26IGRD0343	43	45	2	1.84	3.68
26IGRD0343	49	50	1	0.65	0.65
26IGRD0343	63	64	1	0.68	0.68
26IGRD0343	67	68	1	0.59	0.59
26IGRD0343	70	76	6	1.19	7.11
26IGRD0343	83	84	1	4.37	4.37
26IGRD0343	105	106	1	1.09	1.09
26IGRD0343	108	109	1	1.78	1.78
26IGRD0343	112	113	1	0.54	0.54
26IGRD0343	118	119	1	0.53	0.53
26IGRD0343	126	127	1	0.68	0.68
26IGRD0343	128	129	1	14.70	14.70
26IGRD0343	136	138	2	1.37	2.74
26IGRD0343	144	147	3	2.98	8.94
26IGRD0343	166	168	2	0.84	1.67
26IGRD0343	188	189	1	1.19	1.19
26IGRD0346	34	36	2	1.09	2.18
26IGRD0346	42	45	3	4.81	14.43
26IGRD0346	56	57	1	1.15	1.15
26IGRD0346	69	71	2	0.89	1.78
26IGRD0346	86	89	3	0.50	1.51
26IGRD0346	98	99	1	0.69	0.69
26IGRD0346	101	106	5	1.42	7.11
26IGRD0346	112	113	1	2.69	2.69
26IGRD0346	117	118	1	3.53	3.53
26IGRD0346	128	136	8	2.53	20.25
26IGRD0346	141	142	1	0.68	0.68
26IGRD0346	146	148	2	2.41	4.81
26IGRD0346	153	156	3	7.75	23.26
26IGRD0347	8	9	1	1.38	1.38
26IGRD0347	30	31	1	0.54	0.54
26IGRD0347	44	46	2	0.77	1.54
26IGRD0347	54	66	12	1.64	19.71
26IGRD0347	69	72	3	0.72	2.16

26IGRD0347	75	76	1	0.81	0.81
26IGRD0347	98	99	1	0.53	0.53
26IGRD0347	103	107	4	1.28	5.11
26IGRD0347	117	122	5	7.63	38.17
26IGRD0347	124	127	3	0.94	2.83
26IGRD0347	130	131	1	3.57	3.57
26IGRD0347	135	136	1	0.51	0.51
26IGRD0347	163	165	2	1.44	2.87
26IGRD0347	172	173	1	2.45	2.45
26IGRD0347	198	206	8	1.59	12.75
26IGRD0347	210	212	2	0.82	1.63
26IGRD0348	2	3	1	2.03	2.03
26IGRD0348	33	35	2	0.73	1.46
26IGRD0348	55	56	1	1.91	1.91
26IGRD0348	59	64	5	0.73	3.64
26IGRD0348	71	72	1	0.96	0.96
26IGRD0348	81	82	1	0.90	0.90
26IGRD0348	95	96	1	0.59	0.59
26IGRD0348	97	98	1	0.50	0.50
26IGRD0348	108	109	1	2.74	2.74
26IGRD0348	112	116	4	3.60	14.38
26IGRD0348	120	123	3	0.76	2.28
26IGRD0348	126	127	1	1.08	1.08
26IGRD0348	130	131	1	0.54	0.54
26IGRD0348	133	134	1	3.76	3.76
26IGRD0348	138	140	2	2.50	4.99
26IGRD0348	145	146	1	1.14	1.14
26IGRD0348	150	151	1	2.71	2.71
26IGRD0348	156	157	1	0.63	0.63
26IGRD0348	159	160	1	0.53	0.53
26IGRD0348	163	166	3	0.80	2.41
26IGRD0348	184	185	1	1.33	1.33
26IGRD0348	189	197	8	1.04	8.33
26IGRD0353	0	1	1	3.24	3.24
26IGRD0353	22	27	5	1.40	7.00
26IGRD0353	56	64	8	1.02	8.18
26IGRD0353	73	74	1	0.91	0.91
26IGRD0353	85	87	2	1.18	2.35
26IGRD0353	93	94	1	0.62	0.62
26IGRD0353	99	101	2	1.29	2.58
26IGRD0353	120	122	2	1.13	2.25
26IGRD0353	136	137	1	0.72	0.72
26IGRD0354	40	45	5	0.75	3.76
26IGRD0354	52	59	7	1.68	11.78
26IGRD0354	67	68	1	0.56	0.56
26IGRD0354	91	94	3	0.76	2.29

26IGRD0354	111	112	1	0.60	0.60
26IGRD0354	113	118	5	1.28	6.41
26IGRD0354	136	137	1	0.66	0.66
26IGRD0354	147	148	1	1.06	1.06
26IGRD0354	152	154	2	1.07	2.13
26IGRD0354	158	164	6	1.22	7.34
26IGRD0355	53	54	1	0.63	0.63
26IGRD0355	58	61	3	1.07	3.21
26IGRD0355	64	65	1	1.11	1.11
26IGRD0355	77	79	2	1.26	2.51
26IGRD0355	84	86	2	0.81	1.62
26IGRD0355	91	92	1	2.65	2.65
26IGRD0355	95	96	1	1.34	1.34
26IGRD0355	103	104	1	2.76	2.76
26IGRD0355	107	108	1	0.64	0.64
26IGRD0355	113	122	9	0.71	6.43
26IGRD0355	125	132	7	1.10	7.71
26IGRD0355	135	136	1	1.69	1.69
26IGRD0355	143	144	1	1.03	1.03
26IGRD0355	159	160	1	0.50	0.50
26IGRD0355	161	162	1	0.67	0.67
26IGRD0355R	25	31	6	0.68	4.09
26IGRD0355R	38	39	1	0.57	0.57
26IGRD0355R	43	44	1	1.24	1.24
26IGRD0355R	51	55	4	1.23	4.93
26IGRD0355R	59	60	1	0.80	0.80
26IGRD0355R	66	67	1	0.66	0.66
26IGRD0355R	72	74	2	0.74	1.47
26IGRD0355R	76	78	2	0.58	1.16
26IGRD0355R	88	89	1	13.50	13.50
26IGRD0355R	92	95	3	0.91	2.73
26IGRD0355R	104	105	1	0.58	0.58
26IGRD0355R	112	113	1	0.91	0.91
26IGRD0355R	120	122	2	0.69	1.38
26IGRD0355R	128	129	1	0.82	0.82
26IGRD0355R	132	138	6	1.33	8.00
26IGRD0355R	153	155	2	1.02	2.04
26IGRD0356	30	31	1	0.67	0.67
26IGRD0356	36	37	1	1.33	1.33
26IGRD0356	40	43	3	0.84	2.52
26IGRD0356	48	50	2	1.43	2.85
26IGRD0356	60	61	1	0.72	0.72
26IGRD0356	67	68	1	0.70	0.70
26IGRD0356	71	72	1	0.84	0.84
26IGRD0356	73	74	1	0.84	0.84
26IGRD0356	78	80	2	0.56	1.12

26IGRD0356	83	86	3	1.05	3.15
26IGRD0356	90	91	1	0.60	0.60
26IGRD0356	104	121	17	3.67	62.44
26IGRD0356	125	126	1	0.56	0.56
26IGRD0356	135	136	1	0.53	0.53
26IGRD0356	137	139	2	0.80	1.60
26IGRD0356	145	146	1	0.82	0.82
26IGRD0356	150	151	1	0.89	0.89
26IGRD0356	155	156	1	0.51	0.51
26IGRD0356	157	158	1	1.32	1.32
26IGRD0356	166	171	5	1.16	5.78
26IGRD0357	2	3	1	0.68	0.68
26IGRD0357	4	5	1	0.96	0.96
26IGRD0357	21	23	2	0.72	1.43
26IGRD0357	34	35	1	0.75	0.75
26IGRD0357	42	44	2	1.47	2.93
26IGRD0357	49	50	1	3.28	3.28
26IGRD0357	55	56	1	0.87	0.87
26IGRD0357	62	63	1	0.81	0.81
26IGRD0357	83	84	1	1.82	1.82
26IGRD0357	88	102	14	3.92	54.91
26IGRD0357	110	112	2	1.63	3.26
26IGRD0357	115	120	5	0.75	3.75
26IGRD0357	132	134	2	0.96	1.92
26IGRD0357	144	147	3	1.12	3.37
26IGRD0357	150	161	11	2.30	25.34
26IGRD0357	178	185	7	1.09	7.63
26IGRD0358	2	4	2	0.55	1.09
26IGRD0358	11	14	3	6.46	19.38
26IGRD0358	27	28	1	1.04	1.04
26IGRD0358	41	42	1	0.66	0.66
26IGRD0358	44	50	6	1.07	6.40
26IGRD0358	53	54	1	1.28	1.28
26IGRD0358	72	81	9	1.66	14.91
26IGRD0358	86	89	3	0.88	2.65
26IGRD0358	95	103	8	0.76	6.08
26IGRD0358	111	113	2	1.90	3.79
26IGRD0358	119	120	1	0.62	0.62
26IGRD0358	124	127	3	1.10	3.29
26IGRD0358	143	144	1	2.00	2.00
26IGRD0358	169	171	2	0.54	1.07
26IGRD0358	174	177	3	2.73	8.20
26IGRD0358	181	186	5	1.46	7.32
26IGRD0359	2	3	1	0.72	0.72
26IGRD0359	23	27	4	0.79	3.16
26IGRD0359	30	31	1	0.54	0.54

26IGRD0359	47	52	5	3.32	16.60
26IGRD0359	65	66	1	0.51	0.51
26IGRD0359	72	78	6	1.75	10.48
26IGRD0359	86	87	1	4.17	4.17
26IGRD0359	90	105	15	1.96	29.37
26IGRD0359	124	125	1	0.63	0.63
26IGRD0359	126	131	5	0.57	2.86
26IGRD0359	150	163	13	1.22	15.80
26IGRD0359	176	180	4	1.37	5.49
26IGRD0364	28	29	1	3.66	3.66
26IGRD0364	36	38	2	1.39	2.78
26IGRD0364	39	40	1	0.83	0.83
26IGRD0364	66	67	1	1.29	1.29
26IGRD0364	82	89	7	1.19	8.30
26IGRD0364	96	97	1	4.98	4.98
26IGRD0364	100	101	1	0.66	0.66
26IGRD0364	113	114	1	3.46	3.46
26IGRD0364	141	153	12	1.73	20.73
26IGRD0364	159	160	1	0.66	0.66
26IGRD0364	182	185	3	0.58	1.75
26IGRD0364	195	196	1	0.57	0.57
26IGRD0366	2	3	1	0.97	0.97
26IGRD0366	34	35	1	0.65	0.65
26IGRD0366	43	48	5	1.04	5.18
26IGRD0366	61	64	3	0.77	2.30
26IGRD0366	70	71	1	0.63	0.63
26IGRD0366	88	92	4	0.72	2.89
26IGRD0366	96	97	1	0.96	0.96
26IGRD0366	100	101	1	0.69	0.69
26IGRD0366	106	131	25	1.26	31.51
26IGRD0366	134	137	3	0.90	2.69
26IGRD0366	141	145	4	1.40	5.61
26IGRD0367	2	5	3	1.43	4.30
26IGRD0367	33	37	4	0.56	2.25
26IGRD0367	40	41	1	0.62	0.62
26IGRD0367	42	43	1	0.54	0.54
26IGRD0367	47	48	1	0.81	0.81
26IGRD0367	51	52	1	1.54	1.54
26IGRD0367	55	56	1	1.06	1.06
26IGRD0367	60	62	2	2.48	4.96
26IGRD0367	68	69	1	0.90	0.90
26IGRD0367	72	73	1	0.90	0.90
26IGRD0367	74	75	1	2.94	2.94
26IGRD0367	83	84	1	0.51	0.51
26IGRD0367	90	112	22	1.18	25.88
26IGRD0367	115	117	2	1.76	3.51

26IGRD0367	124	132	8	0.94	7.55
26IGRD0367	150	163	13	0.90	11.70
26IGRD0367	171	176	5	1.32	6.62
26IGRD0367	183	184	1	0.62	0.62
26IGRD0367	185	186	1	0.71	0.71
26IGRD0368	2	4	2	1.23	2.45
26IGRD0368	18	19	1	1.49	1.49
26IGRD0368	24	31	7	0.66	4.62
26IGRD0368	40	41	1	0.52	0.52
26IGRD0368	42	43	1	1.12	1.12
26IGRD0368	50	52	2	1.14	2.27
26IGRD0368	57	58	1	0.98	0.98
26IGRD0368	61	70	9	1.03	9.28
26IGRD0368	73	79	6	1.14	6.84
26IGRD0368	82	88	6	0.83	5.00
26IGRD0368	93	96	3	0.72	2.17
26IGRD0368	104	108	4	1.84	7.37
26IGRD0368	111	117	6	0.77	4.60
26IGRD0368	122	123	1	0.78	0.78
26IGRD0368	129	137	8	1.41	11.24
26IGRD0368	153	154	1	1.43	1.43
26IGRD0368	174	186	12	6.78	81.36
26IGRD0372	18	32	14	9.81	137.31
26IGRD0372	42	43	1	0.74	0.74
26IGRD0372	44	45	1	1.65	1.65
26IGRD0372	72	73	1	0.79	0.79
26IGRD0372	101	104	3	1.08	3.23
26IGRD0372	117	119	2	1.70	3.40
26IGRD0372	123	129	6	1.05	6.31
26IGRD0372	153	154	1	0.95	0.95
26IGRD0372	188	189	1	0.50	0.50
26IGRD0372	193	194	1	0.67	0.67
26IGRD0372	196	197	1	0.50	0.50
26IGRD0372	206	207	1	1.00	1.00
26IGRD0372	209	211	2	3.76	7.51
26IGRD0373	8	11	3	1.06	3.19
26IGRD0373	24	25	1	0.52	0.52
26IGRD0373	26	27	1	0.62	0.62
26IGRD0373	40	41	1	0.82	0.82
26IGRD0373	69	71	2	0.85	1.69
26IGRD0373	73	74	1	1.82	1.82
26IGRD0373	81	88	7	23.74	166.16
26IGRD0373	92	93	1	2.16	2.16
26IGRD0373	96	97	1	1.28	1.28
26IGRD0373	100	106	6	1.72	10.32
26IGRD0373	109	110	1	0.81	0.81

26IGRD0373	116	117	1	4.62	4.62
26IGRD0373	127	129	2	1.43	2.86
26IGRD0373	133	134	1	0.51	0.51
26IGRD0373	157	158	1	0.89	0.89
26IGRD0374	16	17	1	0.61	0.61
26IGRD0374	25	28	3	0.53	1.58
26IGRD0374	42	43	1	0.72	0.72
26IGRD0374	46	47	1	0.58	0.58
26IGRD0374	53	61	8	0.73	5.83
26IGRD0374	68	69	1	0.63	0.63
26IGRD0374	84	86	2	1.01	2.01
26IGRD0374	97	98	1	0.95	0.95
26IGRD0374	105	108	3	1.01	3.04
26IGRD0374	126	127	1	0.80	0.80
26IGRD0374	132	133	1	1.78	1.78
26IGRD0374	136	140	4	0.57	2.27
26IGRD0374	145	150	5	1.64	8.21
26IGRD0374	155	159	4	1.74	6.95
26IGRD0374	198	199	1	0.80	0.80
26IGRD0374	203	204	1	0.59	0.59
26IGRD0374	207	211	4	2.75	10.99
26IGRD0374	218	219	1	0.92	0.92
26IGRD0378	15	17	2	0.93	1.86
26IGRD0378	29	32	3	2.85	8.56
26IGRD0378	48	49	1	1.65	1.65
26IGRD0378	53	54	1	0.83	0.83
26IGRD0378	71	72	1	0.61	0.61
26IGRD0378	84	88	4	0.84	3.34
26IGRD0378	91	93	2	1.25	2.49
26IGRD0378	97	100	3	1.35	4.05
26IGRD0378	104	108	4	2.50	10.00
26IGRD0378	121	126	5	1.26	6.29
26IGRD0378	129	132	3	0.64	1.91
26IGRD0378	143	144	1	0.59	0.59
26IGRD0378	151	152	1	0.51	0.51
26IGRD0378	160	161	1	0.72	0.72
26IGRD0378	188	191	3	0.67	2.01
26IGRD0378	197	198	1	0.68	0.68
26IGRD0378	209	211	2	0.89	1.78
26IGRD0378	218	220	2	0.69	1.37
26IGRD0379	0	2	2	0.84	1.67
26IGRD0379	6	7	1	0.53	0.53
26IGRD0379	11	15	4	1.05	4.20
26IGRD0379	27	29	2	1.66	3.32
26IGRD0379	45	48	3	0.54	1.62
26IGRD0379	67	68	1	1.07	1.07

26IGRD0379	70	72	2	0.82	1.64
26IGRD0379	76	86	10	1.23	12.29
26IGRD0379	93	111	18	0.74	13.32
26IGRD0379	114	115	1	0.73	0.73
26IGRD0379	119	120	1	4.00	4.00
26IGRD0379	125	128	3	3.95	11.84
26IGRD0379	132	147	15	3.28	49.23
26IGRD0379	180	181	1	3.17	3.17
26IGRD0379	187	188	1	4.69	4.69
26IGRD0379	192	193	1	3.56	3.56
26IGRD0379	206	209	3	1.26	3.79
26IGRD0379	233	234	1	0.73	0.73
26IGRD0379	246	248	2	1.69	3.38
26IGRD0384	1	2	1	0.64	0.64
26IGRD0384	46	49	3	0.73	2.19
26IGRD0388	106	107	1	2.63	2.63
26IGRD0388	143	152	9	0.92	8.28
26IGRD0388	159	165	6	0.98	5.89
26IGRD0389	134	135	1	0.57	0.57
26IGRD0389	136	142	6	1.36	8.15
26IGRD0389	149	150	1	0.83	0.83
26IGRD0389	156	157	1	0.99	0.99
26IGRD0389	159	160	1	1.19	1.19
26IGRD0389	166	167	1	0.76	0.76
26IGRD0389	169	172	3	0.95	2.85
26IGRD0389	178	179	1	1.00	1.00
26IGRD0389	193	196	3	0.61	1.83
26IGRD0389	210	211	1	1.53	1.53
26IGRD0389	214	222	8	2.52	20.14
26IGRD0390	2	4	2	1.30	2.60
26IGRD0390	50	53	3	1.06	3.19
26IGRD0390	117	118	1	1.02	1.02
26IGRD0390	120	121	1	2.14	2.14
26IGRD0390	124	135	11	0.95	10.40
26IGRD0390	139	156	17	1.01	17.24
26IGRD0390	159	160	1	4.37	4.37
26IGRD0390	165	166	1	0.51	0.51
26IGRD0393	7	8	1	1.34	1.34
26IGRD0393	52	53	1	2.95	2.95
26IGRD0393	56	57	1	0.58	0.58
26IGRD0393	83	84	1	0.80	0.80
26IGRD0393	87	91	4	0.79	3.17
26IGRD0393	103	105	2	0.57	1.13
26IGRD0393	116	120	4	4.03	16.11
26IGRD0393	130	132	2	1.41	2.81
26IGRD0393	135	140	5	0.61	3.07

26IGRD0393	144	150	6	2.34	14.06
26IGRD0393	169	170	1	0.61	0.61
26IGRD0393	176	177	1	2.15	2.15
26IGRD0393	240	242	2	2.44	4.88
26IGRD0394	44	45	1	0.54	0.54
26IGRD0394	48	49	1	0.83	0.83
26IGRD0394	102	103	1	0.53	0.53
26IGRD0394	112	116	4	2.27	9.06
26IGRD0394	124	125	1	0.51	0.51
26IGRD0394	129	130	1	0.89	0.89
26IGRD0394	133	138	5	3.27	16.36
26IGRD0394	148	154	6	1.46	8.76
26IGRD0394	160	164	4	2.08	8.30
26IGRD0396	51	52	1	0.67	0.67
26IGRD0396	56	59	3	0.85	2.54
26IGRD0396	81	82	1	0.75	0.75
26IGRD0396	83	92	9	0.73	6.53
26IGRD0396	97	98	1	2.67	2.67
26IGRD0396	101	102	1	1.47	1.47
26IGRD0396	115	123	8	2.82	22.53
26IGRD0396	127	128	1	0.57	0.57
26IGRD0396	131	133	2	1.44	2.87
26IGRD0396	143	144	1	0.51	0.51
26IGRD0396	147	171	24	1.95	46.73
26IGRD0396	182	186	4	1.06	4.25
26IGRD0396	189	190	1	0.52	0.52
26IGRD0396	248	249	1	1.51	1.51
26IGRD0397	113	114	1	0.57	0.57
26IGRD0397	121	122	1	0.82	0.82
26IGRD0397	125	129	4	1.83	7.33
26IGRD0397	132	133	1	0.88	0.88
26IGRD0397	142	143	1	1.95	1.95
26IGRD0397	148	150	2	0.71	1.42
26IGRD0397	154	161	7	2.22	15.52
26IGRD0397	166	168	2	3.29	6.57
26IGRD0406	49	50	1	0.52	0.52
26IGRD0406	89	90	1	0.66	0.66
26IGRD0406	102	103	1	2.38	2.38
26IGRD0407	36	41	5	2.05	10.25
26IGRD0407	44	45	1	0.85	0.85
26IGRD0407	68	69	1	0.83	0.83
26IGRD0407	129	131	2	1.28	2.56
26IGRD0408	13	14	1	0.84	0.84
26IGRD0408	20	21	1	0.66	0.66
26IGRD0409	61	62	1	0.84	0.84
26IGRD0409	160	161	1	0.52	0.52

26IGRD0410	3	5	2	1.16	2.32
26IGRD0410	59	60	1	0.82	0.82
26IGRD0412	36	37	1	0.64	0.64
26IGRD0412	75	76	1	0.66	0.66
26IGRD0420	80	82	2	1.09	2.18
26IGRD0420	102	107	5	0.76	3.78
26IGRD0420	132	141	9	25.94	233.49
26IGRD0420	144	145	1	1.14	1.14
26IGRD0420	148	149	1	1.37	1.37
26IGRD0420	156	157	1	13.70	13.70
26IGRD0420	216	217	1	2.18	2.18
26IGRD0421	48	49	1	1.79	1.79
26IGRD0421	64	65	1	3.42	3.42
26IGRD0421	72	74	2	8.88	17.76
26IGRD0421	81	85	4	8.60	34.40
26IGRD0421	106	107	1	10.90	10.90
26IGRD0421	110	111	1	0.54	0.54
26IGRD0421	121	122	1	0.54	0.54
26IGRD0422	43	62	19	1.95	36.98
26IGRD0422	84	87	3	3.89	11.68
26IGRD0422	155	156	1	0.91	0.91
26IGRD0422	158	159	1	0.73	0.73
26IGRD0422	161	162	1	0.52	0.52
26IGRD0423	65	66	1	0.94	0.94
26IGRD0424	25	31	6	6.86	41.14
26IGRD0424	36	38	2	1.95	3.90
26IGRD0424	43	44	1	1.30	1.30
26IGRD0425	54	56	2	0.96	1.92
26IGRD0425	147	150	3	2.65	7.95
26IGRD0426	4	5	1	0.86	0.86
26IGRD0429	17	19	2	2.47	4.94
26IGRD0429	22	24	2	2.16	4.32
26IGRD0429	28	29	1	0.52	0.52
26IGRD0431R	2	5	3	0.86	2.59
26IGRD0435	49	50	1	1.03	1.03
26IGRD0435	56	57	1	0.53	0.53
26IGRD0435	62	65	3	1.21	3.64
26IGRD0435	73	74	1	0.57	0.57
26IGRD0435	75	77	2	0.51	1.02
26IGRD0435	108	109	1	0.52	0.52
26IGRD0435	111	112	1	0.51	0.51
26IGRD0435	116	117	1	7.37	7.37
26IGRD0435	148	150	2	6.13	12.26
26IGRD0435	155	158	3	0.72	2.15
26IGRD0435	165	166	1	0.53	0.53
26IGRD0435	196	197	1	0.52	0.52

26IGRD0436	212	215	3	0.86	2.57
26IGRD0437	23	24	1	0.79	0.79
26IGRD0437	49	50	1	0.74	0.74
26IGRD0437	55	56	1	0.60	0.60
26IGRD0437	71	72	1	1.42	1.42
26IGRD0437	77	80	3	0.55	1.64
26IGRD0437	89	90	1	0.51	0.51
26IGRD0437	114	118	4	13.98	55.92
26IGRD0438	30	31	1	0.54	0.54
26IGRD0438	40	43	3	1.38	4.13
26IGRD0438	48	50	2	2.68	5.36
26IGRD0438	87	88	1	3.93	3.93
26IGRD0438	149	151	2	1.83	3.66
26IGRD0439	58	60	2	1.03	2.05
26IGRD0439	64	67	3	1.54	4.61
26IGRD0439	130	132	2	0.73	1.46
26IGRD0440	6	11	5	1.51	7.56
26IGRD0441	99	100	1	0.51	0.51
26IGRD0441	104	105	1	0.95	0.95
26IGRD0441	108	109	1	2.02	2.02
26IGRD0447	115	117	2	0.53	1.06
26IGRD0447	119	121	2	1.09	2.18
26IGRD0448	22	23	1	0.51	0.51
26IGRD0448	155	156	1	0.70	0.70
26IGRD0448	165	168	3	3.67	11.02
26IGRD0448	176	177	1	0.66	0.66
26IGRD0448	204	209	5	0.71	3.53
26IGRD0449	33	34	1	0.99	0.99
26IGRD0449	39	42	3	1.12	3.37
26IGRD0449	66	70	4	0.69	2.77
26IGRD0449	109	110	1	0.54	0.54
26IGRD0450	46	47	1	0.51	0.51
26IGRD0450	49	50	1	1.12	1.12
26IGRD0450	55	57	2	1.14	2.27
26IGRD0450	115	121	6	1.35	8.11
26IGRD0450	124	125	1	0.58	0.58
26IGRD0450	134	137	3	0.96	2.87
26IGRD0450	180	181	1	2.74	2.74
26IGRD0451	29	30	1	0.60	0.60
26IGRD0451	140	141	1	1.05	1.05
26IGRD0452	61	62	1	0.60	0.60
26IGRD0452	64	65	1	0.54	0.54
26IGRD0452	73	74	1	0.80	0.80
26IGRD0452	110	116	6	2.54	15.23
26IGRD0452	121	122	1	1.50	1.50
26IGRD0452	182	188	6	4.38	26.30

26IGRD0452	200	201	1	0.50	0.50
26IGRD0453	84	89	5	8.75	43.73
26IGRD0453	93	94	1	0.63	0.63
26IGRD0453	147	148	1	0.69	0.69
26IGRD0454	50	51	1	0.93	0.93
26IGRD0454	60	61	1	1.87	1.87
26IGRD0454	66	67	1	0.58	0.58
26IGRD0454	117	118	1	0.52	0.52
26IGRD0455	47	48	1	0.52	0.52
26IGRD0455	58	61	3	1.41	4.24
26IGRD0456	11	13	2	3.39	6.78
26IGRD0456	42	44	2	3.86	7.71
26IGRD0456	51	52	1	0.56	0.56
26IGRD0456	57	58	1	0.50	0.50
26IGRD0456	61	62	1	1.09	1.09
26IGRD0456	178	179	1	0.51	0.51
26IGRD0457	29	30	1	0.51	0.51
26IGRD0457	48	54	6	0.79	4.74
26IGRD0503	4	5	1	7.24	7.24
26IGRD0503	98	99	1	0.85	0.85
26IGRD0503	105	106	1	1.41	1.41
26IGRD0503	112	113	1	1.36	1.36
26IGRD0503	125	126	1	0.78	0.78
26IGRD0558	27	30	3	0.53	1.58
26IGRD0558	36	37	1	0.72	0.72
26IGRD0558	68	69	1	0.75	0.75
26IGRD0558	109	113	4	2.09	8.35

Appendix 2: Collar Data for Drillholes Included in this ASX Release

All Holes located on Tenement M 16/262.

All Collar locations are from survey pickups, planned dip and azimuth is currently provided. All Collar Coordinates are provided as MGA95_Zone 51.

HoleNo	Max Depth	GridID	East	North	RL
26IGRD0124	198	MGA94_51	275600	6624165	524.766
26IGRD0133	150	MGA94_51	275750.4	6624139	517.375
26IGRD0138	144	MGA94_51	275741.2	6624120	516.786
26IGRD0139	162	MGA94_51	275758.5	6624120	517.103
26IGRD0149	198	MGA94_51	275759.3	6624102	517.014
26IGRD0156	174	MGA94_51	275757.9	6624079	516.388
26IGRD0162	150	MGA94_51	275759.8	6624058	516.13
26IGRD0167	210	MGA94_51	275848.6	6624060	516.077

26IGRD0170	150	MGA94_51	275740.2	6624039	515.15
26IGRD0172	150	MGA94_51	275779.6	6624040	515.592
26IGRD0173	186	MGA94_51	275800.4	6624040	516.497
26IGRD0174	186	MGA94_51	275820.1	6624040	518.37
26IGRD0181	216	MGA94_51	275800	6624020	515.96
26IGRD0183	222	MGA94_51	275835.1	6624023	519.2
26IGRD0189	162	MGA94_51	275770.1	6624000	514.37
26IGRD0190	180	MGA94_51	275786.9	6623999	514.134
26IGRD0191	198	MGA94_51	275808.7	6623999	515.284
26IGRD0192	162	MGA94_51	275828.3	6623998	516.389
26IGRD0199	120	MGA94_51	275718	6624138	515.503
26IGRD0200	138	MGA94_51	275741.4	6624139	517.343
26IGRD0201	156	MGA94_51	275759.1	6624139	517.11
26IGRD0202	186	MGA94_51	275779.8	6624140	517.486
26IGRD0203	162	MGA94_51	275801	6624140	517.477
26IGRD0208	132	MGA94_51	275730	6624120	515.77
26IGRD0209	150	MGA94_51	275748.9	6624120	517.427
26IGRD0210	168	MGA94_51	275770.3	6624119	517.142
26IGRD0211	204	MGA94_51	275787.2	6624119	517.81
26IGRD0212	228	MGA94_51	275807.7	6624119	517.72
26IGRD0217	168	MGA94_51	275726	6624102	515.487
26IGRD0218	186	MGA94_51	275749.1	6624102	516.548
26IGRD0219	204	MGA94_51	275769.3	6624101	517.258
26IGRD0220	228	MGA94_51	275785.7	6624100	517.247
26IGRD0224	150	MGA94_51	275729.3	6624082	515.478
26IGRD0225	162	MGA94_51	275748.1	6624080	516.162
26IGRD0226	180	MGA94_51	275769.6	6624079	516.917
26IGRD0227	204	MGA94_51	275788.9	6624080	517.071
26IGRD0228	222	MGA94_51	275808	6624080	517.055
26IGRD0232	156	MGA94_51	275759.8	6624061	516.348
26IGRD0233	168	MGA94_51	275779	6624062	516.669
26IGRD0234	184	MGA94_51	275793.3	6624062	516.977
26IGRD0235	198	MGA94_51	275819.9	6624060	516.727
26IGRD0236	216	MGA94_51	275838.3	6624060	516.194
26IGRD0240B	192	MGA94_51	275770	6624040	514.81
26IGRD0241	156	MGA94_51	275791.3	6624040	516.195
26IGRD0242	192	MGA94_51	275810.8	6624040	516.673
26IGRD0243	192	MGA94_51	275830.3	6624041	516.524
26IGRD0249	168	MGA94_51	275788.2	6624020	514.597
26IGRD0250	222	MGA94_51	275807.5	6624020	516.306
26IGRD0251	174	MGA94_51	275829.8	6624019	516.577
26IGRD0252	228	MGA94_51	275848.2	6624020	516.494
26IGRD0258	168	MGA94_51	275777.9	6624000	514.307
26IGRD0259	186	MGA94_51	275799.9	6623999	514.911

26IGRD0260	204	MGA94_51	275817.9	6624000	515.714
26IGRD0261	168	MGA94_51	275839.4	6623998	516.636
26IGRD0262	222	MGA94_51	275860.3	6623999	516.484
26IGRD0263	162	MGA94_51	275874.1	6624000	516.333
26IGRD0275	78	MGA94_51	275595.6	6624341	521.24
26IGRD0276	96	MGA94_51	275618.8	6624340	520.79
26IGRD0277	138	MGA94_51	275640	6624341	520.65
26IGRD0278	138	MGA94_51	275654.9	6624340	520.47
26IGRD0279	138	MGA94_51	275675.4	6624340	520.74
26IGRD0280	136	MGA94_51	275569.3	6624320	521.73
26IGRD0281	136	MGA94_51	275589.9	6624320	521.32
26IGRD0282	136	MGA94_51	275609.6	6624320	520.87
26IGRD0283	198	MGA94_51	275639	6624320	520.54
26IGRD0284	138	MGA94_51	275655	6624320	520.56
26IGRD0285	136	MGA94_51	275571.4	6624300	521.94
26IGRD0286	136	MGA94_51	275590.5	6624300	521.35
26IGRD0287	136	MGA94_51	275613.4	6624300	520.44
26IGRD0288	222	MGA94_51	275639.1	6624300	520.02
26IGRD0289	138	MGA94_51	275655.3	6624300	519.53
26IGRD0290	168	MGA94_51	275674.2	6624300	519.06
26IGRD0291	138	MGA94_51	275691.5	6624301	518.82
26IGRD0292	156	MGA94_51	275624.8	6624280	519.41
26IGRD0293	156	MGA94_51	275638.8	6624280	518.92
26IGRD0294	150	MGA94_51	275655.3	6624280	518.44
26IGRD0295	150	MGA94_51	275673.8	6624280	518.25
26IGRD0296	150	MGA94_51	275694.9	6624281	518.15
26IGRD0297	192	MGA94_51	275613.2	6624260	520.12
26IGRD0298	258	MGA94_51	275639.2	6624261	518.25
26IGRD0299	228	MGA94_51	275653.5	6624260	518.08
26IGRD0300	198	MGA94_51	275694.9	6624260	517.91
26IGRD0271	288	MGA94_51	275640.4	6624240	518.33
26IGRD0274	216	MGA94_51	275692.9	6624240	518.34
26IGRD0301	222	MGA94_51	275654.1	6624221	517.96
26IGRD0303	222	MGA94_51	275695.3	6624219	517.71
26IGRD0306	150	MGA94_51	275625	6624200	520.75
26IGRD0307	198	MGA94_51	275640	6624200	519.74
26IGRD0308	150	MGA94_51	275649.9	6624200	518.848
26IGRD0309	150	MGA94_51	275670.1	6624200	517.131
26IGRD0310	150	MGA94_51	275679.5	6624200	517.015
26IGRD0311	150	MGA94_51	275694.7	6624200	517.161
26IGRD0312	150	MGA94_51	275715.6	6624199	517.44
26IGRD0313	180	MGA94_51	275734.4	6624200	517.975
26IGRD0314	222	MGA94_51	275550.7	6624180	522.496
26IGRD0315	198	MGA94_51	275570	6624180	522.058

26IGRD0316	180	MGA94_51	275590.1	6624181	521.814
26IGRD0317	150	MGA94_51	275610.6	6624182	521.677
26IGRD0319	102	MGA94_51	275734.6	6624181	517.565
26IGRD0320	252	MGA94_51	275754.5	6624160	517.75
26IGRD0321	84	MGA94_51	275450	6624300	523.71
26IGRD0323	108	MGA94_51	275491.4	6624279	523.3
26IGRD0324	90	MGA94_51	275511.3	6624280	522.95
26IGRD0325	72	MGA94_51	275528.8	6624280	522.63
26IGRD0327	168	MGA94_51	275452.9	6624220	523.962
26IGRD0328	168	MGA94_51	275471.2	6624221	523.636
26IGRD0329	156	MGA94_51	275480.2	6624221	523.575
26IGRD0330	144	MGA94_51	275490.7	6624221	523.367
26IGRD0331	138	MGA94_51	275500.1	6624220	523.417
26IGRD0332	126	MGA94_51	275509.2	6624222	523.65
26IGRD0334	108	MGA94_51	275460.9	6624199	523.781
26IGRD0335	102	MGA94_51	275471.1	6624200	523.642
26IGRD0336	90	MGA94_51	275490.3	6624200	523.322
26IGRD0337	72	MGA94_51	275510.8	6624200	522.49
26IGRD0340	222	MGA94_51	275470.5	6624180	523.44
26IGRD0342	222	MGA94_51	275508.8	6624179	523.209
26IGRD0343	222	MGA94_51	275528.3	6624180	522.84
26IGRD0346	222	MGA94_51	275490.1	6624160	523.405
26IGRD0347	222	MGA94_51	275510.1	6624160	523.685
26IGRD0348	186	MGA94_51	275530.7	6624161	523.48
26IGRD0353	138	MGA94_51	275504	6624139	523.52
26IGRD0354	168	MGA94_51	275511.8	6624139	523.62
26IGRD0355	168	MGA94_51	275523.3	6624140	523.45
26IGRD0356	174	MGA94_51	275534	6624139	523.46
26IGRD0357	184	MGA94_51	275541.2	6624140	523.27
26IGRD0358	184	MGA94_51	275549.7	6624139	522.88
26IGRD0359	184	MGA94_51	275561	6624139	522.52
26IGRD0364	216	MGA94_51	275502	6624117	523.18
26IGRD0366	216	MGA94_51	275521.7	6624118	522.96
26IGRD0367	186	MGA94_51	275531.6	6624120	523.07
26IGRD0368	186	MGA94_51	275541	6624120	522.73
26IGRD0372	216	MGA94_51	275501.3	6624101	522.62
26IGRD0373	168	MGA94_51	275511.4	6624101	522.612
26IGRD0374	222	MGA94_51	275519.4	6624100	522.41
26IGRD0378	222	MGA94_51	275510.7	6624079	522.31
26IGRD0379	252	MGA94_51	275518.1	6624079	522.161
26IGRD0384	186	MGA94_51	275504.9	6624060	522.35
26IGRD0388	168	MGA94_51	275506.9	6624042	522.234
26IGRD0389	222	MGA94_51	275511.6	6624042	522.418
26IGRD0390	168	MGA94_51	275519.1	6624042	522.208

26IGRD0393	258	MGA94_51	275525.5	6624022	522.119
26IGRD0394	168	MGA94_51	275520.2	6624021	521.959
26IGRD0396	258	MGA94_51	275534.9	6624000	521.659
26IGRD0397	168	MGA94_51	275525.7	6623999	521.566
26IGRD0406	162	MGA94_51	275830.3	6623680	518.541
26IGRD0407	222	MGA94_51	275851.3	6623680	517.694
26IGRD0408	162	MGA94_51	275870.7	6623681	516.963
26IGRD0409	222	MGA94_51	275888.5	6623681	516.387
26IGRD0410	162	MGA94_51	275910.6	6623681	516.199
26IGRD0411	222	MGA94_51	275932.2	6623681	516.016
26IGRD0412	162	MGA94_51	275950.6	6623680	515.784
26IGRD0413	98	MGA94_51	275970.1	6623680	515.607
26IGRD0420	222	MGA94_51	275790.1	6623659	519.452
26IGRD0421	162	MGA94_51	275812	6623659	519.154
26IGRD0422	222	MGA94_51	275829.8	6623660	518.419
26IGRD0423	162	MGA94_51	275850.3	6623660	517.812
26IGRD0424	222	MGA94_51	275870.1	6623660	517.278
26IGRD0425	162	MGA94_51	275890.7	6623660	516.708
26IGRD0426	222	MGA94_51	275909.9	6623661	516.277
26IGRD0427	162	MGA94_51	275930.7	6623661	516.138
26IGRD0428	222	MGA94_51	275949.1	6623660	515.948
26IGRD0429	162	MGA94_51	275970.1	6623660	515.433
26IGRD0430	222	MGA94_51	275990.9	6623660	515.378
26IGRD0431	222	MGA94_51	276070.1	6623660	513.681
26IGRD0435	222	MGA94_51	275746.3	6623640	519.988
26IGRD0436	222	MGA94_51	275789.6	6623638	519.512
26IGRD0437	162	MGA94_51	275809.4	6623640	519.24
26IGRD0438	162	MGA94_51	275830.4	6623640	518.93
26IGRD0439	222	MGA94_51	275851.1	6623640	518.269
26IGRD0440	222	MGA94_51	275888.6	6623638	517.38
26IGRD0441	222	MGA94_51	275910.8	6623640	516.83
26IGRD0443	222	MGA94_51	275950.5	6623640	516.252
26IGRD0444	222	MGA94_51	276019.5	6623640	515.278
26IGRD0446	132	MGA94_51	275689.7	6623620	521.55
26IGRD0447	162	MGA94_51	275709.1	6623620	520.935
26IGRD0448	222	MGA94_51	275731.2	6623620	520.24
26IGRD0449	162	MGA94_51	275751.2	6623620	520.15
26IGRD0450	222	MGA94_51	275770.2	6623620	519.94
26IGRD0451	162	MGA94_51	275789.7	6623620	519.75
26IGRD0452	222	MGA94_51	275810.9	6623620	519.68
26IGRD0453	162	MGA94_51	275830.5	6623620	519.27
26IGRD0454	222	MGA94_51	275850.9	6623620	518.76
26IGRD0455	162	MGA94_51	275870.5	6623619	518.45
26IGRD0456	222	MGA94_51	275890.6	6623620	517.8

26IGRD0457	162	MGA94_51	275911.5	6623620	517.43
26IGRD0458	222	MGA94_51	275931.2	6623620	517.17
26IGRD0459	120	MGA94_51	275949.7	6623619	516.74
26IGRD0355R	222	MGA94_51	275520.3	6624139	523.63
26IGRD0558	132	MGA94_51	275759	6623699	518.537
26IGRD0559	132	MGA94_51	275779.6	6623698	517.992
26IGRD0503	222	MGA94_51	275620.7	6623859	520.593
26IGRD0431R	66	MGA94_51	276076.9	6623660	513.427

Appendix 3: JORC Tables.

Section 1: Sampling Techniques and Data

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
Sampling techniques	<p><i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i></p> <p><i>Include reference to measures taken to ensure sample representativity and the appropriate calibration of any measurement tools or systems used.</i></p> <p><i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where ‘industry standard’ work has been done this would be relatively simple (e.g. ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Reverse circulation (RC), rotary air blast (RAB) and aircore (AC) drilling with 1 m sampling from cyclone (BDRB prefix holes RAB drilling with 2 m sampling). Samples sent to accredited laboratories for drying, crushing and pulverising. Composite samples assayed by aqua regia/atomic absorption spectroscopy (AAS) (except in areas of elevated graphite – fire assay (FA) and those returning greater than 0.2–0.3 g/t were re-assayed as individual metres by FA to ALS Kalgoorlie for 50 g charge FA with 0.01 ppm detection limit. HQ triple diamond (DD) drilling was halved, 50 g charge FA with 0.01 ppm detection limit. <p>EGL:</p> <ul style="list-style-type: none"> RC samples collected from the riffle or cone splitter directly off rig into calico bags. Splitter maintained on level site to ensure sample representativity. 1 m samples are dried, crushed, pulverised and a 40 g charge is analysed by FA. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB 1 m sampling with blade or hammer. Dried, crushed and pulverised samples analysed by aqua regia/AAS finish with 25 g charge. <p>Monarch:</p> <ul style="list-style-type: none"> AC, RAB and RC drilling on 1 m sampling basis with RAB samples being composited to 4 m for initial analysis by aqua regia/AAS. Individual AC and RC metres collected from cyclone, riffle split and submitted for aqua regia/AAS and FA/AAS respectively. <p>Siberia Mining Corporation (SMC):</p> <ul style="list-style-type: none"> 1 m sampling of AC, RAB and RC drilling composites and individual re-assays dispatched for FA. <p>Perilya:</p> <ul style="list-style-type: none"> 5 m composite RAB and AC assayed at Analabs Perth by method P649, 50 g aqua regia, DIBK, Carbon Rod. <p>Croesus:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • RC 1 m samples collected under cyclone. RAB drilling on a 1 m basis. 3.5 kg samples were pulverised to make 50 g charge for analysis by FA/inductively coupled plasma-optical spectrometry (ICP-OS). <p>Delta:</p> <ul style="list-style-type: none"> • 1 m sampling of AC, RAB and RC. 5 m composites submitted to Genalysis and/or ALS laboratories Kalgoorlie for preparation, followed by aqua regia with 50 g charge with 0.01 ppm detection limit. Composite assays returning values ≥ 0.1 ppm Au, corresponding single metre samples were collected and submitted. <p>Ora Banda Mining Ltd (OBM):</p> <ul style="list-style-type: none"> • 1 m RC samples using face sampling hammer with samples collected under cone splitter. • 4 m composite RC samples collected using a PVC spear from the sample piles at the drill site. For drilling up to April 2020, RC samples were submitted for pulverising and 50 g charge FA. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. Half-core samples, cut by automated core saw. Core sample intervals selected by geologist and defined by geological boundaries. Samples are crushed, pulverised and a 40 g charge is analysed by FA. • A total of 56 holes were drilled by OBM, including three RCDD holes and 53 RC holes. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals</p> <ul style="list-style-type: none"> • 1m RC samples using face hammer with samples collected under cone splitter. • 4m composite AC samples collected via scoop on sample piles. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. • DD logged and full hole sampled utilising geology defined sample intervals. Core was halved or quartered depending on use and dispatched to the BV Cunningham facility.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> All Assays conducted for Beacon Minerals were performed by BV Cunninham. Samples are crushed, pulverised and a 40 g charge is analysed by FA.
Drilling techniques	<p><i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> No details for early RAB drilling. Later drilling involved RAB drilling using 4–4.25-inch blade or hammer to blade refusal. AC using 3.5-inch blade. RC 5.25–5.5-inch diameter face sampling hammer. <p>Croesus:</p> <ul style="list-style-type: none"> Undocumented details. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes. <p>Delta:</p> <ul style="list-style-type: none"> RC 5.5-inch face sampling hammers. At times, a stepped AC bit was used to drill through sand at beginning of hole which changed to face-sampling hammer when laterite encountered. HQ triple twin DD holes at Lizard. LZD1-3 was oriented. <p>EGL:</p> <ul style="list-style-type: none"> RC 5.25-inch diameter. <p>Roper River Resources:</p> <ul style="list-style-type: none"> RAB with blade and/or hammer bit. RC drilling with 5.25-inch diameter face sampling hammer. <p>Monarch:</p> <ul style="list-style-type: none"> RC drilling 5.5-inch diameter with face sampling hammer. RAB 4-inch diameter blade with occasional hammer bit usage. AC details undocumented. <p>SMC:</p> <ul style="list-style-type: none"> AC, RAB, RC details undocumented. Presumably industry standard at the time being 5.5-inch face sampling hammers for RC and 4-inch diameter RAB holes.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>OBM:</p> <ul style="list-style-type: none"> • 5.25–5.5-inch diameter RC holes using face sampling hammer with samples collected under cone splitter. HQ and HQ3 coring to approx. 40 m, then NQ2 to bottom of hole. • Metallurgical and geotechnical core holes drilled using HQ3 exclusively. • All core oriented by reflex instrument. <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • RC drilling conducted by 115mm Hammer face bit. • AC drilling conducted utilising both Blade and Hammer methods, varying in bit size due to ground conditions • DD drilling was conducted in PQ3 or HQ3. Two holes were collared in PQ3 before casing off at approx. 70m depth to HQ3. Remaining holes were drilled HQ3 from collar.
<p>Drill sample recovery</p>	<p><i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></p> <p><i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></p> <p><i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></p>	<p>Delta:</p> <ul style="list-style-type: none"> • Recoveries for resource RC drilling made as a subjective estimate. Recoveries in resource drilling were generally in excess of 70% (Iguana laterite), 60% (Lizard). Poor recoveries occurred outside mineralised zones. <p>OBM:</p> <ul style="list-style-type: none"> • DD drill recoveries are recorded as a percentage calculated from measured core against downhole drilled intervals (core blocks). • RC samples are weighed at the laboratory to monitor recoveries. <p>Other operators have not captured recovery data.</p> <p>There is no known relationship between sample recovery and grade.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • DD drill recoveries were recorded in logging and sampling processes, with noted core loss existing in upper weathering profiles

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC sample had recoveries recorded by percentage of material, significant material loss was present near surface due to unconsolidated sands AC sample had recoveries recorded in percentage, material retention was good to excellent from surface.
<p>Logging</p>	<p><i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></p> <p><i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i></p> <p><i>The total length and percentage of the relevant intersections logged.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Logging on 1 m basis. Qualitative – lithology, oxidation, grain size. Quantitative – quartz. <p>Croesus:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, grain size, alteration, oxidation, texture, structures, regolith. Quantitative – estimates are made of quartz veining. <p>Delta:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, oxidation, structure, texture, alteration. Quantitative – estimates are made of quartz veining and minerals. <p>EGL:</p> <ul style="list-style-type: none"> Qualitative – alteration, colour, grain size, lithology, oxidation, mineralogy, structure, texture, vein style, vein assemblage, remarks. Quantitative – mineralisation intensity, vein percent. <p>Roper River Resources:</p> <ul style="list-style-type: none"> Qualitative – colour, lithology, oxidation, BOCO, texture, alteration, minerals, sulphides. Quantitative – quartz. <p>Monarch:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. Quantitative – estimates are made of quartz veining, sulphide percentages. <p>SMC:</p> <ul style="list-style-type: none"> Qualitative – lithology, colour, oxidation, alteration. Quantitative – estimates are made of quartz veining.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>OBM:</p> <ul style="list-style-type: none"> Field logging was conducted using Geobank Mobile™ software on Panasonic Toughbook CF-31 ruggedised laptop computers. Qualitative logging – lithology, colour, oxidation, grain size, texture, structure, hardness, regolith. Quantitative – estimates are made of quartz veining, sulphide and alteration percentages. Core photographed both wet and dry. Magnetic susceptibility and rock quality designation (RQD) were also recorded for core holes. <p>All holes were geologically logged in their entirety to a level of detail to support Mineral Resource estimation.</p> <p>The information presented above is derived from OBM’s JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Diamond Drilling- Logging was completed by competent contractors utilising Beacon logging template. Sampling was then conducted off the logging intervals. Reverse Circulation/ Air Core- Logging was conducted using chip samples, prepared by conducting both dry and wet sieves. Logging was done in accordance with the Beacon Logging code.
<p>Subsampling techniques and sample preparation</p>	<p><i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></p> <p><i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></p> <p><i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></p> <p><i>Quality control procedures adopted for all subsampling stages to maximise representativity of samples.</i></p> <p><i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> Early (~1990) drilling – 2 m samples composited to 6m by undocumented method. Results returning >0.2 g/t re-sampled on a 2 m basis. Subsequent drilling – RAB/AC 2 m surface composites and 4 m composite thereafter. RC 1 m samples riffle split and composited to 4 m samples. Composite assays returning greater than 0.2 g/t re-sampled on a metre basis. <p>Croesus:</p> <ul style="list-style-type: none"> RAB drill samples were collected in buckets below a freestanding cyclone and laid out at 1 m intervals in rows of ten metres adjacent to the drill collar.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
	<p><i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></p>	<ul style="list-style-type: none"> • Composite analytical samples (~3.5 kg) were initially collected over 5 m intervals for each hole and a 1 m bottom of hole analytical sample. Analytical composite samples were collected by taking a representative scoop through each 1 m drill sample. Composite assays returning greater than 100 ppb Au were resampled on an individual basis by an undocumented method. • RC drill samples were riffle split at 1 m intervals off the rig into calico bags whilst excess material was placed on the ground in 1 m piles for logging. The analytical samples were dried, crushed and split to obtain a sample less than 3.5 kg, and then fine pulverised prior to a 50 g sample being taken for analysis. <p>Delta:</p> <ul style="list-style-type: none"> • RC: Samples collected on 1 m intervals via a cyclone into green plastic bags. Each bag was riffle split if dry to a 2–3 kg sample and retained on site. A PVC spear sample was taken from residues to create a 5 m composite. If composites returned values ≥ 0.1 g/t, geologically interesting or had elevated arsenic levels, the original 1 m splits were collected and submitted. Original wet samples were split at this stage using wet triple riffle splitter, washed between samples. Wet samples were rare and usually outside of main mineralisation. • RAB: Typically 1 m samples were composited to 5 m (occasionally 10 m) by PVC spear. Significant assay results were re-submitted on a single metre basis. • DD: Core was halved. Sample length typically 1 m. <p>EGL:</p> <ul style="list-style-type: none"> • RC samples riffle split into calico bags. Wet or moist samples are noted during sampling. Core was cut with diamond saw and half core sampled. All mineralised zones are sampled, including portions of visibly unmineralised hangingwall and footwall zones. Sample weights range from >1.0 kg to 3.5 kg. Samples weighed by laboratory, dried and split to <3 kg if necessary and pulverised by LM-5. Field duplicates, blanks and standards were submitted for QAQC analysis. <p>Roper River Resources:</p> <ul style="list-style-type: none"> • RAB and RC holes were composited to 6 m and 4 m respectively with anomalous zones of nickel or gold being resubmitted on a metre basis.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>Monarch:</p> <ul style="list-style-type: none"> • RAB: 2 – 4 m composites scoop sampled. • AC and RC 1 m splits via riffle splitter. • RAB samples were composited to 4 m by scoop for initial analysis. Samples were riffle split and prepared with single stage mix and grinding. <p>SMC:</p> <ul style="list-style-type: none"> • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form 4 m or 5 m composite. • AC: Predominantly 4 m composite samples. Methods unknown. • RAB samples were collected at 1 m intervals from the drillhole collar using a plastic bucket and laid on the ground. A scoop sample was taken from each sample to form a 5 m composite. • AC: Predominantly 4 m composite samples. • RAB: Predominantly 5 m composite samples. <p>OBM:</p> <ul style="list-style-type: none"> • RC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples speared from the onsite drill sample piles. Half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. • For drilling up to April 2020, RC samples were dried, crushed, split, pulverised and a 50 g charge taken. 4 m composite samples with gold values greater than 0.2 g/t Au were re-sampled as 1 m split samples and submitted to the lab for further analysis. • Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory. <p>The information presented above is derived from OBM’s JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> RC/AC samples were submitted either as individual 1 m samples taken onsite from cone splitter or as 4 m composite samples scooped from the onsite drill sample piles. Any 4m composites which exceeded 0.3g/t or where otherwise noted as anomalous were selected for re-sample and had 1m sample bags dispatched to the lab with these results over-writing the prior composite results DD drill were half-core samples, cut by saw. Core sample intervals selected by geologist and defined by geological boundaries. <p>Field duplicates, blanks and standards were submitted for quality assurance and quality control (QAQC) analysis. Repeat assays were undertaken on pulp samples at the discretion of the laboratory.</p>
Quality of assay data and laboratory tests	<p><i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></p> <p><i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></p> <p><i>Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> RC/RAB: composites assayed by aqua regia AAS. Composites returning >0.2–0.3g/t Au re-submitted as 1 m samples by 50 g charge FA. AC: Composites by 50 g charge FA. Composites returning >0.2–0.3g/t Au re-submitted as 1 m samples for FA again. In areas of elevated graphite (Burke Dam), RC composites were assayed by 50 g FA. Assayed at Genalysis. <p>Croesus:</p> <ul style="list-style-type: none"> 50 g charge analysed for gold (FA/ICP-Os) by Analabs Kalgoorlie for RC and Ultratrace Perth for RAB. Lab repeats at discretion of laboratory. <p>Delta:</p> <ul style="list-style-type: none"> RC and RAB: 5 m composites dispatched to Genalysis and/or ALS laboratories Kalgoorlie for aqua regia with 50 g charge with 0.01 ppm detection limit. Composite assays returning values ≥ 0.1 ppm Au, corresponding single metre samples were collected and despatched to ALS Kalgoorlie for 50 g charge FA with 0.01 ppm detection limit. Core despatched to Genalysis Kalgoorlie for 50 g charge FA with 0.01ppm detection limit. Standards of an undocumented provenance and locally (uncertified) sourced blanks inserted but frequency undocumented. One in 20 pulp duplicate frequency. Blind pulp re-assays performed. <p>EGL:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • Samples were sent to Kalgoorlie Assay Laboratories to be analysed for gold by 40 g FA. Samples were also analysed at Genalysis. Certified reference material (CRM) standards were submitted. Field duplicate samples taken at rate of 1:40. <p>Roper River Resources:</p> <ul style="list-style-type: none"> • 25 g sample by aqua regia/AAS finish at MiniLab Kalgoorlie. Lab repeats at discretion of laboratory. <p>Monarch:</p> <ul style="list-style-type: none"> • RAB and AC: Assayed by aqua regia/AAS with 10 ppb detection limit. • RC: 50 g charge FA/AAS at SGS Kalgoorlie. <p>SMC:</p> <ul style="list-style-type: none"> • FA, undocumented charge and laboratory. <p>OBM:</p> <ul style="list-style-type: none"> • Up to April 2020, all samples were sent to an accredited laboratory (Nagrom Laboratories in Perth, Intertek-Genalysis in Kalgoorlie or SGS in Kalgoorlie). The samples have been analysed by firing a 50 g portion of the sample. This is the classical fire assay process and will give total separation of gold. An ICP-OES finish is used. Commercially prepared standard samples and blanks are inserted in the sample stream at a rate of 1:12. Sizing results (percentage of pulverised sample passing a 75 µm mesh) are undertaken on approximately 1 in 40 samples. The accuracy (standards) and precision (repeats) of assaying are acceptable. Standards and blanks were inserted into the sample stream at a rate of approximately 1:12. Duplicates were submitted at a rate of approximately 1:30. • Fire assay is considered a total technique, aqua regia is considered partial. <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • All assay work was conducted by BV Cunningham utilising FA/AAS analysis with 40g charge. Beacon Minerals submitted QA/QC samples every 20 samples utilising multiple different CRM providers.
Verification of sampling and assaying	<p><i>The verification of significant intersections by either independent or alternative company personnel.</i></p> <p><i>The use of twinned holes.</i></p>	<p>Holes are not deliberately twinned in Iguana area.</p> <p>Monarch:</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
	<p><i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></p> <p><i>Discuss any adjustment to assay data.</i></p>	<ul style="list-style-type: none"> Geological and sample data was logged digitally and .csv or .xls files imported into Datashed SQL database with in-built validation. Samples bags were placed into numbered plastic bags and then cable tied. Samples collected daily from site by laboratory. <p>EGL:</p> <ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the core yard using Field Marshall. Data is transferred to Perth via email and imported into Geobank SQL database by the database administrator (DBA). Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. <p>OBM:</p> <ul style="list-style-type: none"> Geological and sample data logged directly into field computer at the drill rig or core yard using Field Marshall or Geobank Mobile. Data is transferred to Perth via email and imported into Geobank SQL database by the DBA. Assay files are received in .csv format and loaded directly into the database by the DBA. Hardcopy and/or digital copies of data are kept for reference if necessary. <p>Data entry, verification and storage protocols for remaining operators is unknown.</p> <p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> Geological and sampling data was entered directly into a formatted excel file in the field which was then verified. Data was then formatted and imported into a secured on-site database by a suitably qualified database geologist

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
<p>Location of data points</p>	<p><i>Accuracy and quality of surveys used to locate drillholes (collar and downhole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></p> <p><i>Specification of the grid system used.</i></p> <p><i>Quality and adequacy of topographic control.</i></p>	<p>Aberfoyle:</p> <ul style="list-style-type: none"> All drilling not surveyed. Collars located on AMG Zone 51 Grid utilised. <p>Croesus:</p> <ul style="list-style-type: none"> TGRC holes were collar surveyed in AMG Zone 51 Grid. No downhole surveys. <p>Delta:</p> <ul style="list-style-type: none"> All drillholes used for resource definition surveyed by Minecomp. All post-1993 RC and DD holes downhole surveyed using EMS or Eastman single shot where possible. Where not possible, data from proximal holes was used. LAD and LZC, LZD, LAC, and selected G prefixed holes downhole surveyed by undocumented method approximately every 10 m. Many RAB holes appear to be collar surveyed. AMG Zone 51 Grid utilised except for holes in the Nyborgs region where a local grid (Lady Ida) was utilised. <p>EGL:</p> <ul style="list-style-type: none"> Collars were surveyed by differential global positioning system (GPS) in MGA Zone 51. No downhole surveying performed. <p>Roper River Resources:</p> <ul style="list-style-type: none"> No surveys post drilling. AMG Zone 51 Grid utilised. <p>Monarch:</p> <ul style="list-style-type: none"> RC and some AC collars surveyed by differential GPS. All remaining holes surveyed by GPS. MGA Zone 51 Grid utilised. IGRC holes were downhole surveyed by EMS every 5 m. RC drilling was surveyed by Electronic Multi-shot on selected holes. <p>SMC:</p> <ul style="list-style-type: none"> No evidence of post drilling surveys, MGA Zone 51 Grid utilised. <p>OBM:</p> <ul style="list-style-type: none"> (RC, DD) MGA94, Zone 51. Drillhole collar positions were picked up by a contract surveyor using RTK GPS subsequent to drilling. Drillhole, downhole surveys are recorded every 30 m using a reflex digital downhole camera. Some RC holes not surveyed if holes short and/or drilling an early-stage exploration project. DD drillholes completed in 2019 and 2020 by OBM were surveyed using a Gyro tool.

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<p>The information presented above is derived from OBM's JORC table for its 2022 Iguana MRE.</p> <p>Beacon Minerals:</p> <ul style="list-style-type: none"> • Collars were picked up by a qualified surveyor in MGA94 Z 51 format utilising a RTK GPS and appropriately set control. Locations were also cross checked with hand held GPS. • DD Holes were surveyed using a Reflex Continuous Gyro system. • RC Holes were surveyed at EOH depth only, with a partial portion of the program surveyed 6m (1 rod) from EOH to avoid loss of instrument or hole collapse.
Data spacing and distribution	<p><i>Data spacing for reporting of Exploration Results.</i></p> <p><i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></p> <p><i>Whether sample compositing has been applied.</i></p>	<ul style="list-style-type: none"> • Exploration results are reported for single holes only. • Data spacing highly variable from wide spaced ~800 m x ~80 m regional RAB to close spaced resource drilling ~10 m x ~10 m and grade control drilling at ~5 m x ~5 m. • Drillhole spacing is adequate to establish geological and grade continuity for the Iguana deposit. • Drill composites have been length weighted, 0.5 g/t lower cut-off, not top cut, maximum 3 m internal dilution.
Orientation of data in relation to geological structure	<p><i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></p> <p><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></p>	<ul style="list-style-type: none"> • Deposits in the Lady Ida area are generally oriented on northwest trends. Once the orientation of mineralisation was established, drilling was mostly oriented towards 90° with Iguana grade control oriented towards 45°. • Drilling of laterite mineralisation is almost exclusively vertical in nature. <p>The Iguana Deposit presents multiple orientations of mineralisation which include both near vertical sets and shallow dipping mineralisation zones.</p>

CRITERIA	JORC CODE EXPLANATION	COMMENTARY
		<ul style="list-style-type: none"> • Drilling in the Iguana region has primarily been focused on -60° dipping holes, either East or West orientated. Recent drilling by Beacon Minerals replicated prior RC drilling orientations in the region. • The narrowest orientation of the orezone is its east-west extents. In addition though many different mineralised orientations are present, they are predominantly steep in angle facilitating east and west orientation drilling being the most suitable approach for mineralisation defining.
Sample security	<i>The measures taken to ensure sample security.</i>	Unknown for all drilling except for the following: <ul style="list-style-type: none"> • Monarch: Sample calicos were placed into numbered plastic bags and cable tied. Any samples going to SGS were collected daily by the lab. Samples sent to ALS were placed into sample crates and sent via courier on a weekly basis. • EGL: Samples were bagged, tied and in a secure yard. Once submitted to the laboratories they are stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. • OBM: Samples were bagged, tied and stored in a secure yard on site. Once submitted to the laboratories they were stored in cages within a secure fenced compound. Samples are tracked through the laboratory via their LIMS. • Beacon Minerals: Samples were collected from the field and immediately recorded, and dispatched to BV Cunningham utilising Beacon employees or appropriately qualified contractors
Audits or reviews	<i>The results of any audits or reviews of sampling techniques and data.</i>	OBM has reviewed historical digital data, particularly from the Iguana deposit, and compared it to hardcopy and digital (including WAMEX) records.

Section 2: Reporting of Exploration Results

Criteria	JORC Code explanation	Commentary
Mineral tenement and land tenure status	<p><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></p> <p><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></p>	<p>The Lady Ida Project consist of M16/262 (the Iguana Deposit is located on M16/262), M16/263, M16/264, L15/224, L16/58, L16/62, L16/103, L16/138 and application L16/142 which is the ground the subject of the Earn-In, JV and Tenement Transfer Agreement between the Company, Beacon Mining Pty Ltd, Lamerton Pty Ltd and Geoda Pty Ltd.</p>
Exploration done by other parties	<p><i>Acknowledgment and appraisal of exploration by other parties.</i></p>	<p>Drilling, sampling and assay procedures and methods as stated in the database and confirmed from WAMEX reports and hardcopy records are considered acceptable and to industry standards of the time. There is sufficient understanding of drilling, sampling and assay methodologies for the majority of drilling in the Lady Ida area. BCN is confident that previous operators completed work to standards considered acceptable for the time.</p>
Geology	<p><i>Deposit type, geological setting and style of mineralisation.</i></p>	<p>The project is located along the inferred trace of the Ida Fault, a north-south trending deep-seated crustal structure juxtaposing batholithic granites and subordinate basalt and banded iron formation of the Southern Cross Province against greenstones of the Eastern Goldfields Province.</p> <p>The Eastern Goldfields Province sequences are metamorphosed to amphibolite facies and dominated by tholeiitic to komatiitic basalts, tremolite-chlorite rich ultramafics and psammitic to pelitic sediments. The regional stratigraphy trends north-northwest, sub-parallel to the Ida Fault, and the regional dip is sub-vertical. The structural complexity of the area, including inferred thrusts, fault splays and crosscutting shears, presents good potential for additional trap sites.</p> <p>The resource at Iguana is dominantly hosted in a highly sheared, silica-muscovite-carbonate altered, tholeiitic metabasalt and sediments of lower to mid amphibolite facies. It is interpreted as being controlled by imbricate thrusts contained between two north-south trending faults. Ultramafic units lie to the west and the mafic-sedimentary package lies to the east. Post-mineralisation pegmatite dykes attain considerable thickness in places and stope out mineralisation.</p>
Drillhole information	<p><i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drillholes:</i></p> <ul style="list-style-type: none"> • <i>easting and northing of the drillhole collar</i> • <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drillhole collar</i> 	<p>Refer to the collar information provided in this report for all Released RC Holes</p>

Criteria	JORC Code explanation	Commentary
	<ul style="list-style-type: none"> dip and azimuth of the hole downhole length and interception depth hole length. 	
Data aggregation methods	<p><i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i></p> <p><i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></p> <p><i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></p>	<p>Mineral intercepts are reported as raw, with no top cutting conducted.</p> <p>Mineral intercepts reported have an Au value greater than 0.5g/t. Internal dilution is restricted to 3m or less within intercept intervals.</p> <p>Metal equivalent calculations are not required as the Iguana project is gold only</p>
Relationship between mineralisation widths and intercept lengths	<p><i>These relationships are particularly important in the reporting of Exploration Results.</i></p> <p><i>If the geometry of the mineralisation with respect to the drillhole angle is known, its nature should be reported.</i></p> <p><i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'downhole length, true width not known').</i></p>	<p>Mineral intercepts have been recorded as downhole widths. The multiple different orientations of mineralisation present, with not all visually identifiable means an accurate true width is not possible.</p>
Diagrams	<p><i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drillhole collar locations and appropriate sectional views.</i></p>	<p>See plan and cross-section views provided in this report.</p>
Balanced reporting	<p><i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></p>	<p>Beacon Minerals is reporting only significant intercepts as prior outlined (greater than 0.5g/t zone, with less than 3m of internal dilution). All drillhole zones not tabularised in this report can be interpreted as being insignificant in relation to Au grades.</p>
Other substantive exploration data	<p><i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></p>	<p>Iguana has no known reported metallurgical issues. Primary ore was previously mined by Delta in the early 2000s with ore treated at the Greenfields processing plant in Coolgardie. Recovery and reconciliation figures are unknown.</p>
Further work	<p><i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></p>	<p>Further resource work is ongoing, with new data currently being incorporated into an updated resource model.</p>

Criteria	JORC Code explanation	Commentary
	<i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	