


27 January 2026

## Thick High-Grade Copper-Gold-Silver Intercepts Confirm Large Mineralised Zone at Highway Reward

### Key Highlights

- Assays from the first two drillholes targeting the eastern wall of the Highway Reward open pit have confirmed a large, thick, near-surface, high-grade Copper-Gold-Silver mineralised zone with strong continuity across both holes.
- The intercepts demonstrate strong continuity across the mineralised zone, particularly in gold, and contain multiple high-grade copper and gold lenses within a broad system that exceeds 100m in true width and shows strong vertical extensions.
- Drillhole 25HRDD001, positioned ~40m from the open pit wall, intersected the large mineralised zone at approximately 100m vertical depth, returning:
  - **145m at 1.50% CuEq<sup>(1)</sup>** - 0.58% Copper, 0.73 g/t Gold and 7.0 g/t Silver from 176m
    - Incl. **17m at 3.15% CuEq<sup>(1)</sup>** - 2.03% Cu, 0.93 g/t Au, and 6.9 g/t Ag from 199m
    - Incl. **6m at 4.28% CuEq<sup>(1)</sup>** - 3.32% Cu, 0.75 g/t Au, and 8.3 g/t Ag from 314m
- Drillhole 25HRDD002, positioned ~50m from the open pit wall and drilled from an opposing 45-degree angle, also intersected the large mineralised zone, returning:
  - **86m at 2.34% CuEq<sup>(1)</sup>** - 1.17% Copper, 0.95 g/t Gold and 7.0 g/t Silver from 199m
    - Incl. **14m at 4.35% CuEq<sup>(1)</sup>** - 0.03% Cu, 3.84 g/t Au, and 13.5 g/t Ag from 212m
    - Incl. **11m at 4.83% CuEq<sup>(1)</sup>** - 4.22% Cu, 0.44 g/t Au, and 6.5 g/t Ag from 255m
    - Incl. **4m at 8.69% CuEq<sup>(1)</sup>** - 7.41% Cu, 0.97 g/t Au, and 12.3 g/t Ag from 256m
- A new shallow, zinc rich - massive sulphide - polymetallic zone ~80 m from surface, was also discovered in Drillhole 25HRDD001, returning:
  - **17m at 2.72% CuEq<sup>(1)</sup>** - 0.48% Cu, 0.31 g/t Au, 35.3 g/t Ag, 1.5% Pb and 4.9% Zn from 148m
    - Incl. **2m at 10.93% CuEq<sup>(1)</sup>** - 1.41% Cu, 0.84 g/t Au, 123.4 g/t Ag, 4.96% Pb and 25.8% Zn from 150m
- The thickness, continuity and shallow depth of mineralisation intersected in both drillholes support the potential for a large, bulk-minable Copper-Gold-Silver system in the eastern wall and beneath the existing Highway Reward open pit, representing a materially different opportunity to historical narrow-lens mining.
- With \$8.2 million<sup>(2)</sup> in funding, Loyal Metals is strongly positioned to accelerate exploration and unlock the significant high-grade potential of the mining leases at Highway Reward.


Loyal Metals Ltd (ASX:LLM) (**Loyal, LLM, or the Company**) is pleased to announce that initial drilling on the eastern wall of the Highway Reward open pit has confirmed a thick, near-surface, high-grade Copper–Gold–Silver mineralised zone. The first two drill holes have demonstrated strong continuity across broad Cu–Au–Ag intercepts and identified multiple high-grade copper and gold lenses within a mineralised zone exceeding 100 metres in true width, with significant vertical extent. Drill hole 25HRDD001 returned 145 metres at 1.50% CuEq, including 17 metres at 3.15% CuEq, while 25HRDD002 delivered 86 metres at 2.34% CuEq, incorporating several high-grade internal lenses of up to 8.69% CuEq. Importantly, the thickness, continuity and shallow depth of mineralisation intersected in Holes 1 and 2 support the potential definition of a large, bulk-minable Copper–Gold–Silver system extending beneath the existing open pit—representing a materially different development opportunity to the narrow-lens mining historically undertaken at Highway Reward. Drilling has also identified a new shallow zinc rich polymetallic zone, further highlighting the scale and prospectivity of the Highway Reward mining leases.



**Figure 1: Drill hole 25HRDD001 – Cross Section View Northeast.** Assays confirm a large, thick, near-surface, high-grade Copper–Gold–Silver mineralised zone with strong continuity and a new shallow, zinc rich – massive sulphide – polymetallic zone ~80 m from surface.

**Loyal Metals Managing Direction, Mr. Adam Ritchie, commented:**

“These first results confirm that Highway Reward hosts a broad, coherent Copper–Gold–Silver system with a level of continuity that was not fully appreciated during past mining. Intersecting thick mineralisation at shallow depth, in the wall and directly beneath the existing pit, supports our view that the system has meaningful scale and significant untested potential both at depth and along strike. Importantly, the consistency of grades across wide intervals strengthens the case for a bulk-minable development concept, which we believe represents a fundamentally different opportunity to that pursued historically at Highway Reward.”



**Figure 2: Drill hole 25HRDD002 - Cross Section View Southeast.** Intercept of semi-massive and disseminated supergene formed chalcocite zone within the upper part of the Reward Massive Sulphide Pipe hosted in volcanics. Deeper underground workings mined copper in chalcopyrite within the massive sulphide VHMS pipe.

**Mineralisation Overview**

Drillholes 25HRDD001 and 25HRDD002 were drilled from opposing directions—nearly orthogonal to one another—to validate Loyal Metals’ updated geological model for the Highway Reward system, which is supported by more than 122,000 metres of historical drilling and extensive geological research, including the foundational work of Beams, Dronseika and Doyle 1998 <sup>(3)</sup>. The

Highway and Reward deposits are part of a classic volcanic-hosted massive sulphide (VHMS) system, where mineralisation occurs as steeply oriented, discordant pyrite–chalcopyrite pipes hosted by a complex sequence of rhyolitic, dacitic and volcanoclastic units of the Trooper Creek Formation.

Both new drillholes successfully intersected the large Copper–Gold–Silver mineralised zone positioned beneath the eastern wall of the existing open pit. This zone represents the upper expression of a much larger hydrothermal system responsible for forming the pyrite–chalcopyrite pipes that define the Highway and Reward deposits. The system is characterised by extensive hydrothermal replacement, broad alteration envelopes, and multiple stacked or sub-parallel mineralised lenses—all features consistently documented in the historical geological work at Highway Reward. Drillhole 25HRDD001, collared approximately 50 m from the open pit wall, intersected the main unmined mineralised zone at ~100 m vertical depth, returning:

- 145m at 1.50% CuEq<sup>(1)</sup> (0.58% Cu, 0.73 g/t Au, 7.0 g/t Ag) from 176 m
  - Including 17m at 3.15% CuEq<sup>(1)</sup> (2.03% Cu, 0.93 g/t Au, 6.9 g/t Ag) from 199 m
  - Including 6m at 4.28% CuEq<sup>(1)</sup> (3.32% Cu, 0.75 g/t Au, 8.3 g/t Ag) from 314 m

Drillhole 25HRDD002, drilled from an opposing ~45° angle roughly 25 m from the pit wall, intersected the same broad body, returning:

- 86m at 2.34% CuEq<sup>(1)</sup> (1.17% Cu, 0.95 g/t Au, 7.6 g/t Ag) from 199 m
  - Including 14m at 4.35% CuEq<sup>(1)</sup> (0.03% Cu, 3.84 g/t Au, 13.5 g/t Ag) from 212 m
  - Including 11m at 4.83% CuEq<sup>(1)</sup> (4.22% Cu, 0.44 g/t Au, 6.5 g/t Ag) from 255 m
  - Including 4m at 8.69% CuEq<sup>(1)</sup> (7.41% Cu, 0.97 g/t Au, 12.3 g/t Ag) from 256 m

The thickness and internal consistency of these intersections strongly align with the known architecture of the Highway and Reward pyrite–chalcopyrite pipes described by Beams et al.<sup>(3)</sup>, in which sulphides replace volcanoclastic units and permeable zones marginal to coherent rhyolite and dacite flow domes, producing vertically continuous, pipe-like bodies that remain open at depth. Gold grades—historically present at 0.4–1.4 g/t across the system—are notably consistent in both intersections, confirming that gold is a significant contributor to the Highway Reward mineral system and was historically undervalued when mining focused primarily on copper.

Both drillholes also encountered additional mineralised intervals above and below the primary Cu–Au–Ag zone, reinforcing the interpretation of a broad, multi-phase VHMS system with potential for stacked mineralisation. Notably, 25HRDD001 identified a new shallow polymetallic zone—the only interval requiring Zn and Pb in CuEq calculations—returning:

- 17m at 2.72% CuEq<sup>(1)</sup> (0.48% Cu, 0.31 g/t Au, 35.3 g/t Ag, 1.5% Pb, 4.9% Zn) from 148 m
  - Including 2m at 10.93% CuEq<sup>(1)</sup> (1.41% Cu, 0.83 g/t Au, 123.4 g/t Ag, 1.41% Pb, 25.80% Zn) from 150 m

This shallow polymetallic interval is consistent with the Pb–Zn–Ba mineralisation halos observed at the margins of the historical sulphide pipes and indicates that Loyal’s drilling is beginning to image the full breadth of the system, from shallow polymetallic zones to deeper copper–gold rich feeder structures.

Collectively, results from drillholes 25HRDD001 and 25HRDD002 confirm a large, coherent and largely unmined mineralised envelope with significant high-grade internal lenses and strong vertical extensions. These findings not only validate the underlying geological model but also highlight substantial potential for defining a bulk-minable Copper–Gold–Silver system—a scenario not exploited during historical operations.

## Notable Intersections

**Table 1: Notable assay results for drillhole 25HRDD001.**

Drillhole ID	*From (m)	To (m)	Thick (m)	CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)	Pb (%)	Zn (%)
25HRDD001	148.00	165.00	<b>17.00</b>	<b>2.72</b>	0.48	0.31	35.32	1.50	4.88
<i>Including</i>	150.00	152.00	<b>2.00</b>	<b>10.93</b>	1.41	0.83	123.4	4.96	25.80
25HRDD001	176.00	321.00	<b>145.00</b>	<b>1.50</b>	0.58	0.73	7.04	0	0
<i>**Including</i>	188.00	193.00	<b>5.00</b>	<b>2.88</b>	1.97	0.76	5.46	0	0
<i>Including</i>	314.00	320.00	<b>6.00</b>	<b>4.28</b>	3.32	0.75	8.29	0	0

\*Drillhole depths are downhole depths. Drillhole 25HRDD001 was drilled shallowly, at approximately 35.5 degrees from horizontal. Where mineralisation begins, at 148.0m downhole depth, equates to approximately 80m vertical depth (from surface) and only 50m from the open pit wall. \*\* Includes 1.5m of core loss.

**Table 2: Notable assay results for drillhole 25HRDD002.**

Drillhole ID	*From (m)	To (m)	Thick (m)	CuEq (%)	Cu (%)	Au (g/t)	Ag (g/t)
25HRDD002	199.00	285.00	<b>86.00</b>	<b>2.33</b>	1.17	0.95	7.60
<i>**Including</i>	212.00	226.00	<b>14.00</b>	<b>4.34</b>	0.03	3.84	13.47
<i>Including</i>	255.00	266.00	<b>11.00</b>	<b>4.82</b>	4.22	0.44	6.47
<i>Including</i>	256.00	260.00	<b>4.00</b>	<b>8.68</b>	7.41	0.97	12.33
25HRDD002	305.00	310.00	<b>5.00</b>	<b>4.42</b>	3.80	0.43	7.89
25HRDD002	340.00	345.00	<b>5.00</b>	<b>1.64</b>	0.73	0.76	4.71
25HRDD002	340.00	345.00	<b>5.00</b>	<b>1.51</b>	0.73	0.76	4.71
25HRDD002	356.00	373.36	<b>17.36</b>	<b>1.30</b>	0.42	0.73	5.24

\* Drillhole depths are downhole depths. Drillhole 25HRDD002 was drilled shallowly, at approximately 30.4 degrees from horizontal. Where mineralisation begins, at 199.0m downhole depth, equates to approximately 100m vertical depth (from surface) and only 40m from the open pit wall. \*\* Significant core loss from 212.00 to 226m.

## Next Steps and Timeline

Assay results from 25HRDD003 are pending and will provide an important data point on the continuity of the large Copper–Gold–Silver mineralised zone intersected in Holes 1 and 2. In parallel, Loyal Metals is preparing to receive the results of its comprehensive suite of high-resolution ground-based geophysical surveys, including 3D IP, MT, gravity, and drone-based LiDAR and magnetics, previously announced on 24 November 2025. These datasets are expected to deliver a transformative, property-wide view of the Highway Reward system, imaging both the shallow supergene horizon and the deeper pyrite–chalcopyrite pipe structures that define one of Australia’s premier VHMS districts.

Once received, all geophysical results will be integrated with the new drilling data and processed through VRIFY’s AI-enhanced DORA platform, enabling rapid, data-driven target generation and identification of concealed mineralised corridors that were not detectable using traditional exploration methods. This next-generation workflow—combining historical drilling, modern geophysics, machine-learning analysis and geological expertise—will guide an expanded drilling program designed to step out along strike, test deeper positions in the feeder system, and evaluate new high-priority targets revealed by AI prospectivity modelling. Together, these advancements position Loyal to accelerate discovery across a system that has already produced world-class grades, yet remains significantly underexplored at depth and along trend.

## (1) Copper Equivalent Calculation

Copper equivalent (CuEq) for drill intersections is calculated using the following modelled prices, derived from 80% of prevailing spot prices: US\$4.54/lb Cu, US\$3,735.20/oz Au, US\$2,590.40/t Zn, US\$74.58/oz Ag, and US\$1,643.20/t Pb. Metallurgical recoveries applied are 80% for copper, 70% for gold, 60% for zinc, 70% for silver, and 60% for lead, resulting in net-recovered values of US\$3.63/lb Cu, US\$2,614.64/oz Au, US\$1,554.24/t Zn, US\$52.50/oz Ag, and US\$985.92/t Pb. These net-recovered values are normalised against copper, producing conversion coefficients of 1.051 (Au), 0.194 (Zn), 0.021 (Ag), and 0.123 (Pb).

The only interval that incorporates zinc and lead in its CuEq calculation is the 148–165 m intersection in drillhole 25HRDD001. All other drill intersections report CuEq based solely on copper, gold, and silver.

CuEq is calculated as:  $CuEq = Cu + (1.051 \times Au) + (0.194 \times Zn) + (0.021 \times Ag) + (0.123 \times Pb)$

(with Zn and Pb applied only where noted above).

## Appendix: Drilling and Geological Tables

**Table 1:** Highway Reward Copper-Gold Mine – Drillhole collar and survey information.

Drillhole ID	Easting	Northing	Datum	Azimuth True North	Dip	Total Depth (m)
25HRDD01	416975.7	7747506.9	AMG66 z55	296.7	-35.48	496.9
25HRDD02	416905.7	7747853.4	AMG66 z55	203.0	-30.42	373.36

*This announcement has been authorised for release by Loyal Metal's Board of Directors.*

### For more information:

#### Adam Ritchie

Managing Director  
aritchie@loyalmetals.com  
+61 (0) 403 462 383

### About Loyal Metals

Loyal Metals Limited (ASX: LLM) is a well-structured listed resource exploration company with projects in Tier 1 North American and Australian mining jurisdictions. Through the systematic and technology enhanced exploration of its projects, the Company aims to delineate JORC compliant resources, creating value for its shareholders.

### AI Enhanced Exploration

Loyal Metals is integrating artificial intelligence (AI) across its exploration workflow—from prospectivity modelling to corporate communication and investor engagement. The Company leverages VRIFY's DORA platform for intelligent drill targeting geological modelling, and high-volume data integration while the Relait Investor Centre to delivers immersive, interactive updates to shareholders. Additionally, ChatGPT-powered tools are being trialled internally to support corporate communications, technical documentation, and operational planning. This multi-platform AI strategy positions Loyal Metals at the forefront of modern mineral discovery, enabling faster decision-making, improved resource definition, and more transparent communication with shareholders.

### Competent Person's Statement

The information in this report that relates to Exploration Results is based on information compiled by Dr. Simon Beams who is a Member of AusIMM (Member #107121), and a Member of the Australian Institute of Geoscientists (Member #2689). Dr Beams is a full-time employee of Terra Search Pty Ltd, a consultant to Loyal Metals, and has sufficient experience which is relevant to the style of mineralisation under consideration to qualify as a Competent Person as defined in the 2012 Edition of the "Australian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves". Dr Beams consents to the inclusion in the announcement of the matters based on his information in the form and context in which it appears.

Disclosure: Dr Beams personally and his employer Terra Search Pty Ltd hold shares in Loyal Metals Ltd (ASX:LLM) as part of their investment portfolio.

### **Future Performance**

This announcement may contain certain forward-looking statements and opinions. Forward-looking statements, including projections, forecasts and estimates, are provided as a general guide only and should not be relied on as an indication or guarantee of future performance and involve known and unknown risks, uncertainties, assumptions, contingencies and other important factors, many of which are outside the control of the Company and which are subject to change without notice and could cause the actual results, performance or achievements of the Company to be materially different from the future results, performance or achievements expressed or implied by such statements. Past performance is not necessarily a guide to future performance and no representation or warranty is made as to the likelihood of achievement or reasonableness of any forward-looking statements or other forecast. Nothing contained in this announcement, nor any information made available to you is, or and shall be relied upon as, a promise, representation, warranty or guarantee as to the past, present or the future performance of Loyal Metals Limited.

### **List of References:**

- 1 Refer to Copper Equivalent Calculation paragraph in this announcement.
- 2 ASX LLM Announcement – 30 October 2025 Quarterly Activities Report for the Quarter Ending 30 September 2025.
- 3 Beams, S.D., Dronseika, E.V. & Doyle, M.G. (1998). The exploration history, geology and geochemistry of the polymetallic Highway–Reward deposit, Mt Windsor Subprovince. In Economic Geology of Northeast Queensland, the 1998 Perspective, Geological Society of Australia.

**Appendix 1: Assay results for drillholes 25HRDD001 and 25HRDD002.**

Hole ID	Sample #	From (m)	To (m)	Thick (m)	Cu %	Au g/t	Ag g/t	Zn %	Pb %	S %	CuEq %	Recovery	
25HRDD001	5422003	0	142.00	143.00	No significant results								
25HRDD001	5422145	143.00	144.00	1.00	0.01	0.07	2.82	0.05	0.02	0.07	0.14	Good Recovery	
25HRDD001	5422146	144.00	145.00	1.00	0.00	0.51	24.50	0.04	0.01	0.09	1.05	Good Recovery	
25HRDD001	5422147	145.00	146.00	1.00	0.00	0.71	11.90	0.02	0.01	0.05	1.00	Core loss	
25HRDD001	5422148	146.00	147.00	1.00	0.01	0.08	6.17	0.08	0.04	0.18	0.22	Good Recovery	
25HRDD001	5422149	147.00	148.00	1.00	0.01	0.01	0.34	0.09	0.15	0.11	0.03	Good Recovery	
25HRDD001	5422150	148.00	149.00	1.00	0.29	0.27	18.75	0.39	1.64	3.87	1.25	Good Recovery	
25HRDD001	5422154	149.00	150.00	1.00	0.24	0.22	40.30	4.18	1.36	7.07	2.30	Good Recovery	
25HRDD001	5422155	150.00	151.00	1.00	1.40	0.97	149.00	29.90	5.03	18.95	11.97	Good Recovery	
25HRDD001	5422156	151.00	152.00	1.00	1.41	0.68	97.80	21.70	4.88	20.00	8.99	Good Recovery	
25HRDD001	5422157	152.00	153.00	1.00	0.01	0.06	3.36	2.23	0.08	3.89	0.59	Good Recovery	
25HRDD001	5422158	153.00	154.00	1.00	0.27	0.21	23.80	6.30	2.12	7.08	2.47	Good Recovery	
25HRDD001	5422159	154.00	155.00	1.00	0.07	0.13	7.16	3.09	1.48	5.06	1.14	Good Recovery	
25HRDD001	5422160	155.00	156.00	1.00	0.26	0.14	13.05	7.60	3.74	8.48	2.61	Good Recovery	
25HRDD001	5422161	156.00	157.00	1.00	1.13	0.03	2.84	0.20	0.02	8.02	1.26	Good Recovery	
25HRDD001	5422162	157.00	158.00	1.00	0.00	0.18	15.15	0.00	0.04	27.40	0.51	Good Recovery	
25HRDD001	5422163	158.00	159.00	1.00	0.70	0.14	3.43	0.21	0.05	37.40	0.97	Good Recovery	
25HRDD001	5422164	159.00	160.00	1.00	0.82	0.23	7.67	0.00	0.88	22.20	1.33	Good Recovery	
25HRDD001	5422168	161.00	162.00	1.00	0.56	0.37	10.80	0.00	0.69	11.75	1.26	Good Recovery	
25HRDD001	5422169	162.00	163.00	1.00	0.35	0.32	18.25	0.00	0.45	7.49	1.12	Good Recovery	
25HRDD001	5422170	163.00	164.00	1.00	0.30	0.62	38.00	3.46	0.53	6.70	2.48	Good Recovery	
25HRDD001	5422171	164.00	165.00	1.00	0.45	0.74	151.00	3.77	2.46	6.86	5.43	Good Recovery	
25HRDD001	5422172	165.00	166.00	1.00	0.01	0.11	4.43	0.12	0.09	3.33	0.22	Good Recovery	
25HRDD001	5422173	166.00	167.00	1.00	0.01	0.08	1.78	0.03	0.03	2.69	0.13	Good Recovery	
25HRDD001	5422174	167.00	168.00	1.00	0.01	0.07	2.24	0.11	0.03	1.19	0.13	Good Recovery	
25HRDD001	5422175	168.00	169.00	1.00	0.00	0.05	0.44	0.08	0.01	1.07	0.06	Good Recovery	
25HRDD001	5422176	169.00	170.00	1.00	0.00	0.04	0.35	0.09	0.01	1.25	0.05	Good Recovery	
25HRDD001	5422177	170.00	171.00	1.00	0.01	0.06	0.39	0.06	0.00	0.98	0.08	Good Recovery	
25HRDD001	5422178	171.00	172.00	1.00	0.00	0.01	0.13	0.04	0.00	0.80	0.01	Good Recovery	
25HRDD001	5422179	172.00	173.00	1.00	0.01	0.02	0.33	0.08	0.00	1.50	0.04	Good Recovery	
25HRDD001	5422180	173.00	174.00	1.00	0.00	0.02	0.21	0.04	0.00	1.08	0.03	Good Recovery	
25HRDD001	5422181	174.00	175.00	1.00	0.27	0.25	11.10	0.84	0.19	6.09	0.76	Good Recovery	
25HRDD001	5422182	175.00	176.00	1.00	0.06	0.10	3.80	0.20	0.06	4.97	0.25	Good Recovery	
25HRDD001	5422183	176.00	177.00	1.00	0.27	0.22	14.90	0.97	0.21	5.44	0.81	Good Recovery	
25HRDD001	5422187	177.00	178.00	1.00	0.55	0.97	36.80	6.58	1.20	21.70	2.34	Good Recovery	
25HRDD001	5422188	178.00	179.00	1.00	0.13	0.62	15.20	3.26	1.07	15.05	1.10	Good Recovery	
25HRDD001	5422189	179.00	180.00	1.00	0.00	0.07	0.90	0.44	0.18	2.04	0.10	Good Recovery	
25HRDD001	5422190	180.00	181.00	1.00	0.01	0.05	0.85	0.29	0.09	1.65	0.08	Good Recovery	
25HRDD001	5422191	181.00	182.00	1.00	0.01	0.07	0.91	0.40	0.12	1.75	0.10	Good Recovery	
25HRDD001	5422192	182.00	183.00	1.00	0.01	0.06	0.43	0.04	0.01	1.42	0.08	Good Recovery	
25HRDD001	5422193	183.00	184.00	1.00	0.02	0.05	0.29	0.00	0.00	1.86	0.08	Good Recovery	
25HRDD001	5422194	184.00	185.00	1.00	0.01	0.04	0.06	0.01	0.00	2.26	0.05	Good Recovery	

25HRDD001	5422195	185.00	186.00	1.00	0.01	0.04	0.03	0.00	0.00	2.19	0.05	Good Recovery
25HRDD001	5422196	186.00	187.00	1.00	0.01	0.05	0.16	0.00	0.00	3.37	0.06	Good Recovery
25HRDD001	5422197	187.00	188.00	1.00	0.11	0.64	4.34	0.02	0.03	14.90	0.87	Good Recovery
25HRDD001	5422201	188.00	189.00	1.00	1.61	1.44	9.76	0.04	0.05	30.30	3.32	Good Recovery
25HRDD001	5422202	189.00	189.50	0.50	4.77	1.64	10.95	0.03	0.04	42.30	6.72	Core loss
25HRDD001	5422203	191.00	192.00	1.00	4.24	0.96	7.60	0.01	0.02	49.60	5.41	Good Recovery
25HRDD001	5422204	192.00	193.00	1.00	1.60	0.60	4.48	0.01	0.01	50.20	2.32	Good Recovery
25HRDD001	5422205	193.00	194.00	1.00	0.26	0.54	3.55	0.00	0.04	49.00	0.90	Good Recovery
25HRDD001	5422209	194.00	195.00	1.00	0.32	0.83	5.58	0.01	0.03	48.90	1.31	Good Recovery
25HRDD001	5422210	195.00	196.00	1.00	0.21	0.52	4.54	0.02	0.03	49.30	0.85	Good Recovery
25HRDD001	5422211	196.00	197.00	1.00	0.17	0.59	4.72	0.02	0.02	48.50	0.89	Good Recovery
25HRDD001	5422212	197.00	198.00	1.00	0.24	0.46	3.47	0.02	0.02	48.90	0.79	Good Recovery
25HRDD001	5422213	198.00	199.00	1.00	0.26	0.51	3.36	0.02	0.02	48.50	0.86	Good Recovery
25HRDD001	5422214	199.00	200.00	1.00	0.12	0.73	4.56	0.05	0.03	47.90	0.99	Good Recovery
25HRDD001	5422215	200.00	201.00	1.00	0.10	0.75	5.74	0.04	0.03	49.30	1.00	Good Recovery
25HRDD001	5422216	201.00	202.00	1.00	0.06	0.63	5.81	0.03	0.03	48.90	0.84	Good Recovery
25HRDD001	5422217	202.00	203.00	1.00	0.05	0.79	7.06	0.04	0.04	46.40	1.03	Good Recovery
25HRDD001	5422218	203.00	204.00	1.00	0.04	0.93	10.15	0.06	0.07	48.30	1.23	Good Recovery
25HRDD001	5422219	204.00	205.00	1.00	0.04	0.82	6.93	0.04	0.06	48.30	1.04	Good Recovery
25HRDD001	5422220	205.00	206.00	1.00	0.03	0.75	5.58	0.03	0.05	49.60	0.94	Good Recovery
25HRDD001	5422221	206.00	207.00	1.00	0.04	0.77	6.27	0.03	0.05	47.00	0.98	Good Recovery
25HRDD001	5422222	207.00	208.00	1.00	0.04	0.72	5.54	0.04	0.04	48.10	0.91	Good Recovery
25HRDD001	5422223	208.00	209.00	1.00	0.03	0.62	5.21	0.04	0.05	48.60	0.79	Good Recovery
25HRDD001	5422224	209.00	210.00	1.00	0.04	0.70	5.83	0.05	0.05	48.70	0.90	Good Recovery
25HRDD001	5422227	210.00	211.00	1.00	0.08	0.65	7.74	0.05	0.05	47.20	0.92	Good Recovery
25HRDD001	5422228	211.00	212.00	1.00	0.04	0.58	5.98	0.05	0.03	49.80	0.77	Good Recovery
25HRDD001	5422229	212.00	213.00	1.00	0.06	0.58	5.34	0.04	0.03	48.40	0.79	Good Recovery
25HRDD001	5422230	213.00	214.00	1.00	0.06	0.60	6.47	0.05	0.04	49.70	0.83	Good Recovery
25HRDD001	5422231	214.00	215.00	1.00	0.06	0.66	8.08	0.06	0.04	49.10	0.92	Good Recovery
25HRDD001	5422232	215.00	216.00	1.00	0.04	0.61	5.77	0.03	0.04	49.50	0.81	Good Recovery
25HRDD001	5422233	216.00	217.00	1.00	0.07	0.50	6.26	0.02	0.03	49.80	0.73	Good Recovery
25HRDD001	5422234	217.00	218.00	1.00	0.06	0.52	5.59	0.04	0.03	49.40	0.72	Good Recovery
25HRDD001	5422235	218.00	219.00	1.00	0.05	0.60	7.16	0.03	0.03	47.10	0.83	Good Recovery
25HRDD001	5422236	219.00	220.00	1.00	0.06	0.55	5.51	0.02	0.04	47.10	0.76	Good Recovery
25HRDD001	5422237	220.00	221.00	1.00	0.11	0.57	4.82	0.02	0.04	49.90	0.81	Good Recovery
25HRDD001	5422238	221.00	222.00	1.00	0.17	0.69	6.95	0.01	0.05	49.80	1.04	Good Recovery
25HRDD001	5422239	222.00	223.00	1.00	0.21	0.52	4.74	0.01	0.03	49.30	0.86	Good Recovery
25HRDD001	5422240	223.00	224.00	1.00	0.14	0.49	5.21	0.01	0.05	48.90	0.77	Good Recovery
25HRDD001	5422241	224.00	225.00	1.00	0.18	0.54	6.19	0.01	0.03	49.60	0.88	Good Recovery
25HRDD001	5422242	225.00	226.00	1.00	0.33	0.71	5.24	0.01	0.03	49.70	1.18	Good Recovery
25HRDD001	5422243	226.00	227.00	1.00	0.29	0.66	3.96	0.03	0.03	49.10	1.06	Good Recovery
25HRDD001	5422244	227.00	228.00	1.00	0.60	0.79	4.89	0.03	0.03	48.50	1.53	Good Recovery
25HRDD001	5422245	228.00	229.00	1.00	2.66	0.84	5.99	0.02	0.03	47.30	3.67	Good Recovery
25HRDD001	5422246	229.00	230.00	1.00	4.27	0.69	5.73	0.02	0.03	49.30	5.12	Good Recovery
25HRDD001	5422249	230.00	231.00	1.00	5.75	0.73	6.57	0.02	0.02	47.70	6.65	Good Recovery

25HRDD001	5422250	231.00	232.00	1.00	1.82	0.74	5.11	0.03	0.03	48.40	2.70	Good Recovery
25HRDD001	5422251	232.00	233.00	1.00	0.73	0.55	3.45	0.03	0.03	47.90	1.38	Good Recovery
25HRDD001	5422252	233.00	234.00	1.00	0.47	0.49	4.58	0.02	0.03	47.80	1.08	Good Recovery
25HRDD001	5422253	234.00	235.00	1.00	2.05	0.76	6.79	0.01	0.03	48.60	2.99	Good Recovery
25HRDD001	5422254	235.00	236.00	1.00	0.34	0.63	5.81	0.02	0.04	48.70	1.13	Good Recovery
25HRDD001	5422255	236.00	237.00	1.00	0.44	1.12	7.94	0.02	0.04	47.50	1.79	Good Recovery
25HRDD001	5422256	237.00	238.00	1.00	1.74	1.35	9.48	0.02	0.05	47.20	3.35	Good Recovery
25HRDD001	5422257	238.00	239.00	1.00	5.93	1.10	9.50	0.05	0.04	48.90	7.29	Good Recovery
25HRDD001	5422258	239.00	240.00	1.00	1.31	1.35	8.19	0.02	0.04	50.00	2.90	Good Recovery
25HRDD001	5422259	240.00	241.00	1.00	0.88	1.25	8.44	0.03	0.04	49.70	2.37	Good Recovery
25HRDD001	5422260	241.00	242.00	1.00	1.51	1.24	7.65	0.02	0.04	48.40	2.97	Good Recovery
25HRDD001	5422261	242.00	243.00	1.00	2.55	0.82	6.92	0.02	0.04	49.00	3.56	Good Recovery
25HRDD001	5422262	243.00	244.00	1.00	1.03	1.06	8.29	0.02	0.04	49.30	2.32	Good Recovery
25HRDD001	5422263	244.00	245.00	1.00	0.94	1.13	7.48	0.02	0.04	48.00	2.29	Good Recovery
25HRDD001	5422264	245.00	246.00	1.00	0.30	0.71	4.97	0.02	0.04	47.90	1.15	Good Recovery
25HRDD001	5422265	246.00	247.00	1.00	0.05	0.49	4.84	0.03	0.04	45.50	0.67	Good Recovery
25HRDD001	5422266	247.00	248.00	1.00	0.06	0.58	5.41	0.02	0.03	49.20	0.78	Good Recovery
25HRDD001	5422267	248.00	249.00	1.00	0.06	0.55	5.09	0.02	0.04	42.80	0.75	Good Recovery
25HRDD001	5422268	249.00	250.00	1.00	0.06	0.60	5.13	0.02	0.03	48.20	0.80	Good Recovery
25HRDD001	5422272	250.00	251.00	1.00	0.05	0.54	4.62	0.03	0.03	43.90	0.72	Good Recovery
25HRDD001	5422273	251.00	252.00	1.00	0.05	0.55	4.31	0.02	0.03	42.10	0.71	Good Recovery
25HRDD001	5422274	252.00	253.00	1.00	0.06	0.59	4.28	0.01	0.02	45.00	0.77	Good Recovery
25HRDD001	5422275	253.00	254.00	1.00	0.07	0.67	4.73	0.01	0.03	48.90	0.88	Good Recovery
25HRDD001	5422276	254.00	255.00	1.00	0.09	0.80	5.68	0.02	0.03	38.90	1.05	Good Recovery
25HRDD001	5422277	255.00	256.00	1.00	0.07	0.70	6.39	0.02	0.03	40.20	0.94	Good Recovery
25HRDD001	5422278	256.00	257.00	1.00	0.05	0.60	4.31	0.05	0.03	48.90	0.77	Good Recovery
25HRDD001	5422279	257.00	258.00	1.00	0.04	0.77	9.31	0.04	0.04	46.70	1.05	Good Recovery
25HRDD001	5422280	258.00	259.00	1.00	0.03	0.89	9.37	0.03	0.05	43.80	1.16	Good Recovery
25HRDD001	5422281	259.00	260.00	1.00	0.03	0.74	8.62	0.03	0.03	46.10	0.99	Good Recovery
25HRDD001	5422282	260.00	261.00	1.00	0.04	0.55	5.26	0.05	0.02	45.00	0.73	Good Recovery
25HRDD001	5422283	261.00	262.00	1.00	0.05	0.90	8.69	0.04	0.03	43.00	1.18	Good Recovery
25HRDD001	5422284	262.00	263.00	1.00	0.06	0.92	9.46	0.05	0.03	48.30	1.22	Good Recovery
25HRDD001	5422285	263.00	264.00	1.00	0.07	0.78	7.08	0.04	0.03	46.70	1.04	Good Recovery
25HRDD001	5422286	264.00	265.00	1.00	0.06	0.84	7.40	0.03	0.03	48.90	1.10	Good Recovery
25HRDD001	5422287	265.00	266.00	1.00	0.07	1.02	8.21	0.04	0.03	48.30	1.32	Good Recovery
25HRDD001	5422288	266.00	267.00	1.00	0.08	1.07	9.02	0.05	0.03	48.40	1.40	Good Recovery
25HRDD001	5422289	267.00	268.00	1.00	0.07	1.27	7.07	0.05	0.03	47.80	1.55	Good Recovery
25HRDD001	5422290	268.00	269.00	1.00	0.08	1.40	7.81	0.06	0.03	49.40	1.72	Good Recovery
25HRDD001	5422291	269.00	270.00	1.00	0.08	1.09	6.19	0.06	0.02	49.00	1.36	Good Recovery
25HRDD001	5422292	270.00	271.00	1.00	0.10	1.22	7.25	0.09	0.03	47.10	1.53	Good Recovery
25HRDD001	5422293	271.00	272.00	1.00	0.11	1.00	5.01	0.04	0.02	49.50	1.27	Good Recovery
25HRDD001	5422294	272.00	273.00	1.00	0.14	1.04	5.68	0.07	0.02	49.70	1.36	Good Recovery
25HRDD001	5422295	273.00	274.00	1.00	0.17	0.86	4.30	0.04	0.02	48.30	1.17	Good Recovery
25HRDD001	5422298	274.00	275.00	1.00	0.23	0.92	4.22	0.07	0.02	48.60	1.29	Good Recovery
25HRDD001	5422299	275.00	276.00	1.00	0.56	0.91	4.15	0.04	0.02	49.30	1.61	Good Recovery

25HRDD001	5422300	276.00	277.00	1.00	0.53	1.15	5.59	0.05	0.02	48.30	1.85	Good Recovery
25HRDD001	5422301	277.00	278.00	1.00	0.39	0.91	3.65	0.03	0.01	49.10	1.42	Good Recovery
25HRDD001	5422302	278.00	279.00	1.00	0.85	0.86	3.90	0.03	0.01	49.30	1.83	Good Recovery
25HRDD001	5422303	279.00	280.00	1.00	0.98	0.87	4.05	0.03	0.01	49.50	1.98	Good Recovery
25HRDD001	5422304	280.00	281.00	1.00	0.45	0.83	3.95	0.03	0.02	49.70	1.40	Good Recovery
25HRDD001	5422305	281.00	282.00	1.00	0.23	0.82	4.09	0.06	0.02	48.40	1.18	Good Recovery
25HRDD001	5422306	282.00	283.00	1.00	0.21	0.68	4.21	0.03	0.01	47.40	1.01	Good Recovery
25HRDD001	5422307	283.00	284.00	1.00	0.13	0.99	3.49	0.03	0.01	49.10	1.24	Good Recovery
25HRDD001	5422308	284.00	285.00	1.00	0.75	0.81	4.18	0.04	0.02	49.30	1.69	Good Recovery
25HRDD001	5422309	285.00	286.00	1.00	0.34	0.61	3.89	0.03	0.01	49.30	1.06	Good Recovery
25HRDD001	5422310	286.00	287.00	1.00	0.44	0.81	4.06	0.02	0.01	49.00	1.38	Good Recovery
25HRDD001	5422311	287.00	288.00	1.00	0.38	0.71	3.76	0.03	0.01	49.20	1.20	Good Recovery
25HRDD001	5422312	288.00	289.00	1.00	0.26	0.70	3.85	0.03	0.01	49.80	1.07	Good Recovery
25HRDD001	5422313	289.00	290.00	1.00	0.89	0.66	3.99	0.04	0.01	49.30	1.67	Good Recovery
25HRDD001	5422314	290.00	291.00	1.00	0.37	0.81	3.48	0.04	0.02	47.90	1.29	Good Recovery
25HRDD001	5422315	291.00	292.00	1.00	0.22	0.77	3.66	0.04	0.02	49.60	1.11	Good Recovery
25HRDD001	5422318	292.00	293.00	1.00	0.16	0.70	4.07	0.03	0.02	47.60	0.98	Good Recovery
25HRDD001	5422319	293.00	294.00	1.00	0.17	0.66	4.30	0.04	0.02	48.60	0.96	Good Recovery
25HRDD001	5422320	294.00	295.00	1.00	0.13	0.86	4.48	0.05	0.02	49.50	1.13	Good Recovery
25HRDD001	5422321	295.00	296.00	1.00	0.12	0.75	3.95	0.05	0.02	49.00	0.99	Good Recovery
25HRDD001	5422322	296.00	297.00	1.00	0.12	0.69	4.72	0.06	0.02	48.90	0.94	Good Recovery
25HRDD001	5422323	297.00	298.00	1.00	0.09	0.61	5.97	0.06	0.02	48.40	0.86	Good Recovery
25HRDD001	5422324	298.00	299.00	1.00	0.09	0.73	5.11	0.06	0.02	48.10	0.96	Good Recovery
25HRDD001	5422325	299.00	300.00	1.00	0.12	0.60	3.98	0.07	0.02	47.30	0.83	Good Recovery
25HRDD001	5422326	300.00	301.00	1.00	0.09	0.44	3.65	0.08	0.02	47.20	0.63	Good Recovery
25HRDD001	5422327	301.00	302.00	1.00	0.08	0.65	4.34	0.07	0.02	48.90	0.86	Good Recovery
25HRDD001	5422328	302.00	303.00	1.00	0.10	0.64	5.48	0.09	0.02	48.80	0.89	Good Recovery
25HRDD001	5422329	303.00	304.00	1.00	0.10	0.40	1.51	0.04	0.01	51.10	0.55	Good Recovery
25HRDD001	5422330	304.00	305.00	1.00	0.08	0.77	3.71	0.15	0.02	51.70	0.97	Good Recovery
25HRDD001	5422331	305.00	306.00	1.00	0.08	0.83	4.77	0.11	0.03	50.40	1.05	Good Recovery
25HRDD001	5422332	306.00	307.00	1.00	0.06	0.64	4.98	0.05	0.02	50.90	0.84	Good Recovery
25HRDD001	5422333	307.00	308.00	1.00	0.09	0.58	3.24	0.03	0.01	51.10	0.77	Good Recovery
25HRDD001	5422334	308.00	309.00	1.00	0.10	0.49	2.72	0.01	0.01	50.00	0.67	Good Recovery
25HRDD001	5422335	309.00	310.00	1.00	0.82	0.61	6.97	0.08	0.02	48.60	1.61	Good Recovery
25HRDD001	5422336	310.00	311.00	1.00	0.08	0.63	4.62	0.26	0.03	36.30	0.84	Good Recovery
25HRDD001	5422337	311.00	312.00	1.00	0.11	0.67	5.17	0.11	0.03	47.30	0.93	Good Recovery
25HRDD001	5422341	312.00	313.00	1.00	0.18	1.30	9.84	0.09	0.05	49.10	1.75	Good Recovery
25HRDD001	5422342	313.00	314.00	1.00	0.14	1.00	8.93	0.07	0.04	50.60	1.38	Good Recovery
25HRDD001	5422343	314.00	315.00	1.00	2.76	0.87	10.25	0.10	0.04	51.50	3.89	Good Recovery
25HRDD001	5422344	315.00	316.00	1.00	5.15	0.51	9.29	0.08	0.05	49.60	5.88	Good Recovery
25HRDD001	5422345	316.00	317.00	1.00	6.80	0.45	7.03	0.08	0.06	47.90	7.42	Good Recovery
25HRDD001	5422346	317.00	318.00	1.00	0.19	1.22	7.54	0.12	0.04	51.00	1.63	Good Recovery
25HRDD001	5422347	318.00	319.00	1.00	0.12	0.76	5.65	0.02	0.03	50.70	1.04	Good Recovery
25HRDD001	5422348	319.00	320.00	1.00	4.87	0.68	9.95	0.10	0.04	48.70	5.79	Good Recovery
25HRDD001	5422349	320.00	321.00	1.00	0.14	1.53	10.65	0.11	0.06	50.20	1.97	Good Recovery

25HRDD001	5422350	321.00	322.00	1.00	0.34	0.04	0.62	0.05	0.00	6.47	0.40	Good Recovery
25HRDD001	5422354	322.00	323.00	1.00	0.03	0.02	0.16	0.03	0.00	3.41	0.06	Good Recovery
25HRDD001	5422355	323.00	324.00	1.00	0.05	0.04	0.60	0.02	0.01	6.34	0.11	Good Recovery
25HRDD001	5422356	324.00	325.00	1.00	0.02	0.03	0.12	0.03	0.00	6.94	0.05	Good Recovery
25HRDD001	5422357	325.00	326.00	1.00	0.04	0.03	0.19	0.03	0.00	3.12	0.08	Good Recovery
25HRDD001	5422358	326.00	327.00	1.00	0.01	0.05	0.56	0.02	0.00	3.57	0.07	Good Recovery
25HRDD001	5422359	327.00	328.00	1.00	0.01	0.11	1.37	0.02	0.01	4.91	0.16	Good Recovery
25HRDD001	5422360	328.00	329.00	1.00	0.97	0.38	3.37	0.05	0.01	17.55	1.44	Good Recovery
25HRDD001	5422361	329.00	330.00	1.00	1.64	0.18	3.08	0.01	0.01	27.30	1.89	Good Recovery
25HRDD001	5422362	330.00	331.00	1.00	0.71	0.08	1.92	0.00	0.01	28.10	0.84	Good Recovery
25HRDD001	5422363	331.00	332.00	1.00	0.23	0.09	1.16	0.01	0.01	34.80	0.35	Good Recovery
25HRDD001	5422364	332.00	333.00	1.00	0.07	0.04	0.63	0.00	0.01	19.60	0.13	Good Recovery
25HRDD001	5422365	333.00	334.00	1.00	0.03	0.10	0.56	0.01	0.00	11.80	0.15	Good Recovery
25HRDD001	5422366	334.00	335.00	1.00	0.25	0.12	2.32	0.04	0.01	14.35	0.42	Good Recovery
25HRDD001	5422367	335.00	336.00	1.00	0.18	0.15	2.53	1.53	0.01	8.66	0.39	Good Recovery
25HRDD001	5422368	336.00	337.00	1.00	0.35	0.43	2.97	17.20	0.02	19.45	0.86	Good Recovery
25HRDD001	5422369	337.00	338.00	1.00	0.14	0.34	4.05	7.41	0.01	12.40	0.58	Good Recovery
25HRDD001	5422370	338.00	339.00	1.00	0.09	0.78	6.02	4.24	0.03	16.05	1.04	Good Recovery
25HRDD001	5422371	339.00	340.00	1.00	0.01	0.64	1.86	0.08	0.01	9.98	0.72	Good Recovery
25HRDD001	5422372	340.00	341.00	1.00	0.01	0.23	1.15	0.24	0.00	3.78	0.27	Good Recovery
25HRDD001	5422376	341.00	342.00	1.00	0.01	0.02	0.13	0.10	0.00	3.13	0.03	Good Recovery
25HRDD001	5422377	342.00	343.00	1.00	0.00	0.01	0.04	0.06	0.00	2.05	0.01	Good Recovery
25HRDD001	5422378	343.00	344.00	1.00	0.00	0.00	0.04	0.19	0.00	1.79	0.00	Good Recovery
25HRDD001	5422379	344.00	345.00	1.00	0.01	0.01	0.04	0.65	0.00	1.64	0.02	Good Recovery
25HRDD001	5422380	345.00	346.00	1.00	0.03	0.01	0.08	0.48	0.00	1.20	0.04	Good Recovery
25HRDD001	5422381	346.00	347.00	1.00	0.01	0.01	0.10	0.34	0.00	2.51	0.03	Good Recovery
25HRDD001	5422382	347.00	348.00	1.00	0.03	0.00	0.13	1.34	0.00	1.99	0.04	Good Recovery
25HRDD001	5422383	348.00	349.00	1.00	0.06	0.01	0.13	1.42	0.00	1.34	0.07	Good Recovery
25HRDD001	5422384	349.00	350.00	1.00	0.03	0.00	0.07	0.85	0.00	0.78	0.03	Good Recovery
25HRDD001	5422385	350.00	351.00	1.00	0.02	0.01	0.03	0.47	0.00	0.31	0.03	Good Recovery
25HRDD001	5422386	351.00	352.00	1.00	0.01	0.01	0.02	0.07	0.00	0.38	0.02	Good Recovery
25HRDD001	5422387	352.00	353.00	1.00	0.02	0.01	0.02	0.03	0.00	0.06	0.03	Good Recovery
25HRDD001	5422388	353.00	354.00	1.00	0.06	0.01	0.07	0.03	0.00	0.36	0.08	Good Recovery
25HRDD001	5422389	354.00	355.00	1.00	0.08	0.01	0.12	0.01	0.00	2.69	0.09	Good Recovery
25HRDD001	5422390	355.00	356.00	1.00	0.10	0.03	0.10	0.01	0.00	1.94	0.13	Good Recovery
25HRDD001	5422391	356.00	357.00	1.00	0.08	0.02	0.12	0.02	0.00	2.56	0.10	Good Recovery
25HRDD001	5422392	357.00	358.00	1.00	0.09	0.02	0.10	0.01	0.00	1.87	0.11	Good Recovery
25HRDD001	5422393	358.00	359.00	1.00	0.24	0.01	0.16	0.01	0.00	2.94	0.25	Good Recovery
25HRDD001	5422394	359.00	360.00	1.00	0.16	0.02	0.12	0.01	0.00	2.27	0.18	Good Recovery
25HRDD001	5422396	360.00	361.00	1.00	0.12	0.05	0.19	0.00	0.00	9.16	0.18	Good Recovery
25HRDD001	5422397	361.00	362.00	1.00	0.14	0.03	0.14	0.00	0.00	4.30	0.17	Good Recovery
25HRDD001	5422398	362.00	363.00	1.00	0.10	0.02	0.09	0.01	0.00	1.88	0.13	Good Recovery
25HRDD001	5422399	363.00	364.00	1.00	0.21	0.03	0.21	0.00	0.00	4.42	0.24	Good Recovery
25HRDD001	5422400	364.00	365.00	1.00	0.15	0.03	0.18	0.00	0.00	5.12	0.19	Good Recovery
25HRDD001	5422401	365.00	366.00	1.00	0.10	0.01	0.14	0.01	0.00	3.00	0.11	Good Recovery

25HRDD001	5422402	366.00	367.00	1.00	0.10	0.02	0.13	0.00	0.00	3.96	0.12	Good Recovery
25HRDD001	5422403	367.00	368.00	1.00	0.02	0.02	0.11	0.01	0.00	1.88	0.05	Good Recovery
25HRDD001	5422404	368.00	369.00	1.00	0.24	0.05	0.40	0.01	0.00	3.28	0.30	Good Recovery
25HRDD001	5422405	369.00	370.00	1.00	0.05	0.01	0.17	0.00	0.00	2.73	0.06	Good Recovery
25HRDD001	5422406	370.00	371.00	1.00	0.14	0.01	0.18	0.01	0.00	3.21	0.15	Good Recovery
25HRDD001	5422407	371.00	372.00	1.00	0.05	0.00	0.07	0.01	0.00	1.48	0.05	Good Recovery
25HRDD001	5422408	372.00	373.00	1.00	0.09	0.02	0.19	0.00	0.00	3.90	0.11	Good Recovery
25HRDD001	5422409	373.00	374.00	1.00	0.05	0.01	0.23	0.01	0.00	2.50	0.07	Good Recovery
25HRDD001	5422410	374.00	375.00	1.00	0.10	0.03	0.45	0.01	0.00	3.37	0.14	Good Recovery
25HRDD001	5422411	375.00	376.00	1.00	0.23	0.05	0.42	0.00	0.00	5.95	0.29	Good Recovery
25HRDD001	5422412	376.00	377.00	1.00	0.29	0.09	0.65	0.00	0.00	3.80	0.40	Good Recovery
25HRDD001	5422413	377.00	378.00	1.00	0.25	0.05	0.32	0.00	0.00	2.56	0.31	Good Recovery
25HRDD001	5422414	378.00	379.00	1.00	0.06	0.01	0.18	0.01	0.00	2.98	0.08	Good Recovery
25HRDD001	5422418	379.00	380.00	1.00	0.06	0.02	0.12	0.01	0.00	1.82	0.08	Good Recovery
25HRDD001	5422419	380.00	381.00	1.00	0.51	0.03	0.31	0.00	0.00	4.97	0.55	Good Recovery
25HRDD001	5422420	381.00	382.00	1.00	0.14	0.04	0.17	0.00	0.00	11.40	0.18	Good Recovery
25HRDD001	5422421	382.00	383.00	1.00	0.20	0.09	0.55	0.00	0.00	20.10	0.30	Good Recovery
25HRDD001	5422422	383.00	384.00	1.00	0.08	0.20	1.26	0.00	0.00	7.39	0.32	Good Recovery
25HRDD001	5422423	384.00	385.00	1.00	0.23	0.38	1.07	0.00	0.00	7.45	0.66	Good Recovery
25HRDD001	5422424	385.00	386.00	1.00	0.12	0.34	0.93	0.00	0.00	7.14	0.49	Good Recovery
25HRDD001	5422425	386.00	387.00	1.00	0.02	0.27	0.70	0.00	0.00	6.51	0.31	Good Recovery
25HRDD001	5422426	387.00	388.00	1.00	0.02	0.32	1.40	0.00	0.00	5.93	0.39	Good Recovery
25HRDD001	5422427	388.00	389.00	1.00	0.14	0.36	1.45	0.00	0.01	8.43	0.55	Good Recovery
25HRDD001	5422428	389.00	390.00	1.00	0.03	0.22	1.04	0.00	0.00	9.51	0.28	Good Recovery
25HRDD001	5422429	390.00	391.00	1.00	0.01	0.18	1.87	0.00	0.00	4.64	0.24	Good Recovery
25HRDD001	5422430	391.00	392.00	1.00	0.12	0.20	2.21	0.00	0.00	5.91	0.37	Good Recovery
25HRDD001	5422431	392.00	393.00	1.00	0.29	0.34	2.27	0.01	0.00	7.93	0.69	Good Recovery
25HRDD001	5422432	393.00	394.00	1.00	0.14	0.16	0.71	0.01	0.00	4.17	0.33	Good Recovery
25HRDD001	5422433	394.00	395.00	1.00	0.10	0.05	0.65	0.01	0.00	3.39	0.16	Good Recovery
25HRDD001	5422434	395.00	396.00	1.00	0.07	0.05	0.42	0.02	0.00	3.15	0.13	Good Recovery
25HRDD001	5422435	396.00	397.00	1.00	0.04	0.06	0.43	0.02	0.00	4.53	0.11	Good Recovery
25HRDD001	5422436	397.00	398.00	1.00	0.09	0.07	0.66	0.02	0.00	4.55	0.18	Good Recovery
25HRDD001	5422437	398.00	399.00	1.00	0.09	0.05	0.41	0.02	0.00	3.59	0.16	Good Recovery
25HRDD001	5422438	399.00	400.00	1.00	0.25	0.05	0.32	0.01	0.00	4.33	0.31	Good Recovery
25HRDD001	5422439	400.00	401.00	1.00	0.21	0.03	0.27	0.01	0.00	3.23	0.25	Good Recovery
25HRDD001	5422442	401.00	402.00	1.00	0.30	0.07	0.20	0.01	0.00	4.82	0.38	Good Recovery
25HRDD001	5422443	402.00	403.00	1.00	0.24	0.07	0.30	0.00	0.00	11.50	0.32	Good Recovery
25HRDD001	5422444	403.00	404.00	1.00	0.23	0.08	0.56	0.00	0.00	11.10	0.32	Good Recovery
25HRDD001	5422445	404.00	405.00	1.00	1.15	0.06	0.61	0.00	0.00	15.10	1.23	Good Recovery
25HRDD001	5422446	405.00	406.00	1.00	0.36	0.02	0.17	0.00	0.00	6.26	0.38	Good Recovery
25HRDD001	5422447	406.00	407.00	1.00	0.27	0.02	0.30	0.01	0.00	6.77	0.30	Good Recovery
25HRDD001	5422448	407.00	408.00	1.00	0.01	0.02	0.09	0.01	0.00	5.30	0.03	Good Recovery
25HRDD001	5422449	408.00	409.00	1.00	0.04	0.03	0.18	0.00	0.00	9.67	0.07	Good Recovery
25HRDD001	5422450	409.00	410.00	1.00	0.01	0.03	0.17	0.00	0.00	13.10	0.05	Good Recovery
25HRDD001	5422451	410.00	411.00	1.00	0.01	0.02	0.15	0.00	0.00	12.90	0.04	Good Recovery

25HRDD001	5422452	411.00	412.00	1.00	0.15	0.01	0.14	0.00	0.00	11.75	0.16	Good Recovery
25HRDD001	5422453	412.00	413.00	1.00	0.11	0.01	0.15	0.00	0.00	18.75	0.12	Good Recovery
25HRDD001	5422454	413.00	497.00	84.00	No significant results							
25HRDD002	5422548	0	1.00	1.00	0.19	0.77	30.40	1.17	0.26	5.44	1.64	Good Recovery
25HRDD002	5422549	1.00	4.00	3.00	0.02	1.07	0.64	0.08	0.03	0.32	1.16	Good Recovery
25HRDD002	5422744	4.00	195.00	191.00	No significant results							
25HRDD002	5422745	195.00	196.00	1.00	0.33	0.02	0.19	0.04	0.00	2.14	0.36	Good Recovery
25HRDD002	5422746	196.00	197.00	1.00	0.20	0.03	0.15	0.03	0.00	1.97	0.23	Good Recovery
25HRDD002	5422747	197.00	198.00	1.00	0.18	0.02	0.14	0.02	0.00	1.31	0.21	Good Recovery
25HRDD002	5422748	198.00	199.00	1.00	0.38	0.02	0.43	0.02	0.00	2.32	0.41	Good Recovery
25HRDD002	5422749	199.00	200.00	1.00	0.80	0.05	2.68	0.03	0.12	2.41	0.91	Good Recovery
25HRDD002	5422750	200.00	201.00	1.00	0.99	0.03	5.93	0.03	0.07	2.01	1.14	Good Recovery
25HRDD002	5422751	201.00	202.00	1.00	2.25	0.07	23.20	0.03	0.04	2.42	2.81	Good Recovery
25HRDD002	5422752	202.00	203.00	1.00	0.67	0.21	1.40	0.06	0.02	0.29	0.92	Good Recovery
25HRDD002	5422756	203.00	205.00	2.00	0.11	0.41	2.95	0.03	0.04	0.26	0.60	Good Recovery
25HRDD002	5422757	205.00	207.00	2.00	0.05	0.70	1.20	0.01	0.06	0.25	0.81	Good Recovery
25HRDD002	5422758	207.00	208.00	1.00	0.03	0.17	0.54	0.01	0.03	0.16	0.22	Good Recovery
25HRDD002	5422759	208.00	209.00	1.00	0.04	1.30	1.30	0.01	0.03	0.27	1.43	Good Recovery
25HRDD002	5422760	209.00	210.00	1.00	0.06	0.13	2.24	0.02	0.02	0.16	0.25	Good Recovery
25HRDD002	5422761	210.00	211.00	1.00	0.06	0.19	2.72	0.02	0.05	0.16	0.32	Good Recovery
25HRDD002	5422762	211.00	212.00	1.00	0.16	0.20	8.19	0.04	0.27	0.30	0.54	Good Recovery
25HRDD002	5422766	212.00	213.00	1.00	0.18	4.10	14.90	0.06	0.11	0.23	4.80	Good Recovery
25HRDD002	5422767	213.00	214.00	1.00	0.09	1.38	10.10	0.03	0.08	0.14	1.76	Good Recovery
25HRDD002	5422768	214.00	215.00	1.00	0.03	0.35	7.86	0.01	0.03	0.15	0.57	Good Recovery
25HRDD002	5422769	215.00	216.00	1.00	0.04	1.47	5.70	0.01	0.04	0.11	1.70	Good Recovery
25HRDD002	5422770	216.00	217.00	1.00	0.01	1.86	11.05	0.01	0.02	0.13	2.20	Good Recovery
25HRDD002	5422771	217.00	220.00	3.00	0.02	2.99	5.04	0.01	0.04	0.22	3.27	Core loss
25HRDD002	5422772	220.00	221.00	1.00	0.00	4.22	13.80	0.00	0.01	0.12	4.73	Good Recovery
25HRDD002	5422773	221.00	222.00	1.00	0.00	5.60	13.25	0.00	0.00	0.03	6.17	Good Recovery
25HRDD002	5422774	222.00	223.00	1.00	0.00	1.65	24.80	0.00	0.01	0.04	2.26	Good Recovery
25HRDD002	5422775	223.00	226.00	3.00	0.00	8.03	24.00	0.01	0.00	0.09	8.95	Core loss
25HRDD002	5422779	226.00	227.00	1.00	0.51	1.78	24.60	0.11	0.11	14.85	2.90	Good Recovery
25HRDD002	5422780	227.00	228.00	1.00	0.34	1.10	8.00	0.04	0.04	36.90	1.66	Good Recovery
25HRDD002	5422781	228.00	229.00	1.00	0.73	1.12	17.50	0.04	0.04	38.10	2.27	Good Recovery
25HRDD002	5422782	229.00	230.00	1.00	0.82	1.01	12.50	0.04	0.03	31.70	2.15	Good Recovery
25HRDD002	5422783	230.00	231.00	1.00	1.49	0.16	29.60	0.06	0.04	1.14	2.27	Good Recovery
25HRDD002	5422786	231.00	232.00	1.00	0.08	0.04	1.88	0.02	0.02	0.31	0.16	Good Recovery
25HRDD002	5422787	232.00	234.00	2.00	0.56	0.08	8.95	0.06	0.02	0.38	0.83	Core loss
25HRDD002	5422788	234.00	235.00	1.00	1.48	0.12	36.60	0.08	0.02	0.14	2.37	Good Recovery
25HRDD002	5422789	235.00	236.00	1.00	2.41	0.14	25.10	0.15	0.02	1.38	3.08	Good Recovery
25HRDD002	5422790	236.00	237.00	1.00	5.61	0.69	26.80	0.05	0.02	20.90	6.90	Good Recovery
25HRDD002	5422791	237.00	238.00	1.00	2.73	0.19	6.25	0.02	0.01	9.09	3.06	Good Recovery
25HRDD002	5422792	238.00	239.00	1.00	1.10	0.05	7.78	0.06	0.02	0.66	1.31	Good Recovery
25HRDD002	5422795	239.00	241.00	2.00	0.17	0.02	2.07	0.05	0.01	0.25	0.24	Core loss

25HRDD002	5422796	241.00	243.00	2.00	0.15	0.01	3.64	0.02	0.00	0.70	0.24	Core loss
25HRDD002	5422797	243.00	244.00	1.00	0.23	0.01	1.90	0.01	0.00	0.70	0.28	Good Recovery
25HRDD002	5422798	244.00	245.00	1.00	0.21	0.01	0.29	0.02	0.00	1.76	0.22	Good Recovery
25HRDD002	5422799	245.00	246.00	1.00	0.33	0.01	0.25	0.02	0.00	4.62	0.35	Good Recovery
25HRDD002	5422800	246.00	247.00	1.00	0.11	0.00	0.09	0.00	0.00	0.42	0.11	Good Recovery
25HRDD002	5422801	247.00	248.00	1.00	0.25	0.01	0.21	0.00	0.00	1.79	0.27	Good Recovery
25HRDD002	5422802	248.00	249.00	1.00	1.55	0.01	1.14	0.02	0.00	4.17	1.58	Good Recovery
25HRDD002	5422803	249.00	250.00	1.00	0.06	0.00	0.06	0.00	0.00	0.34	0.06	Good Recovery
25HRDD002	5422804	250.00	251.00	1.00	0.12	0.00	0.11	0.00	0.00	0.93	0.12	Good Recovery
25HRDD002	5422805	251.00	252.00	1.00	0.23	0.02	0.18	0.01	0.00	2.58	0.25	Good Recovery
25HRDD002	5422806	252.00	253.00	1.00	0.64	0.00	0.54	0.02	0.00	4.15	0.65	Good Recovery
25HRDD002	5422807	253.00	255.00	2.00	0.83	0.02	0.72	0.04	0.00	4.64	0.87	Core loss
25HRDD002	5422810	255.00	256.00	1.00	2.14	0.78	5.09	0.02	0.03	25.60	3.07	Core loss
25HRDD002	5422811	256.00	257.00	1.00	10.95	0.82	6.27	0.04	0.05	28.50	11.94	Good Recovery
25HRDD002	5422812	257.00	258.00	1.00	3.67	0.72	4.28	0.04	0.03	26.40	4.52	Good Recovery
25HRDD002	5422813	258.00	259.00	1.00	4.70	1.27	9.66	0.06	0.04	35.30	6.24	Good Recovery
25HRDD002	5422814	259.00	260.00	1.00	10.30	1.05	29.10	0.03	0.03	35.00	12.01	Good Recovery
25HRDD002	5422815	260.00	261.00	1.00	0.17	0.06	7.06	0.06	0.02	0.57	0.38	Good Recovery
25HRDD002	5422816	261.00	262.00	1.00	2.13	0.04	2.43	0.13	0.02	4.10	2.22	Good Recovery
25HRDD002	5422817	262.00	263.00	1.00	3.10	0.01	1.74	0.12	0.01	3.70	3.15	Good Recovery
25HRDD002	5422818	263.00	264.00	1.00	2.74	0.01	1.60	0.10	0.00	5.37	2.78	Good Recovery
25HRDD002	5422819	264.00	265.00	1.00	1.95	0.01	1.18	0.07	0.00	5.13	1.99	Good Recovery
25HRDD002	5422820	265.00	266.00	1.00	4.59	0.02	2.81	0.07	0.01	6.34	4.67	Good Recovery
25HRDD002	5422821	266.00	267.00	1.00	1.48	0.01	1.06	0.11	0.01	6.81	1.51	Good Recovery
25HRDD002	5422822	267.00	268.00	1.00	0.45	0.01	4.08	0.10	0.03	1.34	0.55	Good Recovery
25HRDD002	5422823	268.00	269.00	1.00	2.81	0.50	6.26	0.10	0.03	11.90	3.47	Good Recovery
25HRDD002	5422824	269.00	270.00	1.00	1.78	0.13	7.13	0.07	0.02	4.78	2.07	Good Recovery
25HRDD002	5422825	270.00	272.00	2.00	0.13	0.07	0.92	0.06	0.01	6.63	0.23	Core loss
25HRDD002	5422826	272.00	274.00	2.00	0.13	0.01	0.28	0.03	0.00	1.12	0.14	Core loss
25HRDD002	5422827	274.00	275.00	1.00	0.23	0.02	0.39	0.02	0.00	5.26	0.26	Good Recovery
25HRDD002	5422830	275.00	276.00	1.00	0.12	1.52	8.98	0.04	0.06	42.00	1.90	Good Recovery
25HRDD002	5422831	276.00	277.00	1.00	0.50	1.42	7.03	0.02	0.04	45.30	2.14	Good Recovery
25HRDD002	5422832	277.00	278.00	1.00	1.85	1.43	9.00	0.01	0.04	44.00	3.54	Good Recovery
25HRDD002	5422833	278.00	279.00	1.00	1.11	1.20	7.83	0.01	0.04	42.30	2.53	Good Recovery
25HRDD002	5422834	279.00	280.00	1.00	0.53	1.44	10.50	0.02	0.05	45.40	2.26	Good Recovery
25HRDD002	5422835	280.00	281.00	1.00	3.00	1.32	9.09	0.03	0.03	48.40	4.58	Good Recovery
25HRDD002	5422836	281.00	282.00	1.00	2.75	0.79	9.09	0.02	0.03	45.40	3.77	Good Recovery
25HRDD002	5422837	282.00	283.00	1.00	3.30	0.76	7.55	0.01	0.02	48.80	4.26	Good Recovery
25HRDD002	5422838	283.00	284.00	1.00	1.97	0.90	9.21	0.02	0.04	40.90	3.11	Good Recovery
25HRDD002	5422839	284.00	285.00	1.00	1.34	0.52	5.80	0.06	0.02	34.30	2.00	Good Recovery
25HRDD002	5422840	285.00	286.00	1.00	0.10	0.03	0.50	0.03	0.00	3.51	0.14	Good Recovery
25HRDD002	5422841	286.00	287.00	1.00	0.07	0.02	0.39	0.04	0.00	3.01	0.10	Good Recovery
25HRDD002	5422842	287.00	288.00	1.00	0.09	0.02	0.78	0.05	0.00	2.70	0.13	Good Recovery
25HRDD002	5422844	288.00	289.00	1.00	0.04	0.02	0.30	0.46	0.00	2.94	0.07	Good Recovery
25HRDD002	5422845	289.00	290.00	1.00	0.03	0.02	0.46	0.52	0.23	2.26	0.06	Good Recovery

25HRDD002	5422846	290.00	291.00	1.00	0.01	0.01	0.26	0.27	0.10	2.05	0.03	Good Recovery
25HRDD002	5422847	291.00	292.00	1.00	0.01	0.01	0.17	0.03	0.01	2.04	0.02	Good Recovery
25HRDD002	5422848	292.00	293.00	1.00	0.00	0.01	0.06	0.09	0.01	1.74	0.01	Good Recovery
25HRDD002	5422849	293.00	294.00	1.00	0.00	0.01	0.08	0.08	0.00	1.74	0.02	Good Recovery
25HRDD002	5422850	294.00	295.00	1.00	0.03	0.01	0.36	0.08	0.01	1.75	0.05	Good Recovery
25HRDD002	5422851	295.00	296.00	1.00	0.02	0.01	0.17	0.06	0.00	2.00	0.03	Good Recovery
25HRDD002	5422852	296.00	297.00	1.00	0.00	0.03	0.12	0.04	0.00	2.52	0.04	Good Recovery
25HRDD002	5422853	297.00	298.00	1.00	0.00	0.03	0.18	0.01	0.00	3.11	0.04	Good Recovery
25HRDD002	5422854	298.00	299.00	1.00	0.00	0.03	0.19	0.00	0.00	3.86	0.04	Good Recovery
25HRDD002	5422855	299.00	300.00	1.00	0.00	0.02	0.11	0.01	0.00	4.12	0.03	Good Recovery
25HRDD002	5422856	300.00	301.00	1.00	0.00	0.02	0.06	0.00	0.00	4.02	0.03	Good Recovery
25HRDD002	5422857	301.00	302.00	1.00	0.00	0.01	0.04	0.00	0.00	2.85	0.02	Good Recovery
25HRDD002	5422858	302.00	303.00	1.00	0.03	0.01	0.22	0.01	0.00	4.34	0.05	Good Recovery
25HRDD002	5422859	303.00	304.00	1.00	0.07	0.01	0.41	0.02	0.00	3.92	0.08	Good Recovery
25HRDD002	5422860	304.00	305.00	1.00	0.07	0.05	0.70	0.01	0.01	4.68	0.13	Good Recovery
25HRDD002	5422863	305.00	306.00	1.00	1.85	0.27	8.13	0.04	0.02	17.80	2.30	Good Recovery
25HRDD002	5422864	306.00	307.00	1.00	3.76	0.30	6.24	0.03	0.01	25.40	4.21	Good Recovery
25HRDD002	5422865	307.00	308.00	1.00	3.86	0.39	12.25	0.05	0.01	30.10	4.53	Good Recovery
25HRDD002	5422866	308.00	309.00	1.00	4.29	0.66	7.15	0.07	0.03	42.90	5.13	Good Recovery
25HRDD002	5422867	309.00	310.00	1.00	5.25	0.55	5.67	0.04	0.03	37.10	5.95	Good Recovery
25HRDD002	5422870	310.00	311.00	1.00	0.03	0.24	0.30	0.01	0.00	7.90	0.29	Good Recovery
25HRDD002	5422871	311.00	312.00	1.00	0.01	0.03	0.09	0.00	0.00	5.05	0.04	Good Recovery
25HRDD002	5422872	312.00	313.00	1.00	0.00	0.03	0.06	0.00	0.00	5.60	0.04	Good Recovery
25HRDD002	5422873	313.00	314.00	1.00	0.00	0.03	0.06	0.00	0.00	4.35	0.04	Good Recovery
25HRDD002	5422875	315.00	316.00	1.00	0.00	0.02	0.04	0.00	0.00	4.71	0.02	Good Recovery
25HRDD002	5422876	316.00	317.00	1.00	0.00	0.01	0.05	0.00	0.00	4.66	0.01	Good Recovery
25HRDD002	5422877	317.00	318.00	1.00	0.00	0.02	0.05	0.00	0.00	5.37	0.02	Good Recovery
25HRDD002	5422881	318.00	319.00	1.00	0.00	0.02	0.02	0.00	0.00	4.97	0.02	Good Recovery
25HRDD002	5422882	319.00	320.00	1.00	0.00	0.03	0.04	0.00	0.00	5.18	0.03	Good Recovery
25HRDD002	5422883	320.00	321.00	1.00	0.00	0.04	0.05	0.00	0.00	5.34	0.04	Good Recovery
25HRDD002	5422884	321.00	322.00	1.00	0.00	0.02	0.15	0.00	0.00	5.43	0.03	Good Recovery
25HRDD002	5422885	322.00	323.00	1.00	0.00	0.02	0.05	0.01	0.00	5.66	0.02	Good Recovery
25HRDD002	5422886	323.00	324.00	1.00	0.00	0.05	0.14	0.00	0.00	4.01	0.06	Good Recovery
25HRDD002	5422887	324.00	325.00	1.00	0.00	0.06	0.16	0.00	0.00	4.89	0.07	Good Recovery
25HRDD002	5422888	325.00	326.00	1.00	0.00	0.03	0.04	0.01	0.00	6.70	0.03	Good Recovery
25HRDD002	5422889	326.00	327.00	1.00	0.00	0.03	0.05	0.00	0.00	5.60	0.03	Good Recovery
25HRDD002	5422890	327.00	328.00	1.00	0.00	0.11	0.25	0.01	0.00	6.14	0.12	Good Recovery
25HRDD002	5422891	328.00	329.00	1.00	0.00	0.00	0.10	0.00	0.00	3.80	0.00	Good Recovery
25HRDD002	5422892	329.00	330.00	1.00	0.00	0.02	0.16	0.01	0.00	5.29	0.03	Good Recovery
25HRDD002	5422894	330.00	331.00	1.00	0.02	0.36	2.64	0.02	0.02	25.80	0.45	Good Recovery
25HRDD002	5422895	331.00	332.00	1.00	0.01	0.22	2.60	0.02	0.03	20.90	0.30	Good Recovery
25HRDD002	5422896	332.00	333.00	1.00	0.03	0.71	6.78	0.03	0.04	44.40	0.92	Good Recovery
25HRDD002	5422898	333.00	334.00	1.00	0.01	0.06	0.42	0.01	0.01	12.35	0.08	Good Recovery
25HRDD002	5422899	334.00	335.00	1.00	0.00	0.04	0.20	0.00	0.00	6.82	0.05	Good Recovery
25HRDD002	5422900	335.00	336.00	1.00	0.00	0.04	0.20	0.00	0.00	7.74	0.05	Good Recovery

25HRDD002	5422901	336.00	337.00	1.00	0.03	0.43	2.80	0.03	0.02	25.80	0.54	Good Recovery
25HRDD002	5422902	337.00	338.00	1.00	0.02	0.15	1.10	0.02	0.01	15.80	0.20	Good Recovery
25HRDD002	5422903	338.00	339.00	1.00	0.00	0.03	0.43	0.00	0.00	6.04	0.05	Good Recovery
25HRDD002	5422904	339.00	340.00	1.00	0.01	0.03	0.35	0.00	0.00	5.57	0.04	Good Recovery
25HRDD002	5422907	340.00	341.00	1.00	0.90	0.52	4.47	0.02	0.02	32.60	1.54	Good Recovery
25HRDD002	5422908	341.00	342.00	1.00	1.84	0.67	5.27	0.04	0.03	50.10	2.65	Good Recovery
25HRDD002	5422909	342.00	343.00	1.00	0.33	0.77	3.92	0.04	0.03	51.50	1.22	Good Recovery
25HRDD002	5422910	343.00	344.00	1.00	0.16	0.82	3.78	0.03	0.02	51.10	1.10	Good Recovery
25HRDD002	5422911	344.00	345.00	1.00	0.10	0.79	4.44	0.03	0.03	48.30	1.03	Good Recovery
25HRDD002	5422912	345.00	346.00	1.00	0.10	0.10	1.24	0.01	0.00	7.42	0.23	Good Recovery
25HRDD002	5422913	346.00	347.00	1.00	0.09	0.06	0.91	0.01	0.00	7.81	0.18	Good Recovery
25HRDD002	5422914	347.00	348.00	1.00	0.11	0.04	0.54	0.01	0.00	5.33	0.16	Good Recovery
25HRDD002	5422917	340.00	341.00	1.00	1.01	0.76	4.69	0.03	0.03	41.30	1.91	Duplicate run
25HRDD002	5422918	341.00	342.00	1.00	1.94	0.60	5.57	0.03	0.03	49.40	2.69	Duplicate run
25HRDD002	5422919	342.00	343.00	1.00	0.35	0.85	4.06	0.04	0.03	51.50	1.33	Duplicate run
25HRDD002	5422920	343.00	344.00	1.00	0.21	0.78	4.57	0.03	0.03	50.60	1.13	Duplicate run
25HRDD002	5422921	344.00	345.00	1.00	0.14	0.82	4.68	0.03	0.03	50.30	1.10	Duplicate run
25HRDD002	5422922	345.00	346.00	1.00	0.02	0.12	0.65	0.01	0.00	8.48	0.16	Duplicate run
25HRDD002	5422923	346.00	347.00	1.00	0.09	0.14	1.00	0.01	0.01	8.21	0.26	Duplicate run
25HRDD002	5422924	347.00	348.00	1.00	0.05	0.03	0.34	0.01	0.00	5.44	0.09	Duplicate run
25HRDD002	5422927	348.00	349.00	1.00	0.16	0.02	0.60	0.01	0.00	5.19	0.20	Good Recovery
25HRDD002	5422928	349.00	350.00	1.00	0.05	0.09	1.06	0.01	0.01	15.60	0.17	Good Recovery
25HRDD002	5422929	350.00	351.00	1.00	0.23	0.14	1.58	0.03	0.01	15.90	0.41	Good Recovery
25HRDD002	5422930	351.00	352.00	1.00	0.17	0.05	0.99	0.01	0.01	7.26	0.24	Good Recovery
25HRDD002	5422931	352.00	353.00	1.00	0.45	0.05	1.86	0.02	0.01	9.47	0.54	Good Recovery
25HRDD002	5422932	353.00	354.00	1.00	0.20	0.13	2.00	0.01	0.01	6.96	0.38	Good Recovery
25HRDD002	5422933	354.00	355.00	1.00	0.01	0.08	1.30	0.00	0.00	4.33	0.12	Good Recovery
25HRDD002	5422934	355.00	356.00	1.00	0.02	0.25	2.41	0.00	0.01	7.19	0.33	Good Recovery
25HRDD002	5422938	356.00	357.00	1.00	1.29	0.32	7.99	0.03	0.01	24.70	1.79	Good Recovery
25HRDD002	5422939	357.00	358.00	1.00	1.38	0.58	10.75	0.04	0.01	49.20	2.21	Good Recovery
25HRDD002	5422940	358.00	359.00	1.00	0.08	1.52	10.20	0.04	0.02	50.30	1.89	Good Recovery
25HRDD002	5422941	359.00	360.00	1.00	0.36	0.80	6.13	0.02	0.02	49.90	1.33	Good Recovery
25HRDD002	5422942	360.00	361.00	1.00	0.95	0.68	6.47	0.03	0.02	51.60	1.80	Good Recovery
25HRDD002	5422943	361.00	362.00	1.00	0.18	0.71	3.60	0.02	0.02	49.80	1.01	Good Recovery
25HRDD002	5422944	362.00	363.00	1.00	0.46	0.86	3.81	0.02	0.02	50.40	1.44	Good Recovery
25HRDD002	5422945	363.00	364.00	1.00	1.17	0.76	4.85	0.03	0.02	50.70	2.07	Good Recovery
25HRDD002	5422946	364.00	365.00	1.00	0.15	0.81	3.54	0.03	0.02	50.80	1.07	Good Recovery
25HRDD002	5422947	365.00	366.00	1.00	0.16	0.73	3.61	0.03	0.02	50.80	1.00	Good Recovery
25HRDD002	5422948	366.00	367.00	1.00	0.08	0.57	2.77	0.02	0.02	50.50	0.73	Good Recovery
25HRDD002	5422949	367.00	368.00	1.00	0.08	0.56	3.21	0.02	0.02	48.90	0.74	Good Recovery
25HRDD002	5422950	368.00	369.00	1.00	0.08	0.85	4.82	0.03	0.02	50.00	1.07	Good Recovery
25HRDD002	5422951	369.00	370.00	1.00	0.10	0.65	4.31	0.04	0.02	50.90	0.87	Good Recovery
25HRDD002	5422952	370.00	371.00	1.00	0.11	0.70	3.94	0.05	0.02	50.40	0.92	Good Recovery
25HRDD002	5422953	371.00	372.00	1.00	0.54	0.62	4.26	0.05	0.02	50.70	1.28	Good Recovery
25HRDD002	5422954	372.00	373.36	1.36	0.09	0.64	4.87	0.05	0.03	51.40	0.86	Good Recovery

## JORC Code, 2012 Edition – Table 1

### Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections.)

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>• <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li>• <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li>• <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li>• <i>In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<p>The current diamond drill program is being drilled at both HQ3 (triple tube) and NQ2 core sizes.</p> <p>The drill holes are sampled completely downhole as half core, with sample intervals selected by the Terra Search Geologists (geological consultants managing the drilling program). The drill core is logged and metre marked up on site before being transported to Townsville (Terra Search Office) for confirmation re-logging and cutting. Core is sawn longitudinally in half using an Almonte core saw. Samples are being analysed at Australian Laboratory Services (ALS) in Townsville.</p> <p>Both core cuttings residue and sludge samples (when available, from the collar of the drill hole) are collected in calico bags for pXRF analysis to assist with geological logging. These analyses are especially valuable for identifying fine grained chalcopyrite and relative copper, gold and zinc presence. No pXRF readings are stated in this announcement as they are being treated as preliminary to assist with visual logging.</p> <p>ALS Sample Preparation            BAG-01 Bulk Master for Storage            BAG-21 Raw Sample in a new bag            CRU-21 Crush entire sample            LEV-01 Waste Disposal Levy            LOG-22 Sample login - Rcd w/o BarCode            LOG-24 Pulp Login - Rcd w/o Barcode            PUL-23 Pulv Sample - Split/Retain            PUL-QC Pulverizing QC Test            SPL-21 Split sample - riffle splitter            WEI-21 Received Sample Weight</p> <p>ALS Analysis techniques:            Au-AA25 Ore Grade Au 30g FA AA finish            IF Au &gt;= 100.0 ppm THEN RUN METHOD Au-            GRA21            ALS ME-MS61 48 element four acid ICP-MS            Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, CsCu,            Fe, Ga, Ge, Hf, In, K, La, Li, Mg, Mn, Mo, Na,Nb,            Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te,            Th,Ti,Tl,U,V,W,Y,Zn,Zr.</p>

Criteria	JORC Code explanation	Commentary
Drilling techniques	<ul style="list-style-type: none"> <li>• Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</li> </ul>	<p>Drilling using an Atlas Copco U8 Underground drilling rig, Core size HQ3 and NQ2. As the dip of the drill holes is up to -30° an underground drill rig was used to drill from surface.</p>
Drill sample recovery	<ul style="list-style-type: none"> <li>• Method of recording and assessing core and chip sample recoveries and results assessed.</li> <li>• Measures taken to maximise sample recovery and ensure representative nature of the samples.</li> <li>• Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</li> </ul>	<p>Drilling was completed in HQ3 with triple tube. No triple tube in NQ2. Core drilling recoveries recorded. HQ3 and NQ2 size drill core. Generally, high sample recoveries were recorded in the massive pyrite with close to 100% recovery in primary rock zones. Significant core loss occurred in the oxidised rock and in the gossanous zones, when water return was lost. These are noted in the assay ledgers attached to this report. Some high grade, oxidised gold zones are very difficult to drill, abruptly alternating between soft clay, spongy silica, and very hard cherty zones with ironstone. Historically, there has been allowance made for these low recovery zones by discounting the gold grades by the order of 10% (Barrack Mines Limited (1999)) or by larger diameter PQ drilling increasing core recovery. Loyal is investigating more effective drilling methodology, such as PQ TT drilling to establish increased confidence in these high-grade gold zones.</p>
Logging	<ul style="list-style-type: none"> <li>• Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</li> <li>• Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</li> <li>• The total length and percentage of the relevant intersections logged.</li> </ul>	<p>Geologists were always on-site during drilling. Core all marked up with intervals on site to reduce the potential for errors while drilling. Detailed geologically logging completed on site and once the drilling core was transported to Townsville additional logging was completed by the Principal Geologist.</p> <p>The main features descriptively logged and then assigned logging codes include Lithologies, Alteration, Rock Colours, Mineral Type (different minerals), Mineral percentage, Mineral Style, Geological Unit and there are a comprehensive set of comments with detailed geological descriptions.</p>
Sub-sampling techniques and sample preparation	<ul style="list-style-type: none"> <li>• If core, whether cut or sawn and whether quarter, half or all core taken.</li> <li>• If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</li> <li>• For all sample types, the nature, quality and appropriateness of the sample preparation technique.</li> <li>• Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</li> <li>• Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for</li> </ul>	<p>Drill core was half cored using an Almonte core saw and sampled in Townsville.</p> <p>No non core sampling completed for this announcement.</p>

Criteria	JORC Code explanation	Commentary																																							
	<p><i>field duplicate/second-half sampling.</i></p> <ul style="list-style-type: none"> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>																																								
Quality of assay data and laboratory tests	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i></li> <li>• <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i></li> <li>• <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i></li> </ul>	<p>Check Assays will be performed. Certified Reference Material and blanks are inserted into the sample stream at the rate of 1:20. ALS Townsville will conduct check assays and internal laboratory standards.</p> <p>No pXRF assays are presented in this announcement.</p>																																							
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>• <i>The verification of significant intersections by either independent or alternative company personnel.</i></li> <li>• <i>The use of twinned holes.</i></li> <li>• <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i></li> <li>• <i>Discuss any adjustment to assay data.</i></li> </ul>	<p>Geological logging was completed on site by Field geologists. The drilling core when transported back to the office in Townsville was checked including re-logging by the Principal Geologist of Terra Search. Geological logs were adjusted according to the work of the check logging.</p> <p>pXRF readings were taken to assist with geological logging. Note these values are not presented in this announcement as are viewed as relative and not absolute.</p>																																							
Location of data points	<ul style="list-style-type: none"> <li>• <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i></li> <li>• <i>Specification of the grid system used.</i></li> <li>• <i>Quality and adequacy of topographic control.</i></li> </ul>	<p>Drillhole Collars: Located relative to the Highway Reward local grid, and AMG66 zone 55. The AMG66 grid was used as most of the historical data uses this grid. Check collar surveyed by Differential GPS in MGA94 and AMG66 grid.</p> <p>Drillhole Downhole Surveying: Utilised AXIS Gyro measuring drill hole dip and azimuth (True North).</p> <p>The drill collar was pegged with a Garmin ETrex and picked up by DGPS.</p> <table border="1"> <thead> <tr> <th colspan="2"><u>Mine Local Grid</u></th> <th></th> <th colspan="2"><u>AMG66 Zone 55</u></th> </tr> </thead> <tbody> <tr> <td>Pt1</td> <td>11456.44N</td> <td>™</td> <td>7748523.11N</td> <td></td> </tr> <tr> <td></td> <td>20682.07E</td> <td></td> <td>417666.46E</td> <td></td> </tr> <tr> <td></td> <td>1100RL</td> <td></td> <td>100RL</td> <td></td> </tr> <tr> <td>Pt 2</td> <td>10153.35N</td> <td>™</td> <td>7747528.57N</td> <td></td> </tr> <tr> <td></td> <td>21000.05E</td> <td></td> <td>416766.42E</td> <td></td> </tr> </tbody> </table> <table border="1"> <tbody> <tr> <td><u>Magnetic North</u></td> <td>™</td> <td>AMG66 North + 8°</td> </tr> <tr> <td><u>Mine Grid North</u></td> <td>™</td> <td>Magnetic North + 48°</td> </tr> <tr> <td><u>Mine Grid North</u></td> <td>™</td> <td>AM66G North + 56°</td> </tr> </tbody> </table> <p>Local/Mine grid North is oriented 55.857 east of AMG66 North.</p>	<u>Mine Local Grid</u>			<u>AMG66 Zone 55</u>		Pt1	11456.44N	™	7748523.11N			20682.07E		417666.46E			1100RL		100RL		Pt 2	10153.35N	™	7747528.57N			21000.05E		416766.42E		<u>Magnetic North</u>	™	AMG66 North + 8°	<u>Mine Grid North</u>	™	Magnetic North + 48°	<u>Mine Grid North</u>	™	AM66G North + 56°
<u>Mine Local Grid</u>			<u>AMG66 Zone 55</u>																																						
Pt1	11456.44N	™	7748523.11N																																						
	20682.07E		417666.46E																																						
	1100RL		100RL																																						
Pt 2	10153.35N	™	7747528.57N																																						
	21000.05E		416766.42E																																						
<u>Magnetic North</u>	™	AMG66 North + 8°																																							
<u>Mine Grid North</u>	™	Magnetic North + 48°																																							
<u>Mine Grid North</u>	™	AM66G North + 56°																																							

Criteria	JORC Code explanation	Commentary
Data spacing and distribution	<ul style="list-style-type: none"> <li>• <i>Data spacing for reporting of Exploration Results.</i></li> <li>• <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i></li> <li>• <i>Whether sample compositing has been applied.</i></li> </ul>	<p>Drill holes 25HRDD001 &amp; 25HRDD002 are reported in this announcement that target historical drilling. They are east of the historical underground copper mine workings in fresh rock at Chimney and B Lens (both within of the Reward pipe). Hole 25HRDD002 tested mostly northeast of the first drill hole 25HRDD001, approximately 90 degrees azimuth perpendicular to it. 25HRDD002 tested the upper portion of the Reward Sulphide pipe from the oxide portion, to supergene, then into fresh rock. The drill hole ended in massive pyrite and chalcopyrite above the main Reward underground workings. The drill hole intersected a void above the underground workings which appears to be a collapsed area or more likely may have intersected a known surveyed vent/services raise.</p>
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> <li>• <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i></li> <li>• <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	<p>The oxide and supergene copper and gold mineralisation are sub-horizontal, of which the large majority of this has been mined by open pit previously. Primary fresh copper and gold mineralisation forms sub-vertical to steeply dipping SW plunging elliptical pipes within larger continuous massive sulphide (mainly fine-grained pyrite) pipes. There appears to be a steep to moderate plunge to all pipes (Highway, Conviction and Reward) towards the southwest. Constrained by the pit wall, drilling was designed to be as perpendicular as possible to the fresh massive pyrite copper and gold mineralisation. Drill holes required relatively shallow dips to intersect mineralisation beneath the open pit void. Therefore, surface drilling intersected massive pyrite with potential copper and gold mineralisation commonly at an angle of around 53° from perpendicular to primary orebodies. The drill hole collar locations are restricted by the open pit location and due to risk reduction in Workplace Health and Safety of the sites drilling occurred at a distance from the open pit crest. A geotechnical specialist examined, reported and approved the drilling locations and set up an operations protocol. The local Queensland mines Inspector with the TCM Senior Site Executive examined the drilling sites and approved.</p>
Sample security	<ul style="list-style-type: none"> <li>• <i>The measures taken to ensure sample security.</i></li> </ul>	<p>The sample security protocols are;</p> <p>Consultant geologists were always on-site while drilling. The drilling site is managed by a JORC (2012) CP. The mine site has a locked gate with no entry signs. Drill core is packed and transported generally weekly, or more often, to a secure locked up yard in Townsville at the Terra Seach Pty Ltd consultant offices.</p>

Criteria	JORC Code explanation	Commentary
Audits or reviews	<ul style="list-style-type: none"> <li>The results of any audits or reviews of sampling techniques and data.</li> </ul>	<p>The JORC (2012) Competent Person has visited the drilling site on multiple occasions and has viewed both hard copy and digital drilling data. Highway Reward is a well-known documented historical copper-gold mine.</p> <p>Loyal engaged a consultant geological company Terra Search Pty Ltd, who have been involved with the project from the very earliest stages of exploration, in the 1970s, and through the mining phases of the project to produce, audit and sign off as JORC (2012) CP on the new mine drilling database and this announcement.</p>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary																														
Mineral tenement and land tenure status	<ul style="list-style-type: none"> <li>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</li> <li>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</li> </ul>	<p>The project is composed of four mining leases (ML) 1571, 1734, 1739 and 10028 and one Mining Lease at Big Magpie ML 1758 (Thalanga Copper Mines Pty Ltd).</p> <table border="1"> <thead> <tr> <th>Permit number</th> <th>Area (ha)</th> <th>Permit name</th> <th>Expiry date</th> <th>Authorised holder name</th> </tr> </thead> <tbody> <tr> <td><b>ML 1734</b></td> <td>457.1</td> <td>REWARD</td> <td>31-Aug-27</td> <td>THALANGA COPPER MINES PTY LTD</td> </tr> <tr> <td><b>ML 1739</b></td> <td>204.9</td> <td>REWARD EXTENDED</td> <td>31-Oct-26</td> <td>THALANGA COPPER MINES PTY LTD</td> </tr> <tr> <td><b>ML 1571</b></td> <td>26.92</td> <td>HIGHWAY EXTENDED</td> <td>31-Oct-26</td> <td>THALANGA COPPER MINES PTY LTD</td> </tr> <tr> <td><b>ML 10028</b></td> <td>2</td> <td>THE HIGHWAY</td> <td>31-Oct-26</td> <td>THALANGA COPPER MINES PTY LTD</td> </tr> <tr> <td><b>ML 1758</b></td> <td>66</td> <td>THE BIG MAGPIE</td> <td>31-Oct-27</td> <td>THALANGA COPPER MINES PTY LTD</td> </tr> </tbody> </table>	Permit number	Area (ha)	Permit name	Expiry date	Authorised holder name	<b>ML 1734</b>	457.1	REWARD	31-Aug-27	THALANGA COPPER MINES PTY LTD	<b>ML 1739</b>	204.9	REWARD EXTENDED	31-Oct-26	THALANGA COPPER MINES PTY LTD	<b>ML 1571</b>	26.92	HIGHWAY EXTENDED	31-Oct-26	THALANGA COPPER MINES PTY LTD	<b>ML 10028</b>	2	THE HIGHWAY	31-Oct-26	THALANGA COPPER MINES PTY LTD	<b>ML 1758</b>	66	THE BIG MAGPIE	31-Oct-27	THALANGA COPPER MINES PTY LTD
Permit number	Area (ha)	Permit name	Expiry date	Authorised holder name																												
<b>ML 1734</b>	457.1	REWARD	31-Aug-27	THALANGA COPPER MINES PTY LTD																												
<b>ML 1739</b>	204.9	REWARD EXTENDED	31-Oct-26	THALANGA COPPER MINES PTY LTD																												
<b>ML 1571</b>	26.92	HIGHWAY EXTENDED	31-Oct-26	THALANGA COPPER MINES PTY LTD																												
<b>ML 10028</b>	2	THE HIGHWAY	31-Oct-26	THALANGA COPPER MINES PTY LTD																												
<b>ML 1758</b>	66	THE BIG MAGPIE	31-Oct-27	THALANGA COPPER MINES PTY LTD																												

The mining leases will be renewed.

### Acquisition Terms

On 1 July 2025, Loyal entered into a share sale agreement (Share Sale Agreement) with Highway Copper Gold Pty Ltd (HCG) to acquire 100% of the fully paid ordinary shares of HCG (Acquisition). The Acquisition ensures that Loyal has exclusivity

## Criteria

## JORC Code explanation

## Commentary

to undertake exploration on the tenements comprising the Highway Reward Project and Big Magpie Project in Queensland, Australia (Tenements).

*Option Agreement*

On 27 June 2025, HCG entered into a binding option agreement (Option Agreement) with Thalanga Copper Mines Pty Ltd and BML Holdings Pty Ltd (together, the Vendors) pursuant to which the Vendors granted HCG an option to undertake exploration on the Tenements (Option). The term of the Option is 12 months and may be extended by 6 months upon agreement by the parties. The key terms of the Option Agreement are as follows:

1. **Cash Payments:** in consideration for the Vendors granting HCG the Option, HCG will pay the Vendors AUD\$250,000, in the following tranches:

- AUD\$50,000 upon execution of the Option Agreement;
- AUD\$100,000 one month after execution of the Option Agreement; and
- AUD\$100,000 three months after execution of the Option Agreement.

2. **Royalty Payments:** cash payments by HCG to the Vendors on achieving the following milestones (each a Performance Milestone):

- US\$2.5m upon greater than 100,000 tonnes of contained copper metal equivalent extracted from the area of the Tenements is defined as an Indicated Mineral Resource or better classification under the JORC Code; and
- an additional US\$2.5m for every 100,000 tonnes of contained copper metal equivalent extracted from the area of the Tenements is defined as an Indicated Mineral Resources or better classification under the JORC Code.

3. **Conditions Precedent:** exercise of the Option by HCG is subject to the satisfaction or waiver of the following conditions prior to the Option expiry date:

- **Minimum Spend:** HCG providing evidence to the Vendors that the minimum spend of \$300,000 on exploration activities has been satisfied;
- **Maintenance Costs:** HCG paying the Vendors \$50,000 per month for care and maintenance undertaken on the Tenements during

Criteria

JORC Code explanation

Commentary

*Exploration done by other parties*

- *Acknowledgment and appraisal of exploration by other parties.*

the Option Period;

- Option Exercise Notice: HCG delivering an option exercise notice to the Vendors;

4. Conditions Subsequent: within 15 business days after execution of the Option Agreement, the parties must enter into:

- a sale and purchase agreement, which will set out the terms on which the Owners will sell and HCG will purchase the Tenements (subject to exercise of the Option); and

- a tenement mortgage, which will set out the terms on which HCG will, effective from completion under the Option Agreement, grant the Vendors a mortgage over the Tenements as security for the Royalty Payments.

5. Financial Provisioning: Upon exercise of the Option and completion of the sale of the Tenements, HCG will assume responsibility for any security, financial assurance, or surety associated with the Tenements, comply with relevant regulatory frameworks and meet all relevant obligations in accordance with environmental and mining laws, which for the avoidance of doubt, may include replacing the financial provisioning (currently provided by the Vendors) of \$8,208,216, as required by the Mineral and Energy Resource (Financial Provisioning) Act 2018 (Qld). Loyal intends to explore and evaluate multiple direct and indirect funding solutions to ensure this requirement can be met within the option period.

No historical or current JORC (2012) Mineral Resources or Ore Reserves are stated in this announcement. Historical mineral resources and ore reserves were estimated from drilling samples during multiple exploration and mining phases, under previous versions of JORC (1990's/2000's editions). Geological surface mapping, geological logging of drill holes and geological mapping during open pit and underground mining were inputs used to create the geological cross sections and plan interpretations to target Loyal drilling. At this stage the geological model should be viewed as approximate schematic representations of the geology. These geological interpretations are well represented in peer-reviewed scientific literature.

Summary: Exploration activities have been undertaken within the mining leases by Carpentaria Exploration (1967 – 1969, 1978), Jododex (1972 – 1974), Esso (1972 – 1986), City Resources (1987 – 1988), Barrack Mine Management (1988 – 1991),

Criteria

JORC Code explanation

Commentary

Aberfoyle (1991 – 1996), RGC Exploration (1996 – 1998), Thalanga Copper Mines (1998 – 2010).

Initial Discovery (1953-1954)

1953: Road workers discovered barite in a road cutting, leading to gold mineralisation assays.

1954: Mount Isa Mines Ltd began testing the mineral potential.

1964: Noranda Exploration Company Ltd conducted drilling, identifying a small gold resource.

1983: Aberfoyle Exploration Pty Ltd undertook further drilling.

1987-1989: North Queensland Resources NL (NQR) developed an open pit for oxide gold, mining to a depth of 50m.

Joint Ventures and Ownership Changes:

1987: The first Mount Windsor Joint Venture (Nede Pty Ltd 50%, Norgold Limited 25%, NQR 25%) conducted exploration, discovering the Reward massive sulphide body.

1989: Barrack Mines Limited acquired 100% interest, completing a feasibility study for the Reward supergene copper.

1991: Aberfoyle Resources Limited acquired 65% interest due to Barrack Mines' financial issues.

1992: Barrack Mines became a subsidiary of Sabminco NL.

1996: Grange Resources NL (formerly Sabminco NL) and RGC Thalanga Pty Limited commenced economic assessment and infill drilling, leading to open pit mining at Reward in 1997.

1997: Infill drilling at Highway forms the basis for the current feasibility study.

1998: Planned production from the supergene copper zone at Reward, with ongoing exploration and potential modifications to pit designs based on drilling results.

Reward Deeps and Conviction Projects

1998-1999: RC drilling intersected copper mineralisation at Conviction, North Reward, and Reward Deeps, leading to further feasibility studies.

2001: Highway sample processed with a reported plant recovery of 95% copper to a concentrate grade of 27.5%. Gold credits and production figures were reported to the ASX by the operators RGC.

Table: Drilling by Company and type in the Highway Reward Mine Area

**Criteria**
**JORC Code explanation**
**Commentary**

Company	Drilling Type	Number Holes	Drilled metres
All	DD	420	58,801.98
	PERC	53	3,174.00
	REVC	258	36,317.50
	Total	731	98,293.48
Company	Drilling Type	Number Holes	metres
BA	DD	88	10,666.14
BA	PERC	2	110.00
BA	REVC	108	14,085.30
BA	Total	198	24,861.44
CRL	DD	35	5,450.76
CRL	PERC	6	411.00
CRL	REVC	3	326.00
CRL	Total	44	6,187.76
ABER	DD	7	2,051.15
ABER	PERC	0	-
ABER	REVC	0	-
ABER	Total	7	2,051.15
NQR	DD	27	2,992.10
NQR	PERC	43	2,488.00
NQR	REVC	14	927.00
NQR	Total	84	6,407.10
RGC	DD	66	10,630.23
RGC	PERC	0	-
RGC	REVC	96	14,566.20

Criteria JORC Code explanation Commentary

RGC	Total	162	25,196.43
SAB	DD	6	576.20
SAB	PERC	2	165.00
SAB	REVC	1	87.00
SAB	Total	9	828.20
TCM	DD	191	26,435.40
TCM	PERC	0	-
TCM	REVC	36	6,326.00
TCM	Total	227	32,761.40

Company Full Name: Barrack (BA), City Resources (CRL), Aberfoyle (ABER), North Queensland (NQR), Renison Goldfields Consolidated (RGC), Sabminco (SAB), Thlanga Copper Mines (TCM)

Insufficient reliable data is available from the metallurgical test programs to predict precious metal recoveries from the underground fresh rock remnant ore. Historically, a gold credit was achieved from some concentrate parcels depending on gold grade and smelter terms. Oxide and supergene gold production occurred in the earliest stages of open pit mining.

- Geology
- Deposit type, geological setting and style of mineralisation.

### Regional Geology

The Highway-Reward deposit is hosted within the Trooper Creek Formation, one of four formations within the Seventy Mile Range Group. The Trooper Creek Formation comprises a complex suite of rhyolitic, dacitic and andesitic lavas, syn-sedimentary intrusions, volcanoclastic rocks and volcanic and non-volcanic siltstone. Combined, features such as andesite pillow lavas, sandstone turbidites, hyaloclastite, peperite and fossils suggest a submarine below-storm-wave-base depositional setting for the bulk of the Trooper Creek Formation. However, parts of the succession were deposited above storm wave base and may have been partly emergent. The Seventy Mile Range Group has been metamorphosed to lower greenschist facies and affected by three deformations of equivocal age. In the east, the syn-deformational early regional metamorphic

## Criteria

## JORC Code explanation

## Commentary

assemblage has been overprinted by hornblende hornfels assemblages, which form contact metamorphic aureoles around post-kinematic granitoids of the Lolworth-Ravenswood Batholith.

The Trooper Creek Formation hosts three significant massive sulfide deposits (Thalanga, Highway-Reward and Liontown) and several prospects including Waterloo, Handcuff, Big Magpie and Warrawee. The zinc rich Thalanga Deposit is the largest known VHMS deposit in the Seventy Mile Range Group and occurs within the Trooper Creek Formation at the contact with the underlying Mount Windsor Formation. The remaining VHMS deposits, including Highway-Reward, occur within the Trooper Creek Formation.

Structural deformation in the area is dominated by a seven-kilometre-wide shear zone, trending north-east and termed the Policeman Creek Shear. Locally, this zone is typified by a pervasive upright cleavage and higher strain zones with an anastomosing hourglass fabric.

The Highway-Reward copper-gold system and the Handcuff-Truncheon base metal sulphide system are located within a broad northeasterly trending regional structural zone known as the Mount Leyshon Corridor. This 7km wide corridor (Policeman Creek Shear Zone) has been interpreted as a reactivated transform fault zone, invoked by extensional rifting during the formation of the back arc basin. The regional structure trends through the Highway-Reward, and Handcuff-Truncheon areas and extends to the now depleted Mt Leyshon gold mine hosted within a younger porphyry breccia system to the northeast.

**Host Stratigraphy**

The host succession to the Highway-Reward deposit was originally interpreted to comprise rhyolitic lavas separated by three horizons of volcanoclastic and sedimentary facies (VS1, VS2, VS3), however, detailed drill core logging mapping has subsequently demonstrated that the deposit is hosted in the proximal facies association of a syn-sedimentary intrusion-dominated volcanic centre.

Massive coherent rhyolite, rhyodacite and dacite and associated in-situ or resedimented hyaloclastite and peperite are the principal facies in the environment of mineralisation. The distribution and arrangement of these facies is the basis for determining the mode of emplacement. Upper contact relationships are critical in evaluating intrusive versus extrusive emplacement, as basal

## Criteria

## JORC Code explanation

## Commentary

contacts can be similar. The peperitic upper margins of many porphyries demonstrates that they intruded wet poorly consolidated sediment. Syn-sedimentary sills, cryptodomes and a single partly extrusive cryptodome have been recognised. Contact relationships and phenocryst mineralogy, size and percentages indicate the presence of thirteen distinct porphyritic units in a volume of 1 x 1 x 0.5 km.

Porphyries intruded or were overlain by a volcanoclastic and sedimentary facies association comprising suspension-settled siltstone, graded turbid sandstone and thick, non-welded pumice- and crystal-rich sandstone and breccia units. Pumiceous and crystal-rich deposits record episodes of explosive silicic volcanism in an extra-basinal or marginal basin environment and were emplaced by cold water supported high-concentration turbidity currents. Andesite dykes cut across the massive sulfide and altered host rocks. The sedimentary facies that indicate a submarine, below-storm-wave-base environment of deposition for the volcanism and massive sulfide deposition. At Highway-Reward, beds generally dip (10-30°) and face southeast. The deposit is hosted by volcano-sedimentary rocks of the Cambro-Ordovician Seventy Mile Range Group.

The dominant structural trend is northeast (axial planar cleavage to a synclinal(?) fold) with a strong slaty cleavage striking 050°, dipping steeply SE. Significantly the strike of the massive copper and gold sulphide pipes found to date are all oriented parallel to this cleavage and are discordant with stratigraphy. Zinc and lead sulphides (+/- gold) have been found mainly concordant with stratigraphy.

The deposit comprises two main discordant pyrite-chalcopyrite pipes: Highway and Reward with an additional pipe called Conviction which is interpreted to form part of the Highway pipe, although recent modelling suggests that it is a separate sulphide pipe. Reward is a "blind" orebody, discovered in 1987 after a long history of exploration by various companies in the area. The Highway pipe was discovered in 1990 and is located approximately 200 m NNW of the Reward orebody beneath an initially small, abandoned Highway oxide gold open pit. The main Reward pyrite-chalcopyrite pipe occurs under 10-100 m combined thickness of Tertiary fluvial sediments (Campaspe Formation) and deeply weathered gossanous volcanic rocks.

The base of complete oxidation at Highway is at

## Criteria

## JORC Code explanation

## Commentary

approximately 50m below surface. Over the Reward deposit this deepens rapidly to 120-150m coincident with the thickening of the younger (Tertiary) Campaspe Formation. The deposition of this formation presumably promoted deeper weathering over Reward, and its location may be controlled by the relative nature of the host rocks in the upper parts of the Highway and Reward pipes. The host rocks to the sulphide bodies are rhyolitic to dacitic lavas and volcanoclastic sediments. These rocks vary in competency due to a combination of primary rock type (lava or sediment) and the overprinting alteration. The Highway massive sulphide body lies beneath 100 m of weathered and Au-barite-bearing gossanous rhyodacite, the bulk of which has now been mined out.

The mineralisation can be divided into five main types. These are: (1) primary pyrite-chalcopyrite pipes; (2) supergene Cu (chalcocite and covellite) and Au above and surrounding the Reward pipe, (but laying more southwest of and therefore may be the supergene expression of a separate pipe to Reward), (3) gossanous Cu-Au-rich mineralisation above the sulphide zone; (4) disseminated, vein-style and stratabound pyrite-sphalerite-galena-barite mineralisation at the margins of the pipes and in the hanging wall; (5) footwall and hanging wall pyrite-quartz veins.

The Reward pipe contains significant pyrite with primary chalcopyrite-rich zones. Overlying the primary mineralisation, is a variable supergene chalcocite-covellite rich zone, occurring above where the pyrite pipe contains chalcopyrite lenses. A historical oxide resource of gold overlay the supergene copper-gold zone.

The Highway orebody contains pyrite of which over half is mineralised significantly with interstitial and massive chalcopyrite. The majority of the Highway pipe was mined in the Highway open pit (220m vertical depth) with the last portion of the orebody mined in the Highway South underground.

The Highway and Reward massive sulphide pipes are each approximately 150 metres long, trending northeast-southwest (north-south on mine grid), although they converge towards the northern end in a region known as North Reward.

Although the Highway and Reward Sulphide pipes thin at depth, there was significant copper in the floors of the final underground ore drive levels and there are significant copper-gold drill intercepts below the completed underground workings. Historical IP and gravity geophysics data suggest

Criteria	JORC Code explanation	Commentary
<i>Drill hole Information</i>	<ul style="list-style-type: none"> <li>• A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:               <ul style="list-style-type: none"> <li>○ easting and northing of the drill hole collar</li> <li>○ elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</li> <li>○ dip and azimuth of the hole</li> <li>○ down hole length and interception depth</li> <li>○ hole length.</li> </ul> </li> <li>• If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</li> </ul>	<p>continuations at depth with new geophysical data (3D-IP, Magnetotellurics, Gravity) being collected.</p> <p>See table in announcement.</p> <p>All mineralised assay sample intervals are reported throughout reported drill holes, and are tabulated in this ASX announcement. The elements table includes base and precious metals and sulphur.</p>
<i>Data aggregation methods</i>	<ul style="list-style-type: none"> <li>• In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</li> <li>• Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</li> <li>• The assumptions used for any reporting of metal equivalent values should be clearly stated.</li> </ul>	<p>The general rules for reporting of aggregated mineralised zones in holes 25HRDD001 &amp; 002 are an overall intersection grade of at least 1% Cu equivalent, allowing for up to 10m of internal waste. For these holes the cut-off for reporting of total aggregate Cu mineralised zones is in the order of 0.35% CuEq% allowing for 10m of internal waste. There has been no cutting of high-grade analyses including gold. Laboratory repeat analyses are determined for very high-grade analyses of gold in particular as were over-range assay determinations and these are incorporated in the assay ledger. High sulphide &gt; 40% S is a feature of the Highway Reward massive pyrite pipes.</p> <p>The massive pyrite style mineralisation at Highway Reward is developed over considerable downhole lengths. The massive sulphide is generally uniform, with very high sulphur content, although copper and gold grade is variable. Down hole Cu-Au-Ag intercepts have been quoted both as a semi-continuous, aggregated down hole intervals and also as tighter higher-grade Cu-Au-Ag sections. There are some zones of high grade which can influence the longer intercepts. All results are reported as down hole plotted 1m half core sampling intervals or tabulated with lower grade zones clearly noted. Aggregation of the longer intercepts at Highway Reward is advantageous for analysis and comparison of historical and recently collected drill data.</p> <p>A copper equivalent has been used to report the wider copper bearing intercepts that carry Au and Ag credits with copper being dominant as well as polymetallic zones where significant gold, zinc, lead, silver and copper are present.</p>

Criteria

JORC Code explanation

Commentary

*Relationship between mineralisation widths and intercept lengths*

- *These relationships are particularly important in the reporting of Exploration Results.*
- *If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.*
- *If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').*

*Diagrams*

- *Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should*

Historical metallurgical test work was carried out along with ore treatment and mineral processing to produce saleable concentrate on other products during the mining phases of Highway Reward (1989-2005). Loyal Metals (LLM) are currently reviewing the metallurgical characteristics of the Highway Reward mineralisation - more test work is planned. For the purposes of this announcement, conservative recoveries were adopted for metal equivalent calculations and as these are similar to historical metallurgy. LLM is confident that these will be obtained with the planned metallurgical test work. The full equation for Copper Equivalent is:

Copper equivalent (CuEq) for drill intersections is calculated using the following modelled prices, derived from 80% of prevailing spot prices: US\$4.54/lb Cu, US\$3,735.20/oz Au, US\$2,590.40/t Zn, US\$74.58/oz Ag, and US\$1,643.20/t Pb. Metallurgical recoveries applied are 80% for copper, 70% for gold, 60% for zinc, 70% for silver, and 60% for lead, resulting in net-recovered values of US\$3.63/lb Cu, US\$2,614.64/oz Au, US\$1,554.24/t Zn, US\$52.50/oz Ag, and US\$985.92/t Pb. These net-recovered values are normalised against copper, producing conversion coefficients of 1.051 (Au), 0.194 (Zn), 0.021 (Ag), and 0.123 (Pb).

The only interval that incorporates zinc and lead in its CuEq calculation is the 148–165 m intersection in drillhole 25HRDD001. All other drill intersections report CuEq based solely on copper, gold, and silver.

CuEq is calculated as:  $CuEq = Cu + (1.051 \times Au) + (0.194 \times Zn) + (0.021 \times Ag) + (0.123 \times Pb)$

(with Zn and Pb applied only where noted above).

All drilling intercept widths reported herein are downhole width only, with true widths when stated estimated from drill hole orientation and geological interpretation.

As Highway Reward has had a significant open pit and underground mining history, the orientation of copper and gold mineralisation is relatively well understood, demonstrated during the open pit and underground mining phases.

The two Loyal Metals drill holes have confirmed the geological model of a VHMS massive pyrite pipe in its location and defined new geology where historical drilling has not tested, especially in the upper (volcanoclastic rocks with sphalerite zones) with and lower parts (volcanoclastic rocks with pyrite +/- chalcopyrite) of the drill hole.

Cross sections are provided in this announcement.

Criteria	JORC Code explanation	Commentary
	<p><i>include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></p>	
<i>Balanced reporting</i>	<ul style="list-style-type: none"> <li>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</li> </ul>	All drill hole logging results are reported.
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> <li>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</li> </ul>	No additional exploration results reported.
<i>Further work</i>	<ul style="list-style-type: none"> <li>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</li> <li>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</li> </ul>	<p>The area covered by the mining leases contains some of the most prospective ground for volcanic hosted polymetallic massive sulphide mineralisation in Queensland.</p> <p>A rebuild and validation of open pit and underground workings from monthly surveying data has been undertaken Loyal.</p> <p>Drilled areas outside of the mine area are being validated by Terra Search.</p> <p>Current surface LiDAR survey planned, with historical LiDAR and orthophotos completed.</p> <p>The requirement for validation drilling of historical mineral resources/ore reserves will continue to be assessed. Resource extension and development drilling will also be assessed.</p> <p>Metallurgical and processing studies will be evaluated.</p> <p>Analysis of exploration targets including around the mine and known copper-gold pipes and zinc-lead-gold mineralisation is ongoing. The following are initial evaluations in order of priority.</p> <p>In the mine. Previous workers have noted that the northern end of Upper Reward Deeps transitions into Reward North, with high grade copper mineralisation occurring on the edge of the pyrite envelope, while generally the copper mineralisation is totally enclosed within massive pyrite that can contain gold. This and the presence of a major shear zone on this southeastern side of the orebody suggest that the north-eastern edge of this</p>

## Criteria

## JORC Code explanation

## Commentary

mineralisation has been faulted off. It is possible that the extension of this mineralisation is yet to be found.

Examination of the drill hole data and the historical resource models illustrates that there appears to be gaps in the drilling between Highway and Reward that could potentially contain copper and gold mineralisation.

Exploration targets outside the Highway Reward Mine area across the mining leases will be assessed and prioritised for drill testing including gold-barite and copper-lead-zinc anomalies in historical surface mapping, soils and drill sample assay geochemistry, drilling, geophysics IP and downhole EM anomalies. Prospects are at various stages of historical testing.

Previous consultants have stated that the lesson learned from the last ore body discovered and mined at Highway Reward, named Conviction, is that very high-grade copper pipes with short strike lengths ( $\approx 100\text{m}$ ) and depth extents ( $\approx 100\text{m}$ ) and widths ( $\approx 25\text{m}$ ) may be present even in areas with significant drilling, and especially in areas where the geology was previously considered unfavourable. In Conviction's case the pipe is hosted more in massive coherent dacite which up until the discovery was considered relatively non-prospective host rock.

Several occurrences of base metal and gold mineralisation are known to occur within the mining leases. These are all advanced prospects and include Handcuff (and Handcuff South), Truncheon South, Gateway, Stocksquad, Acquittal, and Parole. All require geological and geophysical evaluation and more data collection and surveys to determine priority for drill testing. RGC Limited announced on the ASX in 1997 that drilling around the Reward mine, Queensland, continued to intersect low-grade base metal sulphides and massive pyrite zones at the Gateway, Stocksquad and Reward East prospects. As massive pyrite halos occur around the high-grade Highway Reward copper pipes, these can be an indicator of the presence of distal base metal sulphides and gold. Gold appears to be concentrated above and asymmetrically (coinciding with pyrite) on the hanging walls and above copper pyrite pipes. Follow-up drilling was planned by RGC on many targets but appears not to have been completed due to corporate conditions at the time. Both within and outside of the Highway Reward Copper Gold Mine, geophysics chargeability anomalies for copper, zinc, and gold (associated

## Criteria

## JORC Code explanation

## Commentary

with pyrite) have been identified at depth, over a 2.3km strike (Loyal's mining leases cover 3km of strike in this direction), extending from the Stocksquad Prospect in the southwest to Truncheon South Prospect in the northeast.

The Campaspe Formation is a relict alluvial plain (river floodplain) that has survived largely intact since the early Pliocene and covers the Paleozoic basement that hosts copper-gold mineralisation. There are extensive areas of this late cover across the mining leases and it is still to be determined how much historical drilling has successfully drilled beneath the Campaspe. Also, geophysical techniques are being evaluated, and potential data corrections determined, to see how to observe anomalies beneath this formation.