

Drilling Confirms Broad Zones of Gold Mineralisation at Treasure Creek As Gold Price Reaches Record Levels

Gold exploration advances alongside antimony metal production program

Felix Gold Limited (ASX: FXG) is pleased to report gold assay results from drilling at the NW Array prospect within the Treasure Creek project area in Alaska. Results include **47.43m @ 2.45 g/t Au from 29.35m** in hole 25TCDC023 and **29.41m @ 3.90 g/t Au from 49.25m** in hole 25TCDC007, confirming broad zones of gold mineralisation within the same structural corridor that hosts high-grade antimony. The results come as gold prices have reached all-time highs, exceeding US\$5,000/oz this week. NW Array is located 30km by road from Kinross Gold's Fort Knox mill, which is actively seeking additional ore sources under its Kinross Alaska strategy.

Key Highlights

High-Grade Gold Results

- **47.43m @ 2.45 g/t Au** from 29.35m, including **20.27m @ 3.35 g/t Au** (Hole 25TCDC023)
- **29.41m @ 3.90 g/t Au** from 49.25m (Hole 25TCDC007)
- **41.14m @ 0.96 g/t Au** from 21.34m, including **10.67m @ 2.19 g/t Au** (Hole 25TCRC018)
- **22.86m @ 0.65 g/t Au** from 28.96m (Hole 25TCRC036)
- **16.76m @ 0.60 g/t Au** from 22.86m, including **1.53m @ 1.78 g/t Au** (Hole 25TCRC012)
- High-grade intersections associated with major fault structure containing 'black breccia'
- Gold mineralisation extends into hangingwall zones that also host antimony
- Mineralisation remains open along strike and at depth

Strategic Timing

- Gold price exceeds US\$5,000/oz — all-time high reached this week
- Felix is the largest landholder in the Fairbanks Gold Mining District
- NW Array located 30km from Fort Knox — a Tier 1 mill actively seeking ore
- District has produced 16+ Moz gold historically with established infrastructure

Video Update

Watch Joe Webb's 2-minute explainer, ask questions, and join the conversation on our [Investor Hub](#).

Watch Now

Executive Director's Comment

Felix Gold's Executive Director, Joseph Webb, commented:

"47m at 2.45 grams per tonne gold — with higher-grade zones exceeding 3 grams — tied to previous results confirms a significant mineralised system 30 kilometres from Fort Knox. With gold exceeding US\$5,000 per ounce this week, the timing couldn't be sharper.

Kinross has publicly stated its strategy: sourcing third-party ore to feed an underutilised Tier 1 Fort Knox Mine. They're already trucking material 250 miles from Manh Choh. We're 30 kilometres away with 831,000 ounces of JORC gold and the largest land position in the district. The pathway exists — they've proven it works.

But gold is only half the Felix Gold story.

We're building America's Antimony Solution — targeting the first fully integrated U.S. mine-to-metal operation in over 30 years. The U.S. has zero domestic production, China controls 90% of global supply and has banned exports, and antimony is critical for defence and energy security. Felix Gold is advancing toward military-grade antimony metal production from proven domestic ore, with a clear pathway to near-term production.

What makes this compelling is that these opportunities are geologically linked. Gold forms broader mineralised halos around high-grade corridors that host both gold and antimony. Material that might otherwise be waste in an antimony operation becomes potential mill feed for Fort Knox.

Antimony delivers the near-term catalyst. Gold delivers strategic depth at record prices. Two commodities, one platform — both advancing."

Cautionary Statement: The Company cautions that it is assessing the economic viability of near-term antimony production. No Mineral Resources or Ore Reserves have been declared and no JORC-compliant economic studies have been completed. Any progression toward production remains subject to further technical, regulatory and commercial evaluation, permitting approvals and formal Board approval. The Company may elect to progress parts or all of the project prior to completion of such compliant studies. Statements regarding peer projects are based on the Company's review of publicly available information and the Company has not conducted an exhaustive review of all antimony projects globally.

A Premier Gold Mining District

Felix is the largest landholder in the Fairbanks Gold Mining District, with **831,000 oz of JORC gold resources** and significant exploration upside across 388,000+ acres in Alaska's most productive gold region. The district has produced over 16 million ounces of gold historically and hosts Kinross Gold's Fort Knox mine — a Tier 1 operation located just 30km from NW Array by paved road. Established infrastructure, including grid power, year-round road access, skilled workforce, and proximity to processing facilities, provides a straightforward development pathway (Fig 1). Kinross's Kinross Alaska strategy involves consolidating regional ore sources to feed the Fort Knox mill. The company is currently trucking ore 250 miles from Manh Choh, demonstrating willingness to source material from significant distances. NW Array's proximity — 30km versus 250 miles — represents a potential toll treatment pathway that could complement Felix Gold's primary antimony focus.




Fig 1. Location of reporting gold results from NW Array, shown within the Fairbanks Gold Mining District

NW Array Prospect

The NW Array Prospect hosts both high-grade antimony and gold mineralisation within the same structural corridor. Gold generally forms a broader mineralisation halo within and around antimony-bearing structures — the same geological system delivering value from two commodities.

The prospect includes the historic Scrafford Mine, Alaska's second-largest historical antimony producer. Felix Gold's systematic exploration has defined multiple mineralised structures within an expanding footprint, with both gold and antimony mineralisation remaining open in multiple directions.

Gold Drilling Results — NW Array

Program Overview

Gold assays have been received and interpreted for 11 drill holes in the central part of the NW Array prospect. Assay results are now being received on a regular basis and additional market announcements will be made over the coming weeks.

Results

Significant gold intersections are summarised in Table 1, with drill hole collar details in Table 2.

Table 1: Significant Gold Intersections

Hole ID		From (m)	To (m)	Interval (m)	Au g/t
25TCDC007		31.46	35.69	4.23	0.47
25TCDC007	and	38.17	44.87	6.7	0.43
25TCDC007	and	49.25	78.66	29.41	3.9
25TCDC023		1.49	10.97	9.48	0.38
25TCDC023	and	20.08	28.7	8.62	0.54
25TCDC023	and	29.35	76.78	47.43	2.45
25TCDC023	including	33.48	36.05	2.57	1.45
25TCDC023	and including	41.84	55.63	13.79	2.7
25TCDC023	and including	56.03	76.3	20.27	3.35
25TCMW001		21.34	39.62	18.28	0.54
25TCRC006		0	9.14	9.14	0.46
25TCRC007		0	3.05	3.05	0.34
25TCRC007	and	18.29	25.91	7.62	0.6
25TCRC012		22.86	39.62	16.76	0.6
25TCRC012	including	24.38	25.91	1.53	1.78
25TCRC013		45.72	50.29	4.57	1.39
25TCRC013	including	47.24	48.77	1.53	2.71
25TCRC016		7.62	10.67	3.05	0.39
25TCRC016	and	21.34	24.38	3.04	0.42
25TCRC016	and	27.43	30.48	3.05	0.51
25TCRC016	and	47.24	51.82	4.58	0.61
25TCRC016	and	54.86	67.06	12.2	0.46
25TCRC018		3.05	9.14	6.09	0.38
25TCRC018	and	21.34	62.48	41.14	0.96
25TCRC018	including	48.77	59.44	10.67	2.19
25TCRC036		1.52	10.67	9.15	0.69
25TCRC036	and	28.96	51.82	22.86	0.65
25TCRC017	no significant intersections meeting reporting criteria				

Notes: Reported intervals are downhole lengths. True widths are estimated at 50-75% of downhole length depending on the angle of drilling relative to structures and is based on current geological interpretation. Gold assays by PhotonAssay at MSA laboratories Vancouver. Significant intersections calculated using 0.30 g/t Au cut-off with maximum 3m internal dilution. Grades are length-weighted averages with no top-cut applied.

Table 2: Drill Hole Collar Details

HoleID	Hole Type	UTM_NAD83_Zone 06N			EOH (m)	Azimuth (m)	Dip (m)
		East	North	RL (m)			
25TCDC007	DD	461806.6	7209015	444.059	82.3	216.4	-45.2
25TCDC023	DD	461783.3	7208960	448.835	89.92	345.4	-45.5
25TCMW001	RC	461759.1	7208963	454.861	64.01	0	-90
25TCRC006	RC	461792.4	7208978	447.324	51.82	25.5	58.6
25TCRC007	RC	461791.4	7208977	447.412	50.29	220.9	-48.4
25TCRC012	RC	461777.7	7208937	450.822	50.29	45.8	-44.6
25TCRC013	RC	461775.9	7208937	450.842	50.29	2.4	-44.8
25TCRC016	RC	461783.4	7208961	448.695	67.06	1.6	-45.1
25TCRC017	RC	461784.5	7208961	448.706	54.86	31.8	-45
25TCRC018	RC	461787.4	7208960	448.609	67.06	331.5	-44.1
25TCRC036	RC	461758	7208972	456.511	51.82	30.4	-46.3

Notes: Coordinates are NAD83 Zone 6 North. DD = Diamond Core, RC = Reverse Circulation. Azimuth is UTM grid north.

Geological Interpretation

High-grade intersections in holes 25TCDC023, 25TCDC007 and 25TCRC018 are associated with the major fault structure characterised by 'black breccia' and broad zones of sheared rock that were previously reported as hosting high-grade antimony mineralisation. Gold mineralisation extends well into the hangingwall of this structure, marked by zones of strong to intense brecciation and alteration of felsic porphyry. Some of these hangingwall zones correspond with previously recognised east-west striking and south-dipping structures that host antimony mineralisation.

Significant intersections in the remaining holes are interpreted to be related mainly to narrower east-west fault structures. Hole 25TCDC007 contains two lower-grade intersections that are related to intense white clay alteration and bleaching of felsic porphyry around narrow quartz veins.

Because of the interpreted different structural orientations, estimating the true width of gold intersections is difficult and further modelling is required, with current interpretations giving true widths of 50%-75% of downhole widths. Work is ongoing to better understand the controls on gold mineralisation and its relationship to antimony veining.




Figure 2: NW Array Prospect — Drill Plan with Significant Gold Intersections




Figure 3: NW Array Prospect — Section A–B 25m width with Significant Gold Intersections.
Previously reported assays (transparent) shown for geological context.

This ASX release was approved for release by the Board.
ENDS

Video Update

Watch Joe Webb's 2-minute explainer, ask questions, and join the conversation on our [Investor Hub](#).

[Watch Now](#)

Enquiries

Joseph Webb
 Executive Director
 Felix Gold Limited
 Ph: +61 422 955 411
 E: joe.webb@felixgold.com.au

View website: www.felixgold.com.au
 Get updates directly to your inbox: www.felixgold.com.au/auth/signup
 View this Announcement: <https://www.felixgold.com.au/link/eodB4r>

About Felix Gold

Felix Gold Limited (ASX: FXG) is advancing two complementary opportunities in Alaska's Fairbanks Mining District: near-term antimony production and district-scale gold.

Antimony: Felix Gold is building America's Antimony Solution — a fully integrated domestic supply chain from proven U.S. ore. The Treasure Creek Antimony Project hosts one of the only proven sources of high-grade antimony ore in the United States. With ~90% antimony-bearing minerals and virtually no deleterious elements, Felix Gold has demonstrated military-grade antimony concentrate and 98% extraction — results that, to the Company's knowledge, no other Western project has publicly achieved.

Gold: Felix Gold is the largest landholder in the Fairbanks Mining District, with 831,000 oz of JORC gold resources located 30km from Kinross's Fort Knox mill — a Tier 1 operation actively seeking third-party ore.

The same infrastructure, permitting pathway, and team serve both commodities. Mineralisation outcrops at surface adjacent to year-round paved road with grid power, just 30km from Fairbanks. No federal land significantly reduces permitting timeframes compared to other U.S. critical minerals projects.

Visit www.felixgold.com.au for more information.

Competent Person Statements

The information in this report that relates to Exploration Results is based on information compiled by Dr James Lally, a Competent Person who is a Member of The Australian Institute of Geoscientists. Dr Lally is an independent consultant to Felix Gold Limited and is a shareholder in the Company. Dr Lally has sufficient experience, which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which is being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves.' Dr Lally consents to the inclusion in this report of the matters based on his information in the form and context in which it appears.

Forward-Looking Statements

arious statements in this release constitute statements relating to intentions, future acts and events. Such statements are generally classified as "forward-looking statements" and involve known and unknown risks, uncertainties and other important factors that could cause those future acts, events and circumstances to differ materially from what is presented or implicitly portrayed herein. Words such as "anticipates", "expects", "intends", "plans", "believes", "seeks", "estimates", "may", "potential", "pathway", "aims", "targeting" and similar expressions are intended to identify forward-looking statements. Forward-looking statements in this announcement include references to potential third-party processing or toll treatment arrangements for gold, future exploration programs and their anticipated outcomes, and infrastructure advantages and development

potential. With respect to gold development specifically: no feasibility study has been completed, no commercial agreements exist with third parties for ore processing, and there is no certainty that any toll treatment arrangement will be achieved. Felix cautions shareholders and prospective shareholders not to place undue reliance on these forward-looking statements and references to what events have transpired for other entities, which reflect the view of Felix only as of the date of this release. The forward-looking statements made in this release relate only to events as of the date on which the statements are made. Various statements in this release may also be based on the circumstances of other entities. Felix gives no assurance that the anticipated results, performance or achievements expressed or implied in those statements will be achieved.

Previous Disclosure – 2012 JORC Code

The information in this release that relates to Exploration Results, Mineral Resources and Exploration Targets for Felix's Fairbanks Gold Projects was extracted from the following ASX Announcements:

27 Jan 2025 FXG: Antimony Metal Production Program Commences
25 Nov 2025 FXG: Shallow High-grade Gold Results at Treasure Creek
23 Jan 2025 FXG: High-grade Antimony and Gold Results from Trenching
20 June 2024 FXG: Maiden NW Array Inferred Mineral Resource
16 May 2024 FXG: Felix Gold Secures Strategic Claims, Expanding Scale Potential of NW Array Gold Trend
10 Apr 2024 FXG: North West Array Bottle Roll Gold Recoveries Average 90%
19 Oct 2023 FXG: High Grade Antimony Assays up to 28% Sb
11 Aug 2023 FXG: Assay Results Unveiling Substantial Gold Zones with Continued High-Grade Antimony Enrichment
24 July 2023 FXG: Continuation of Broad Zones of Gold and High-Grade Stibnite from NW Array
17 July 2023 FXG: High-Grade Critical Mineral Discovery at NW Array
04 July 2023 FXG: NW Array Drilling Announcement
03 July 2023 FXG: NW Array Drilling Returns Broad Gold Intercepts
30 May 2023 FXG: Drilling Commenced at NW Array
14 Mar 2023 FXG: Exploration Target for NW Array
03 Feb 2023 FXG: Deeper Gold Mineralization and Prospective Feeder Zones Discovered
19 Jan 2023 FXG: New Gold Zones Identified in Reconnaissance Drilling
09 Dec 2022 FXG: Scrafford Shear Potential Grows and High-Grade Antimony Initiatives Commenced
01 Dec 2022 FXG: Near-Surface Gold Zones Extended into Northern Treasure Creek
18 Oct 2022 FXG: Significant Expansion of NW Array Gold Zone
05 Oct 2022 FXG: 400M Traverse of Thick Gold Mineralisation Open
01 Aug 2022 FXG: Multiple Thick, Near-Surface Intercepts at Treasure Creek
22 Jun 2022 FXG: Step-out Drilling Success at Treasure Creek
28 Jan 2022 FXG: Felix Gold Prospectus

A copy of such announcements is available to view on the Felix Gold Limited website felixgold.com.au/announcements. **These previous reports were issued in accordance with the 2012 Edition of the JORC Code.** The Company confirms that it is not aware of any new information or data that materially affects the information included in the original market announcements. The Company confirms that the form and context in which the Competent Person's findings are presented have not been materially modified from the original market announcement.

APPENDIX: JORC Code Table 1 Report

Section 1: Sampling Techniques and Data

Criteria	Explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> • <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as downhole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i> • <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i> • <i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems.</i> • <i>Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i> 	<ul style="list-style-type: none"> • Reverse Circulation drilling was sampled on 1.52 m (5 feet) intervals from which 5-6kg was split and pulverised / crushed to produce samples for ICP multi-element analysis, high grade Sb analysis and gold analysis by PhotonAssay™ • Diamond drill core was sampled over downhole lengths between 0.3m and 2.5m (average 1m) to produce samples for ICP multi-element analysis, high grade Sb analysis and gold analysis by PhotonAssay™ . Diamond drill-core sample intervals were adjusted based on changes in geology.

Criteria	Explanation	Commentary
<p>Drilling techniques</p>	<ul style="list-style-type: none"> • <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i> 	<ul style="list-style-type: none"> • Reverse Circulation (RC) holes were drilled with a 76mm (3 inch) face-sampling hammer with 73mm (2.875 inch) drill rods and 102mm (4 inch) casing. • Diamond holes were wireline HQ (63.5mm diameter) holes. • The diamond drill program reported here was undertaken by C-n-C Drilling LLC utilizing CS 14 skid mounted drill. • Core was oriented wherever possible for collection of structural data using a Reflex ACTIII • The core was reconstructed into continuous runs on a cradle for orientation marking before it was laid in the box at the drill.

Criteria	Explanation	Commentary
<p>Drill sample recovery</p>	<ul style="list-style-type: none"> • <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> • <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i> • <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i> 	<ul style="list-style-type: none"> • RC samples were visually assessed for recovery and were considered representative of bedrock intersected. • For several RC holes the first (and sometimes second) samples had insufficient recoveries from the splitter to provide enough material for a photonassay analysis. • Visual inspection of samples estimated no significant loss of sample from each 1.52m interval. • No relationship between sample recovery and reported analyses has been established. • Diamond core recovery was determined by measuring the total length of core in the barrel over the run length. • Hole depths were checked against the drillers core blocks at the time of processing. Inconsistencies between the logging and the driller's depth measurement blocks were investigated. • Diamond core samples are considered dry. The recovery and condition are recorded between every core block. Generally, recovery is 98-100% but on very rare occasions in weathered material or very broken material, recovery was down to 50%. • For Diamond drilling, contractors adjust the rate of drilling and method of recovery issues arise • No significant sample loss or bias has been noticed

Criteria	Explanation	Commentary
<p>Logging</p>	<ul style="list-style-type: none"> • <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> • <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> • <i>The total length and percentage of the relevant intersections logged.</i> 	<ul style="list-style-type: none"> • Qualitative logging of RC chips and diamond core for lithology and alteration with semi-quantitative logs for oxide and sulphide mineralisation. • RC and diamond holes were logged in for their entire lengths. • Logging detail is sufficient to support geological modelling and mineral resource estimation. • Representative RC chip samples from each 1.52m interval were placed in chip trays and photographed. • All drill core was photographed wet using a digital camera and stored on the site server. • Core logging included RQD and geotechnical measurements. Structural measurements of veins, fractures and foliation were taken from core using a strip protractor.

Criteria	Explanation	Commentary
<p>Sub-sampling techniques and sample preparation</p>	<ul style="list-style-type: none"> • <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> • <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> • <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> • <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> • <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> • <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i> 	<ul style="list-style-type: none"> • RC intervals were sub-sampled using a 3-tier dry sample splitter attached to the drill rig cyclone. Two samples were taken from each 1.52 m interval, collecting ~12.5% each of the total sample, ranging in weight from 2-3 kg. One sample was retained for archival purposes while the other was sent to the analytical laboratory. • Diamond core sampling intervals were determined by the logging geologist, with sampling breaks at major changes in lithology/alteration or mineralisation. Sub-samples were taken by sawing the HQ core in half along its axis using a Dewalt tile saw on-site. One half of the core was bagged for analysis and the other half retained in the core tray. • Sample sizes for RC and core samples are considered appropriate for both gold and antimony mineralisation. • Quality control procedures for ensuring sample representivity in RC sampling comprised the use of field duplicates and pulp duplicates at a rate of 1 in 20, alternating between the two duplicate types. • Quality control procedures for ensuring sample representivity in core sampling comprised the use of coarse crush duplicate splits from half core samples and pulp duplicates at a rate of 1 in 20, alternating between the two duplicate types. • Duplicate results show that for RC and diamond drilling sampling is representative for antimony, with variability in results linked to assay methods rather than sampling (see below).

<p>Quality of assay data and laboratory tests</p>	<ul style="list-style-type: none"> • <i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> • <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> • <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i> 	<ul style="list-style-type: none"> • All samples were submitted to MSA Laboratories in Vancouver, Canada for analysis. • Gold was analysed using the PhotonAssay technique (MSA labs CPAu-1D method code). Two splits of approximately 500g of crushed material (70% passing 2mm) are taken from the sub-sample submitted to the laboratory using a riffle splitter. Both splits are subjected to high-intensity X-rays and the resulting gamma radiation emissions are detected and used to determine gold concentration in the sample. • For some very low-volume RC sub-samples at the hole collar there was insufficient material to provide the 500g required for photonassay. These are marked in appendix 2 as “insufficient sample”. • Analysis of split pair samples shows very good correlation with only three outlier values that have yet to be explained. • PhotonAssay results include quality flags for some samples that were reviewed by the CP: <ul style="list-style-type: none"> ○ HB (High Background): Indicates elevated background radiation detected during measurement, primarily affecting samples <0.1 ppm Au. Multi-element data shows Ba, U, and Th levels are generally low. ○ HET (Heterogeneous): Indicates high within-sample variability based on multiple readings at different angles. Less than 0.1% of analyses (8 samples) were flagged with HET and of these only 3 samples showed a significant difference between duplicate pairs • 5% of samples submitted for PhotonAssay are being cross-checked by screen fire assay at the same laboratory. No results for screen fire assays are available as yet.
--	---	--

Criteria	Explanation	Commentary
		<ul style="list-style-type: none"> • 4 acid digest with ICP-MS finish was used to analyse for a full suite of trace elements: Ag, Al, As, Ba, Be, Bi, Ca, Cd, Ce, Co, Cr, Cs, Cu, Fe, Ga, Ge, Hf, In, K, La, Li, Mg, Mn, Mo, Na, Nb, Ni, P, Pb, Rb, Re, S, Sb, Sc, Se, Sn, Sr, Ta, Te, Th, Ti, Tl, U, V, W, Y, Zn, Zr. • 4-Acid ICP-MS has an upper detection limit (UDL) of 1% for antimony. Suspected very high-grade (>10% Sb) samples were flagged in sample submission sheets and analysed using a wet titration method. Samples not flagged as high grade, but which returned above UDL assays for ICP were re-analysed using a peroxide fusion with ICP finish. The cut-off ICP Sb assay for re-analysis by peroxide fusion was changed to 3000ppm after results indicated that volatile loss and insoluble precipitate formation was causing some ICP results to severely under-call the Sb grade. • Quality control procedures include the insertion of certified reference materials, coarse blanks (locally sourced sand) and field and pulp duplicates. Acceptable levels of accuracy and precision have been established, notwithstanding the issues with some Sb analyses described above

Criteria	Explanation	Commentary
Verification of sampling and assaying	<ul style="list-style-type: none"> • <i>The verification of significant intersections by either independent or alternative company personnel.</i> • <i>The use of twinned holes.</i> • <i>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</i> • <i>Discuss any adjustment to assay data.</i> 	<ul style="list-style-type: none"> • A senior manager verifies all significant and anomalous intersections during the drill hole validation process. • All primary data was collected in the field by Felix Gold contract staff and supplied in digital format to Felix Gold. • No twinned holes were drilled for this data set. • All data is stored and validated within a Plexer relational database managed by Gad Solutions in Brisbane, Australia. Data undergoes QA/QC validation prior to being accepted and loaded in the database. Assay results are merged when received electronically from the laboratory. A senior geologist reviews the dataset checking for the correct merging of results and that all data has been received and entered. Any adjustments to this data are recorded permanently in the database. Digital records of assays are stored electronically. • No adjustments have been made to the final assay data reported by the laboratory
Location of data points	<ul style="list-style-type: none"> • <i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i> • <i>Specification of the grid system used.</i> • <i>Quality and adequacy of topographic control.</i> 	<ul style="list-style-type: none"> • RC and diamond hole collar locations are initially located by handheld GPS to an accuracy of 3m. • After completion of drilling, all drill collars are located with a differential GPS system to an accuracy of 10 cm. • Locations are given in NAD83/UTM Zone 6N projection. • Diagrams and location table are provided in the report. • Topographic control is by detailed airphoto, DTM file, and differential GPD • Downhole surveys were conducted using an Axis Champ north-seeking gyro tool which collected data points approximately every 3 m downhole. • True north azimuths supplied from the gyro were corrected to UTM grid north.

Criteria	Explanation	Commentary
Data spacing and distribution	<ul style="list-style-type: none"> • <i>Data spacing for reporting of Exploration Results.</i> • <i>Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i> • <i>Whether sample compositing has been applied.</i> 	<ul style="list-style-type: none"> • Variable drill hole spacings were used to adequately test targets and are determined from geochemical, geophysical and geological data with historical drilling information. • Data spacing is sufficient to establish geological and grade continuity to a level appropriate for a future update of the current gold-only mineral resource estimate at NW Array with addition of antimony • Reported intersections have been composited using a cut-off grade of 0.2% Sb.
Orientation of data in relation to geological structure	<ul style="list-style-type: none"> • <i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i> • <i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i> 	<ul style="list-style-type: none"> • Drill holes are oriented at various angles to mineralised structures, in part due to access restrictions for drill pad locations and also due to the interpreted difference in strike and dip of the main mineralised structures. • Although individual holes may not be oriented optimally for sampling some structures, there is no overall sampling bias introduced.
Sample security	<ul style="list-style-type: none"> • <i>The measures taken to ensure sample security.</i> 	<ul style="list-style-type: none"> • Samples were collected by company personnel on site, to the company logging and cutting office and delivered direct to the preparation laboratory via company personnel. A transport contractor takes the prepared samples to Vancouver.
Audits or reviews	<ul style="list-style-type: none"> • <i>The results of any audits or reviews of sampling techniques and data.</i> 	<ul style="list-style-type: none"> • No audits or reviews have been completed at this early stage of the drilling program.

Section 2: Reporting of Exploration Results

Criteria	Explanation	Commentary
Mineral tenement and land tenure status	<ul style="list-style-type: none"> Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area. 	<ul style="list-style-type: none"> The Treasure Creek Project is located in the Fairbanks Gold Mining District in central Alaska. The Treasure Creek Project area consists of 238 active Alaska State Mining Claims (MCs) and 2 Upland Mining Leases (UMLs) for a total of 11687.31 hectares. There are also 4 pending MCs for a total of 64.75 hectares. The Treasure Creek Project is a consolidation of mining claims and upland mining leases held by Oro Grande Mining Claims LLC (10 MCs and 1 UML), Goldstone Resources LLC (19 MCs and 1 UML), Wally Trudeau (5 MCs), and Felix Gold Ltd (204 MCs). Felix has acquired the mining claims or the exclusive rights to explore and an option to purchase the mining claims. Felix has acquired all requisite operating permits to conduct the current exploration program.
Exploration done by other parties	<ul style="list-style-type: none"> Acknowledgment and appraisal of exploration by other parties. 	<ul style="list-style-type: none"> Gold was first discovered at Fairbanks in 1902, since then the wider area has been the subject of an enormous amount of exploration and placer mining by companies and individual prospectors. Since 1969, the Treasure Creek area has been explored by companies including Cantu Minerals, Mohawk Oil, Aalenian Resources/Silverado Mines, American Copper and Nickel Company (ACNC), Amax, Goldstone/Our Creek (OCMC), Canex Resources, Tri-Con Mining and BHP-Utah. Most of the work was focused on Au-Sb mines at and around Scrafford, and in the eastern third of Felix's current tenure. Several diamond holes were completed in the NW Array prospect area.

Criteria	Explanation	Commentary
Geology	<ul style="list-style-type: none"> • <i>Deposit type, geological setting and style of mineralisation.</i> 	<ul style="list-style-type: none"> • Hard-rock gold mineralisation styles in Felix's Treasure Creek prospect are currently dominated by shear- and fault-vein hosted gold ± antimony deposits, including historic mines at Scrafford (Sb). Broad zones of disseminated and stockwork gold mineralisation are also found within Cretaceous age intrusive rocks, such as at Fort Knox (operated by Kinross) and Golden Summit (Freegold Ventures). • Gold mineralisation is linked to a causative intrusion of Cretaceous-Tertiary felsic to intermediated composition. Proximity to the intrusion, structural setting and host rock all control the specific style of deposit produced. Antimony mineralisation is also associated with these felsic sill-like bodies. • Post-mineralisation cover in the Fairbanks area comprises valley-fill gravels plus locally thick accumulations of wind-blown silt (loess).
Drill hole information	<ul style="list-style-type: none"> • <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> • <i>easting and northing of the drill hole collar</i> • <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> • <i>dip and azimuth of the hole</i> • <i>down hole length and interception depth hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i> 	<ul style="list-style-type: none"> • Refer to the body of the text of the announcement for all drill hole information relating to this announcement. • Details of any other drill holes referred to can be found in previous announcements listed under "Previous Disclosure - JORC 2012 Code". • No material information has been excluded.

Criteria	Explanation	Commentary
Data aggregation methods	<ul style="list-style-type: none"> <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i> 	<ul style="list-style-type: none"> Significant Gold intercepts are regarded as those having minimum continuous mineralisation of at least 3.0m @ >0.3 g/t Au. Assays were aggregated by length-weighted averaging with no top-cutting applied. A maximum of 5m total of internal waste with 2.5m consecutive waste intervals was allowed during economic compositing. No metal equivalents have been reported.
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <i>These relationships are particularly important in the reporting of Exploration Results.</i> <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i> 	<ul style="list-style-type: none"> All intercepts quoted are downhole widths. The geometry of mineralisation with respect to the hole angle varies due to the wide range of drilling azimuths and variable strike and dip of mineralised zones. Modelling is ongoing to determine the true thickness of different gold mineralised zones. Where core drilling has intersected structures with discernable orientations the estimated true widths are indicated in Table Further drill results should verify the orientations of mineralisation as presented in this announcement.
Diagrams	<ul style="list-style-type: none"> <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i> 	<ul style="list-style-type: none"> Refer to figures in the body of the text.

Criteria	Explanation	Commentary
Balanced reporting	<ul style="list-style-type: none"> Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results. 	<ul style="list-style-type: none"> Gold plus previously reported antimony and arsenic assays for all samples in the reported drill holes are included as an appendix to this announcement.
Other substantive exploration data	<ul style="list-style-type: none"> Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances. 	<ul style="list-style-type: none"> Trenching completed earlier this year and in 2024 confirmed the presence of east-striking and south-dipping zones of complex stibnite veining that vary in width and tenor over short strike lengths. A maiden Mineral Resource estimate was reported on 20th June 2024 for gold mineralisation at NW Array (FXG announcement 20 June 2024). Antimony was not included in the estimate due to lack of assay data Metallurgical testwork on bulk samples was completed earlier in 2025 on bulk samples from trenching (FXG Announcement 29 May 2025). Testwork achieved 85% Sb recovery, producing 69% Sb grade concentrates via gravity and flotation processes. Bulk density has been determined by the water immersion method on drill core samples, giving a density for porphyry of 2.59 g/cm³ and schist of 2.7 g/cm³. Additional density measurements on drill core samples are being undertaken. Four water monitoring bore holes were drilled as part of the 2025 drilling program and data on groundwater levels has been collected over 2 quarters.
Further work	<ul style="list-style-type: none"> The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive. 	<ul style="list-style-type: none"> The 2025 drill program at NW array is ongoing, mainly targeted at better definition of the known mineralised zones, in particular the high-grade “black breccia” The mineralised system remains open at depth and along strike to the north and south.

Appendix: Complete Assay Data

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCDC007	4777404	0	2.06	0.196	0.09	599.2
25TCDC007	4777405	2.06	3.05	0.082	0.05	682.1
25TCDC007	4777407	3.05	4.15	0.054	0.03	486.6
25TCDC007	4777408	4.15	5.21	0.024	0.03	577.5
25TCDC007	4777409	5.21	6.1	0.059	0.03	651.6
25TCDC007	4777410	6.1	7	0.071	0.01	249.9
25TCDC007	4777411	7	7.88	0.025	0.12	1974
25TCDC007	4777413	7.88	8.78	0.048	0.01	211.8
25TCDC007	4777414	8.78	9.88	0.048	0.01	150.8
25TCDC007	4777415	9.88	10.67	0.055	0.07	1167.2
25TCDC007	4777416	10.67	11.63	-0.015	0.03	386.3
25TCDC007	4777417	11.63	12.36	0.065	0.04	737.7
25TCDC007	4777418	12.36	13.23	0.022	0.02	443.3
25TCDC007	4777419	13.23	13.87	-0.015	0.03	509.6
25TCDC007	4777420	13.87	15.24	-0.015	0.02	291.7
25TCDC007	4777421	15.24	16.3	-0.015	0.02	201.2
25TCDC007	4777422	16.3	17.06	0.033	0.02	146.1
25TCDC007	4777424	17.06	17.8	-0.015	0.01	156.5
25TCDC007	4777425	17.8	18.96	-0.015	0.01	119.1
25TCDC007	4777426	18.96	19.97	-0.015	0.01	159.5
25TCDC007	4777427	19.97	20.86	-0.015	0.01	86.8
25TCDC007	4777428	20.86	21.8	0.074	0.02	331
25TCDC007	4777430	21.8	22.61	0.023	0.01	196.6
25TCDC007	4777431	22.61	23.59	0.058	0.02	136.4
25TCDC007	4777432	23.59	24.71	-0.015	0.02	358.1
25TCDC007	4777434	24.71	25.82	0.084	0.02	272.2
25TCDC007	4777435	25.82	26.61	0.035	0.01	191.8
25TCDC007	4777436	26.61	28.16	0.107	0.02	292.7
25TCDC007	4777437	28.16	29.44	0.075	0.02	412.2
25TCDC007	4777438	29.44	30.55	0.091	0.02	396.9
25TCDC007	4777439	30.55	31.46	0.126	0.01	672.4
25TCDC007	4777440	31.46	32.02	0.317	0.02	1119.4
25TCDC007	4777441	32.02	32.58	1.255	0.03	1483.1
25TCDC007	4777442	32.58	33.44	0.27	0.02	883.6
25TCDC007	4777443	33.44	34.5	0.328	0.01	996.1
25TCDC007	4777445	34.5	35.69	0.433	0.01	986.1
25TCDC007	4777446	35.69	37.17	0.109	0.02	683.4
25TCDC007	4777447	37.17	38.17	0.114	0.01	1086
25TCDC007	4777448	38.17	39.08	0.317	0.01	1509.5
25TCDC007	4777449	39.08	39.67	1.179	0.03	1431.1
25TCDC007	4777450	39.67	40.73	0.478	0.03	1233.2
25TCDC007	4777451	40.73	41.52	0.207	0.02	715.6
25TCDC007	4777453	41.52	42.27	0.356	0.05	1572
25TCDC007	4777454	42.27	43.34	0.385	0.03	1447.4

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCDC007	4777455	43.34	44.4	0.317	0.03	1396.9
25TCDC007	4777456	44.4	44.87	0.385	0.03	2260.2
25TCDC007	4777457	44.87	45.92	0.179	0.01	859.9
25TCDC007	4777458	45.92	46.95	0.099	0.01	445.4
25TCDC007	4777460	46.95	47.98	0.112	0.01	855.4
25TCDC007	4777461	47.98	48.48	0.229	0.02	1591.3
25TCDC007	4777462	48.48	49.25	0.178	0.02	1299.7
25TCDC007	4777463	49.25	49.85	1.126	0.02	1823.8
25TCDC007	4777464	49.85	50.66	0.659	0.05	1682.9
25TCDC007	4777465	50.66	51.48	0.564	0.04	1882.4
25TCDC007	4777466	51.48	52.28	4.057	0.07	4150.1
25TCDC007	4777467	52.28	53.01	6.412	0.06	3058.3
25TCDC007	4777468	53.01	53.44	4.232	0.27	2197.7
25TCDC007	4777470	53.44	53.87	3.723	0.09	2703.4
25TCDC007	4777471	53.87	54.66	3.55	0.28	2598.3
25TCDC007	4777472	54.66	55.39	1.776	0.08	2396.4
25TCDC007	4777473	55.39	55.97	3.729	0.9	6087.8
25TCDC007	4777474	55.97	56.47	3.647	5.53	4189.3
25TCDC007	4777476	56.47	57.08	2.575	0.21	2474.6
25TCDC007	4777477	57.08	57.59	5.592	2.32	1767.4
25TCDC007	4777478	57.59	58.03	4.801	0.06	3706.1
25TCDC007	4777479	58.03	59.34	26.129	0.1	10000
25TCDC007	4777480	59.34	60.53	1.847	0.16	2523.9
25TCDC007	4777482	60.53	61.7	1.524	0.4	1639.3
25TCDC007	4777483	61.7	62.18	1.707	0.2	1002.1
25TCDC007	4777484	62.18	62.56	5.184	3.04	1427.1
25TCDC007	4777485	62.56	63.21	1.487	2.42	428.2
25TCDC007	4777486	63.21	64	0.874	0.13	337.4
25TCDC007	4777487	64	64.82	1.178	0.71	215.5
25TCDC007	4777489	64.82	65.66	2.753	0.23	584.5
25TCDC007	4777490	65.66	66.57	3.85	0.76	959.6
25TCDC007	4777491	66.57	67.17	4.197	0.04	386.2
25TCDC007	4777492	67.17	67.6	4.695	0.31	219.2
25TCDC007	4777493	67.6	68.43	2.772	0.04	578.9
25TCDC007	4777494	68.43	69	0.242	0.02	1430.7
25TCDC007	4777495	69	69.4	4.401	0.45	729
25TCDC007	4777496	69.4	70.1	4.714	1.48	457.2
25TCDC007	4777497	70.1	70.95	4.726	0.36	369.3
25TCDC007	4777498	70.95	71.69	4.128	3.42	1677.9
25TCDC007	4777500	71.69	72.5	0.722	0.4	167.1
25TCDC007	4777502	72.5	72.93	2.451	0.08	2620.2
25TCDC007	4777503	72.93	73.49	3.531	0.1	4867.3
25TCDC007	4777504	73.49	74.14	3.605	1.03	3540.1
25TCDC007	4777505	74.14	74.74	1.933	0.04	2148.7
25TCDC007	4777506	74.74	75.57	3.486	0.04	5963.3
25TCDC007	4777507	75.57	76.72	3.464	0.05	4376
25TCDC007	4777508	76.72	77.62	2.467	0.76	418.7

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCDC007	4777509	77.62	78.07	2.628	4.68	522.2
25TCDC007	4777511	78.07	78.66	2.091	0.18	531.5
25TCDC007	4777512	78.66	79.58	0.206	0.04	1702.4
25TCDC007	4777513	79.58	80.71	0.069	0.01	863.4
25TCDC007	4777514	80.71	82.3	0.134	0.05	955.4
25TCDC023	5600748	0	1.49	0.204	0.05	675.5
25TCDC023	5600749	1.49	2.53	0.94	0.01	1573.5
25TCDC023	5600750	2.53	3.62	0.229	0.02	976.4
25TCDC023	5600751	3.62	4.56	0.477	0.02	1908.2
25TCDC023	5600752	4.56	5.52	0.358	0.02	2470.5
25TCDC023	5600753	5.52	6.27	0.203	0.01	1182.6
25TCDC023	5600754	6.27	6.7	0.23	0.01	214.8
25TCDC023	5600755	6.7	7.62	0.317	0.02	1759.2
25TCDC023	5600756	7.62	8.28	0.202	0.01	1224.3
25TCDC023	5600757	8.28	8.68	0.066	0.01	639.9
25TCDC023	5600758	8.68	9.21	0.078	0.01	581.9
25TCDC023	5600759	9.21	9.86	-0.015	0.01	506.1
25TCDC023	5600761	9.86	10.97	0.75	0.01	1179.1
25TCDC023	5600762	10.97	11.79	0.114	0.01	491.1
25TCDC023	5600763	11.79	12.75	-0.015	0.01	135.9
25TCDC023	5600764	12.75	13.58	0.039	0.01	297.3
25TCDC023	5600765	13.58	14.37	0.026	0.01	436.6
25TCDC023	5600766	14.37	15.35	0.044	0.01	804.8
25TCDC023	5600767	15.35	15.91	0.059	0.06	2312.3
25TCDC023	5600768	15.91	17.11	0.139	0.01	320.1
25TCDC023	5600770	17.11	18.24	0.197	0.06	673
25TCDC023	5600771	18.24	19.14	0.05	0.02	455.1
25TCDC023	5600772	19.14	20.08	0.197	0.08	882.6
25TCDC023	5600774	20.08	20.45	0.375	0.98	211.7
25TCDC023	5600775	20.45	21.29	0.272	0.07	533
25TCDC023	5600776	21.29	21.87	0.423	0.12	179.3
25TCDC023	5600777	21.87	22.33	2.339	20.26	287.7
25TCDC023	5600778	22.33	22.74	2.931	15.7	394.8
25TCDC023	5600780	22.74	23.31	0.101	0.1	900.4
25TCDC023	5600781	23.31	24.35	0.071	0.07	428.2
25TCDC023	5600782	24.35	25.51	0.416	0.09	1342.9
25TCDC023	5600783	25.51	26.75	0.171	0.05	2520
25TCDC023	5600784	26.75	27.66	0.276	0.03	2088
25TCDC023	5600785	27.66	28.7	0.64	0.06	2246.6
25TCDC023	5600788	29.35	30.2	0.665	0.03	1209.9
25TCDC023	5600789	30.2	30.89	0.42	0.27	760.6
25TCDC023	5600790	30.89	31.33	0.441	2.02	326.8
25TCDC023	5600791	31.33	31.94	0.779	0.1	1100.3
25TCDC023	5600792	31.94	32.7	0.761	0.06	1785.9
25TCDC023	5600793	32.7	33.48	0.951	0.03	1890.3
25TCDC023	5600794	33.48	33.96	2.862	0.04	1327
25TCDC023	5600796	33.96	34.88	0.929	0.05	1337.4

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCDC023	5600797	34.88	36.05	1.291	0.03	1488.5
25TCDC023	5600798	36.05	36.99	0.687	0.03	1390
25TCDC023	5600799	36.99	38.31	0.496	0.01	1096.8
25TCDC023	5600800	38.31	39.17	0.814	0.07	801.9
25TCDC023	5600801	39.17	40.08	0.834	0.03	1060.8
25TCDC023	5600802	40.08	40.98	0.624	0.02	1473.4
25TCDC023	5600803	40.98	41.84	0.417	0.02	1459.7
25TCDC023	5600804	41.84	42.82	1.458	0.04	2140
25TCDC023	5600805	42.82	43.56	1.66	0.03	2014.4
25TCDC023	5600807	43.56	44.33	1.457	0.04	1777.1
25TCDC023	5600808	44.33	45.42	1.598	0.04	1772.8
25TCDC023	5600809	45.42	46.4	1.079	0.02	875.6
25TCDC023	5600810	46.4	47.34	1.104	0.02	1348.1
25TCDC023	5600811	47.34	48.55	2.994	0.02	1736
25TCDC023	5600812	48.55	49.59	4.998	0.02	1949.5
25TCDC023	5600813	49.59	50.01	2.624	0.18	1749.5
25TCDC023	5600814	50.01	50.78	6.725	0.07	2968.7
25TCDC023	5600815	50.78	51.7	3.173	0.04	2214.9
25TCDC023	5600817	51.7	52.53	5.464	0.08	2820.1
25TCDC023	5600818	52.53	53.35	1.173	0.04	1617.8
25TCDC023	5600820	53.35	54.49	2.955	0.03	1384.3
25TCDC023	5600821	54.49	55.24	2.822	0.03	1223.6
25TCDC023	5600822	55.24	55.63	1.646	0.03	2283.7
25TCDC023	5600823	55.63	56.03	1.004	0.02	2036.9
25TCDC023	5600825	56.03	57.46	3.698	0.03	5908.3
25TCDC023	5600826	57.46	58.52	0.782	0.08	3324.9
25TCDC023	5600827	58.52	59.53	1.423	0.37	5418.8
25TCDC023	5600828	59.53	59.91	2.744	5.2	1850.6
25TCDC023	5600829	59.91	60.75	2.388	4.83	1762.4
25TCDC023	5600831	60.75	61.38	2.217	0.88	1535.2
25TCDC023	5600832	61.38	61.99	1.034	10.93	1018.5
25TCDC023	5600833	61.99	62.52	1.907	0.71	2566.1
25TCDC023	5600834	62.52	63.29	3.493	3.78	3597.1
25TCDC023	5600835	63.29	64.2	3.133	6.78	3435
25TCDC023	5600836	64.2	64.83	4.431	0.51	7297.7
25TCDC023	5600837	64.83	65.23	8.173	1.32	10000
25TCDC023	5600838	65.23	65.64	4.346	8.79	6557.1
25TCDC023	5600839	65.64	66.14	6.896	9.4	4377
25TCDC023	5600841	66.14	67.19	5.321	0.11	5624
25TCDC023	5600842	67.19	67.98	5.585	8.98	4868.1
25TCDC023	5600843	67.98	69	7.418	6.52	4153.1
25TCDC023	5600845	69	69.99	3.653	6.41	3364.3
25TCDC023	5600846	69.99	70.53	1.62	0.42	991.5
25TCDC023	5600847	70.53	72.07	1.396	0.76	1031.1
25TCDC023	5600848	72.07	72.72	1.892	0.6	1199
25TCDC023	5600849	72.72	73.27	2.568	0.12	3789.6
25TCDC023	5600850	73.27	73.97	3.865	0.06	4282.8

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCDC023	5600851	73.97	74.79	2.582	0.19	3657.9
25TCDC023	5600852	74.79	75.29	2.81	2.57	1597.1
25TCDC023	5600853	75.29	75.75	5.102	0.63	4169
25TCDC023	5600854	75.75	76.3	3.658	0.39	3580.2
25TCDC023	5600856	76.3	76.78	0.731	0.01	1666.4
25TCDC023	5600857	76.78	77.41	0.26	0.01	1814.1
25TCDC023	5600858	77.41	78.78	0.101	0.01	1679.3
25TCDC023	5600861	79.95	80.86	0.031	0	393.9
25TCDC023	5600862	80.86	81.93	0.026	0.01	219.2
25TCDC023	5600863	81.93	82.9	0.029	0.01	67.2
25TCDC023	5600864	82.9	84.11	0.079	0.01	110.5
25TCDC023	5600865	84.11	84.98	0.023	0.01	32.9
25TCDC023	5600866	84.98	86.15	0.028	0.01	18.4
25TCDC023	5600867	86.15	86.91	0.04	0.01	35.5
25TCDC023	5600869	86.91	87.67	-0.015	0	41.9
25TCDC023	5600870	87.67	88.65	-0.015	0	39.6
25TCDC023	5600871	88.65	89.21	0.054	0.01	116.5
25TCDC023	5600873	89.21	89.92	0.015	0	28.2
25TCMW001	PN0000883001	0	1.52	0.216	0.11	327.7
25TCMW001	PN0000883002	1.52	3.05	0.133	0.03	287
25TCMW001	PN0000883003	3.05	4.57	-0.015	0.02	189.6
25TCMW001	PN0000883004	4.57	6.1	0.079	0.03	383.4
25TCMW001	PN0000883005	6.1	7.62	0.123	0.01	165.6
25TCMW001	PN0000883007	7.62	9.14	0.026	0.01	221.9
25TCMW001	PN0000883008	9.14	10.67	0.059	0.02	423.4
25TCMW001	PN0000883009	10.67	12.19	0.046	0.01	349.9
25TCMW001	PN0000883011	12.19	13.72	0.086	0.02	1406.2
25TCMW001	PN0000883012	13.72	15.24	0.036	0.02	513.7
25TCMW001	PN0000883013	15.24	16.76	0.048	0.03	741
25TCMW001	PN0000883014	16.76	18.29	0.101	0.02	215.7
25TCMW001	PN0000883015	18.29	19.81	insufficient sample	0.03	675.8
25TCMW001	PN0000883016	19.81	21.34	0.296	0.04	531.9
25TCMW001	PN0000883017	21.34	22.86	0.437	0.02	444.8
25TCMW001	PN0000883018	22.86	24.38	0.232	0.02	556.8
25TCMW001	PN0000883019	24.38	25.91	0.675	0.02	298.6
25TCMW001	PN0000883021	25.91	27.43	0.661	0.03	653.4
25TCMW001	PN0000883022	27.43	28.96	0.283	0.02	533.7
25TCMW001	PN0000883023	28.96	30.48	0.52	0.02	705.1
25TCMW001	PN0000883024	30.48	32	0.56	0.01	543.9
25TCMW001	PN0000883026	32	33.53	0.525	0.01	654
25TCMW001	PN0000883027	33.53	35.05	0.292	0.01	387.9
25TCMW001	PN0000883028	35.05	36.58	0.461	0.01	468.5
25TCMW001	PN0000883029	36.58	38.1	1.185	0.07	431
25TCMW001	PN0000883031	38.1	39.62	0.597	0.12	881.6
25TCMW001	PN0000883032	39.62	41.15	0.15	0.08	881.6
25TCMW001	PN0000883033	41.15	42.67	-0.015	0.06	1066.7

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCMW001	PN0000883034	42.67	44.2	0.168	0.02	360.4
25TCMW001	PN0000883035	44.2	45.72	0.105	0.03	1041.4
25TCMW001	PN0000883036	45.72	47.24	0.162	0.01	935.3
25TCMW001	PN0000883037	47.24	48.77	0.079	0.01	785.6
25TCMW001	PN0000883038	48.77	50.29	0.087	0.01	773.2
25TCMW001	PN0000883039	50.29	51.82	0.027	0.01	536.7
25TCMW001	PN0000883041	51.82	53.34	0.018	0.01	559.2
25TCMW001	PN0000883042	53.34	54.86	0.119	0.01	773.4
25TCMW001	PN0000883043	54.86	56.39	0.086	0	504.4
25TCMW001	PN0000883044	56.39	57.91	0.122	0.03	437.3
25TCMW001	PN0000883046	57.91	59.44	0.057	0.01	357.1
25TCMW001	PN0000883047	59.44	60.96	0.053	0	237
25TCMW001	PN0000883048	60.96	62.48	0.061	0.01	323.8
25TCMW001	PN0000883049	62.48	64.01	0.063	0	253
25TCRC006	PN0000883215	0	1.52	0.619	0.76	651.3
25TCRC006	PN0000883216	1.52	3.05	0.394	0.12	1385.5
25TCRC006	PN0000883217	3.05	4.57	0.188	0.21	948.6
25TCRC006	PN0000883218	4.57	6.1	0.708	0.13	1067.8
25TCRC006	PN0000883219	6.1	7.62	0.453	0.13	1379.9
25TCRC006	PN0000883221	7.62	9.14	0.409	0.08	849.8
25TCRC006	PN0000883222	9.14	10.67	0.212	0.05	1252.4
25TCRC006	PN0000883223	10.67	12.19	0.133	0.04	688.8
25TCRC006	PN0000883224	12.19	13.72	0.093	0.02	523.4
25TCRC006	PN0000883226	13.72	15.24	0.34	0.04	583.8
25TCRC006	PN0000883227	15.24	16.76	0.088	0.03	688.9
25TCRC006	PN0000883228	16.76	18.29	0.173	0.04	1062
25TCRC006	PN0000883229	18.29	19.81	0.059	0.06	558.9
25TCRC006	PN0000883231	19.81	21.34	0.202	0.04	771.8
25TCRC006	PN0000883232	21.34	22.86	0.063	0.02	453.3
25TCRC006	PN0000883233	22.86	24.38	0.145	0.02	640.6
25TCRC006	PN0000883234	24.38	25.91	0.037	0.01	418.3
25TCRC006	PN0000883235	25.91	27.43	0.045	0.02	420.1
25TCRC006	PN0000883236	27.43	28.96	0.046	0.01	497
25TCRC006	PN0000883237	28.96	30.48	0.097	0.02	403.4
25TCRC006	PN0000883238	30.48	32	0.053	0.01	491
25TCRC006	PN0000883239	32	33.53	0.345	0.04	735.6
25TCRC006	PN0000883241	33.53	35.05	0.143	0.03	612.6
25TCRC006	PN0000883242	35.05	36.58	0.142	0.03	623.7
25TCRC006	PN0000883243	36.58	38.1	0.055	0.04	356
25TCRC006	PN0000883244	38.1	39.62	0.116	0.03	368.3
25TCRC006	PN0000883246	39.62	41.15	0.066	0.03	382.8
25TCRC006	PN0000883247	41.15	42.67	0.063	0.01	241.4
25TCRC006	PN0000883248	42.67	44.2	0.179	0.02	457.5
25TCRC006	PN0000883249	44.2	45.72	0.183	0.02	548.3
25TCRC006	PN0000883251	45.72	47.24	0.032	0.01	298
25TCRC006	PN0000883252	47.24	48.77	0.234	0.02	650.5
25TCRC006	PN0000883253	48.77	50.29	0.144	0.02	568.8

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC006	PN0000883254	50.29	51.82	0.08	0.03	636.3
25TCRC007	PN0000883255	0	1.52	0.347	0.06	1195.4
25TCRC007	PN0000883256	1.52	3.05	0.33	0.1	2990.4
25TCRC007	PN0000883257	3.05	4.57	0.089	0.03	774.2
25TCRC007	PN0000883258	4.57	6.1	0.03	0.02	344.4
25TCRC007	PN0000883259	6.1	7.62	0.017	0.03	566.8
25TCRC007	PN0000883261	7.62	9.14	0.015	0.02	284.6
25TCRC007	PN0000883262	9.14	10.67	-0.015	0.01	347.4
25TCRC007	PN0000883263	10.67	12.19	0.019	0.01	509
25TCRC007	PN0000883264	12.19	13.72	0.022	0.01	352
25TCRC007	PN0000883266	13.72	15.24	0.161	0.01	786.2
25TCRC007	PN0000883267	15.24	16.76	0.212	0.01	1400.5
25TCRC007	PN0000883268	16.76	18.29	0.139	0.04	852.8
25TCRC007	PN0000883269	18.29	19.81	0.489	0.04	716.8
25TCRC007	PN0000883271	19.81	21.34	1.077	0.08	423.7
25TCRC007	PN0000883272	21.34	22.86	0.683	0.08	326.9
25TCRC007	PN0000883273	22.86	24.38	0.201	0.03	576.3
25TCRC007	PN0000883274	24.38	25.91	0.525	0.04	837.7
25TCRC007	PN0000883275	25.91	27.43	0.163	0.05	1153.5
25TCRC007	PN0000883276	27.43	28.96	0.086	0.02	130.8
25TCRC007	PN0000883277	28.96	30.48	0.154	0.02	123.1
25TCRC007	PN0000883278	30.48	32	0.121	0.02	580
25TCRC007	PN0000883279	32	33.53	0.04	0.02	624.1
25TCRC007	PN0000883280	33.53	35.05	0.178	0.04	504.2
25TCRC012	PN0000883481	0	1.52	0.192	0.12	478.3
25TCRC012	PN0000883482	1.52	3.05	0.176	0.1	536.5
25TCRC012	PN0000883483	3.05	4.57	insufficient sample	0.03	344.9
25TCRC012	PN0000883484	4.57	6.1	0.076	0.02	241.1
25TCRC012	PN0000883486	6.1	7.62	-0.015	0.01	72.6
25TCRC012	PN0000883487	7.62	9.14	0.034	0.02	238.4
25TCRC012	PN0000883488	9.14	10.67	0.081	0.03	416
25TCRC012	PN0000883489	10.67	12.19	0.047	0.01	191.9
25TCRC012	PN0000883491	12.19	13.72	0.061	0.02	305.7
25TCRC012	PN0000883492	13.72	15.24	0.056	0.05	415.7
25TCRC012	PN0000883493	15.24	16.76	0.038	0.06	250
25TCRC012	PN0000883494	16.76	18.29	0.179	0.06	443.8
25TCRC012	PN0000883495	18.29	19.81	0.043	0.01	169.7
25TCRC012	PN0000883496	19.81	21.34	-0.015	0.02	199.9
25TCRC012	PN0000883497	21.34	22.86	0.027	0.06	485.2
25TCRC012	PN0000883498	22.86	24.38	0.911	0.32	1427.1
25TCRC012	PN0000883499	24.38	25.91	1.775	0.75	5113.2
25TCRC012	PN0000883501	25.91	27.43	0.739	0.04	3122.3
25TCRC012	PN0000883502	27.43	28.96	0.584	0.06	621.4
25TCRC012	PN0000883503	28.96	30.48	0.084	0.03	521.4
25TCRC012	PN0000883504	30.48	32	0.479	0.03	1689.5
25TCRC012	PN0000883506	32	33.53	0.649	0.24	1689.4
25TCRC012	PN0000883507	33.53	35.05	0.189	0.04	1781.5

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC012	PN0000883508	35.05	36.58	0.566	0.05	1476.8
25TCRC012	PN0000883509	36.58	38.1	0.078	0.02	946.3
25TCRC012	PN0000883511	38.1	39.62	0.59	0.06	2086.8
25TCRC012	PN0000883512	39.62	41.15	0.094	0.03	995.3
25TCRC012	PN0000883513	41.15	42.67	-0.015	0.02	638.9
25TCRC012	PN0000883514	42.67	44.2	0.063	0.01	516.4
25TCRC012	PN0000883515	44.2	45.72	0.063	0.02	686.1
25TCRC012	PN0000883516	45.72	47.24	0.027	0.01	405
25TCRC012	PN0000883517	47.24	48.77	0.092	0.03	796.4
25TCRC012	PN0000883518	48.77	50.29	0.019	0.03	598.3
25TCRC013	PN0000883519	0	1.52	insufficient sample	0.07	480.8
25TCRC013	PN0000883521	1.52	3.05	0.282	0.12	529.2
25TCRC013	PN0000883522	3.05	4.57	0.102	0.07	473.2
25TCRC013	PN0000883523	4.57	6.1	0.072	0.02	238.2
25TCRC013	PN0000883524	6.1	7.62	0.078	0.04	514.7
25TCRC013	PN0000883526	7.62	9.14	0.049	0.03	494.1
25TCRC013	PN0000883527	9.14	10.67	0.134	0.16	570.7
25TCRC013	PN0000883528	10.67	12.19	0.336	0.39	522.9
25TCRC013	PN0000883529	12.19	13.72	0.142	0.1	711.5
25TCRC013	PN0000883531	13.72	15.24	0.166	0.09	955.3
25TCRC013	PN0000883532	15.24	16.76	0.21	0.2	1397.3
25TCRC013	PN0000883533	16.76	18.29	0.225	0.28	1046.5
25TCRC013	PN0000883534	18.29	19.81	0.182	0.14	571.8
25TCRC013	PN0000883535	19.81	21.34	0.091	0.02	400.7
25TCRC013	PN0000883536	21.34	22.86	0.044	0.02	342.3
25TCRC013	PN0000883537	22.86	24.38	-0.015	0.01	133.6
25TCRC013	PN0000883538	24.38	25.91	0.044	0.01	246.4
25TCRC013	PN0000883539	25.91	27.43	0.091	0.02	445.3
25TCRC013	PN0000883541	27.43	28.96	0.107	0.01	417.9
25TCRC013	PN0000883542	28.96	30.48	0.092	0.02	1081.9
25TCRC013	PN0000883543	30.48	32	0.388	0.03	949.6
25TCRC013	PN0000883544	32	33.53	0.238	0.03	1028.8
25TCRC013	PN0000883546	33.53	35.05	0.116	0.03	648.5
25TCRC013	PN0000883547	35.05	36.58	0.098	0.02	554
25TCRC013	PN0000883548	36.58	38.1	0.173	0.02	198.4
25TCRC013	PN0000883549	38.1	39.62	0.02	0.02	202.9
25TCRC013	PN0000883551	39.62	41.15	0.04	0.03	252.1
25TCRC013	PN0000883552	41.15	42.67	0.031	0.03	311.6
25TCRC013	PN0000883553	42.67	44.2	0.114	0.02	823.5
25TCRC013	PN0000883554	44.2	45.72	0.061	0.02	520.8
25TCRC013	PN0000883555	45.72	47.24	0.614	0.07	1082.3
25TCRC013	PN0000883556	47.24	48.77	2.71	0.02	1618
25TCRC013	PN0000883557	48.77	50.29	0.85	0.01	1204.9
25TCRC016	PN0000883639	1.52	3.05	0.227	0.03	682.9
25TCRC016	PN0000883641	3.05	4.57	0.098	0.01	772.6
25TCRC016	PN0000883642	4.57	6.1	0.041	0.01	464.6
25TCRC016	PN0000883643	6.1	7.62	0.181	0.01	484.7

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC016	PN0000883644	7.62	9.14	0.367	0.02	1916.1
25TCRC016	PN0000883646	9.14	10.67	0.406	0.02	1893.1
25TCRC016	PN0000883647	10.67	12.19	0.241	0.01	1206.2
25TCRC016	PN0000883648	12.19	13.72	-0.015	0.01	252.4
25TCRC016	PN0000883649	13.72	15.24	0.026	0.01	256.9
25TCRC016	PN0000883651	15.24	16.76	0.233	0.01	720.9
25TCRC016	PN0000883652	16.76	18.29	0.254	0.02	1124.7
25TCRC016	PN0000883653	18.29	19.81	0.278	0.02	625.9
25TCRC016	PN0000883654	19.81	21.34	0.117	0.04	580.8
25TCRC016	PN0000883655	21.34	22.86	0.366	3.92	376.4
25TCRC016	PN0000883656	22.86	24.38	0.475	3.72	300.8
25TCRC016	PN0000883657	24.38	25.91	0.217	0.06	1095.7
25TCRC016	PN0000883658	25.91	27.43	0.198	2.66	546.1
25TCRC016	PN0000883659	27.43	28.96	0.346	0.05	1133.1
25TCRC016	PN0000883661	28.96	30.48	0.666	0.08	1291.3
25TCRC016	PN0000883662	30.48	32	0.253	0.12	1070.7
25TCRC016	PN0000883663	32	33.53	0.145	0.07	1220.4
25TCRC016	PN0000883664	33.53	35.05	0.078	0.03	936.4
25TCRC016	PN0000883666	35.05	36.58	0.129	0.03	1128.6
25TCRC016	PN0000883667	36.58	38.1	0.197	0.18	887.4
25TCRC016	PN0000883668	38.1	39.62	0.084	0.03	758
25TCRC016	PN0000883669	39.62	41.15	0.398	0.06	1242.9
25TCRC016	PN0000883671	41.15	42.67	0.125	0.04	1369.4
25TCRC016	PN0000883672	42.67	44.2	0.18	0.04	1222.7
25TCRC016	PN0000883673	44.2	45.72	0.155	0.1	1529.4
25TCRC016	PN0000883674	45.72	47.24	0.244	0.06	1240.7
25TCRC016	PN0000883675	47.24	48.77	1.114	0.04	1478.5
25TCRC016	PN0000883676	48.77	50.29	0.399	0.12	1288.5
25TCRC016	PN0000883677	50.29	51.82	0.307	0.05	1034.4
25TCRC016	PN0000883678	51.82	53.34	0.286	0.02	1011.2
25TCRC016	PN0000883679	53.34	54.86	0.264	0.02	751.3
25TCRC016	PN0000883681	54.86	56.39	0.531	0.1	1514.5
25TCRC016	PN0000883682	56.39	57.91	0.369	0.02	1135.8
25TCRC016	PN0000883683	57.91	59.44	0.355	0.04	1466.4
25TCRC016	PN0000883684	59.44	60.96	0.645	0.05	1976
25TCRC016	PN0000883686	60.96	62.48	0.121	0.03	855.3
25TCRC016	PN0000883687	62.48	64.01	0.528	0.04	2302.1
25TCRC016	PN0000883688	64.01	65.53	0.709	0.08	2016
25TCRC016	PN0000883689	65.53	67.06	0.428	0.07	966.2
25TCRC017	PN0000883691	0	1.52	insufficient sample	0.04	351.8
25TCRC017	PN0000883692	1.52	3.05	insufficient sample	0.08	681.8
25TCRC017	PN0000883693	3.05	4.57	0.071	0.02	424.5
25TCRC017	PN0000883694	4.57	6.1	0.106	0.01	363.4
25TCRC017	PN0000883695	6.1	7.62	0.035	0.01	228.7
25TCRC017	PN0000883696	7.62	9.14	0.059	0.01	308.8
25TCRC017	PN0000883697	9.14	10.67	0.103	0.01	370.4
25TCRC017	PN0000883698	10.67	12.19	-0.015	0.01	373.1

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC017	PN0000883699	12.19	13.72	0.076	0.02	362.3
25TCRC017	PN0000883701	13.72	15.24	0.025	0.02	245.6
25TCRC017	PN0000883702	15.24	16.76	0.062	0.03	684.5
25TCRC017	PN0000883703	16.76	18.29	0.439	0.19	1462.8
25TCRC017	PN0000883704	18.29	19.81	-0.015	0.06	681.8
25TCRC017	PN0000883706	19.81	21.34	0.059	0.05	383.7
25TCRC017	PN0000883707	21.34	22.86	0.063	0.02	79.6
25TCRC017	PN0000883708	22.86	24.38	0.102	0.01	178.8
25TCRC017	PN0000883709	24.38	25.91	0.136	0.22	446.9
25TCRC017	PN0000883711	25.91	27.43	0.333	2.95	271.8
25TCRC017	PN0000883712	27.43	28.96	0.081	0.13	910.2
25TCRC017	PN0000883713	28.96	30.48	0.109	0.06	783.4
25TCRC017	PN0000883714	30.48	32	0.038	0.07	497.7
25TCRC017	PN0000883715	32	33.53	0.092	0.02	581.5
25TCRC017	PN0000883716	33.53	35.05	0.04	0.01	440.6
25TCRC017	PN0000883717	35.05	36.58	-0.015	0.03	647.2
25TCRC017	PN0000883718	36.58	38.1	0.039	0.02	481
25TCRC017	PN0000883719	38.1	39.62	0.067	0.01	471.8
25TCRC017	PN0000883721	39.62	41.15	0.056	0.01	481.2
25TCRC017	PN0000883722	41.15	42.67	0.053	0.01	291.7
25TCRC017	PN0000883723	42.67	44.2	0.085	0.01	578.4
25TCRC017	PN0000883724	44.2	45.72	0.303	0.05	950.4
25TCRC017	PN0000883726	45.72	47.24	0.158	0.04	1275.9
25TCRC017	PN0000883727	47.24	48.77	0.086	0.01	675.8
25TCRC017	PN0000883728	48.77	50.29	0.324	1.11	624.7
25TCRC017	PN0000883729	50.29	51.82	0.111	0.06	813.3
25TCRC017	PN0000883731	51.82	53.34	0.172	0.04	646.5
25TCRC017	PN0000883732	53.34	54.86	0.08	0.02	267.8
25TCRC018	PN0000883733	0	1.52	insufficient sample		
25TCRC018	PN0000883734	1.52	3.05	0.179	0.01	1067.4
25TCRC018	PN0000883735	3.05	4.57	0.315	0.01	1431
25TCRC018	PN0000883736	4.57	6.1	0.305	0.01	1698.9
25TCRC018	PN0000883737	6.1	7.62	0.612	0.02	2274.9
25TCRC018	PN0000883738	7.62	9.14	0.3	0.06	974.4
25TCRC018	PN0000883739	9.14	10.67	-0.015	0.02	454.4
25TCRC018	PN0000883741	10.67	12.19	0.042	0.01	165.5
25TCRC018	PN0000883742	12.19	13.72	0.027	0.01	203.7
25TCRC018	PN0000883743	13.72	15.24	0.032	0.01	234.2
25TCRC018	PN0000883744	15.24	16.76	0.044	0.01	441.7
25TCRC018	PN0000883746	16.76	18.29	0.249	0.05	496.5
25TCRC018	PN0000883747	18.29	19.81	0.165	0.03	467.2
25TCRC018	PN0000883748	19.81	21.34	0.184	0.16	330.5
25TCRC018	PN0000883749	21.34	22.86	0.831	7.54	287.2
25TCRC018	PN0000883751	22.86	24.38	0.807	1.85	1030.3
25TCRC018	PN0000883752	24.38	25.91	0.277	0.07	725.9
25TCRC018	PN0000883753	25.91	27.43	0.813	0.06	973.6
25TCRC018	PN0000883754	27.43	28.96	0.346	0.05	721.5

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC018	PN0000883755	28.96	30.48	0.441	0.02	819.8
25TCRC018	PN0000883756	30.48	32	1.562	2.62	809.9
25TCRC018	PN0000883757	32	33.53	0.129	0.55	238.3
25TCRC018	PN0000883758	33.53	35.05	0.56	0.1	975.9
25TCRC018	PN0000883759	35.05	36.58	0.336	0.1	755.9
25TCRC018	PN0000883761	36.58	38.1	0.113	0.02	222.3
25TCRC018	PN0000883762	38.1	39.62	0.308	0.02	1148.5
25TCRC018	PN0000883763	39.62	41.15	0.42	0.15	1113.6
25TCRC018	PN0000883764	41.15	42.67	0.373	0.01	638.7
25TCRC018	PN0000883766	42.67	44.2	0.48	0.02	761.3
25TCRC018	PN0000883767	44.2	45.72	0.495	0.04	871.5
25TCRC018	PN0000883768	45.72	47.24	0.961	0.59	1615.8
25TCRC018	PN0000883769	47.24	48.77	0.501	0.03	4641.3
25TCRC018	PN0000883771	48.77	50.29	2.013	0.02	4736.2
25TCRC018	PN0000883772	50.29	51.82	1.407	0.36	4077.3
25TCRC018	PN0000883773	51.82	53.34	3.977	1.21	3623
25TCRC018	PN0000883774	53.34	54.86	1.332	2.83	1481.3
25TCRC018	PN0000883775	54.86	56.39	2.185	1.53	2361.6
25TCRC018	PN0000883776	56.39	57.91	2.628	5.97	1363.4
25TCRC018	PN0000883777	57.91	59.44	1.791	0.26	2815.1
25TCRC018	PN0000883778	59.44	60.96	0.493	0.06	475.9
25TCRC018	PN0000883779	60.96	62.48	0.479	0.04	738.8
25TCRC018	PN0000883781	62.48	64.01	0.227	0.02	785.5
25TCRC018	PN0000883782	64.01	65.53	0.24	0.02	818.9
25TCRC018	PN0000883783	65.53	67.06	0.106	0.01	729.4
25TCRC036	PN0000884861	0	1.52	insufficient sample	0.14	674.2
25TCRC036	PN0000884862	1.52	3.05	0.607	0.08	1378.2
25TCRC036	PN0000884863	3.05	4.57	0.731	0.06	1349.4
25TCRC036	PN0000884864	4.57	6.1	1.619	0.32	1300.7
25TCRC036	PN0000884866	6.1	7.62	0.435	0.02	2223.4
25TCRC036	PN0000884867	7.62	9.14	0.381	0.02	1602.3
25TCRC036	PN0000884868	9.14	10.67	0.337	0.01	1217.8
25TCRC036	PN0000884869	10.67	12.19	0.062	0.02	1366.4
25TCRC036	PN0000884871	12.19	13.72	-0.015	0.02	514.6
25TCRC036	PN0000884872	13.72	15.24	0.633	0.1	1350.6
25TCRC036	PN0000884873	15.24	16.76	0.072	0.04	477.9
25TCRC036	PN0000884874	16.76	18.29	0.052	0.02	346.7
25TCRC036	PN0000884875	18.29	19.81	0.058	0.01	560.1
25TCRC036	PN0000884876	19.81	21.34	0.051	0.01	669
25TCRC036	PN0000884877	21.34	22.86	0.132	0.01	1144.5
25TCRC036	PN0000884878	22.86	24.38	0.187	0.1	942.1
25TCRC036	PN0000884879	24.38	25.91	0.123	0.02	1168.7
25TCRC036	PN0000884881	25.91	27.43	0.097	0.01	985.4
25TCRC036	PN0000884882	27.43	28.96	0.188	0.01	900.6
25TCRC036	PN0000884883	28.96	30.48	0.873	0.05	1176.2
25TCRC036	PN0000884884	30.48	32	0.358	0.03	702.8
25TCRC036	PN0000884886	32	33.53	0.457	0.23	441

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC036	PN0000884887	33.53	35.05	0.275	0.02	890
25TCRC036	PN0000884888	35.05	36.58	0.431	0.01	1563.1
25TCRC036	PN0000884889	36.58	38.1	0.278	0.02	835.8
25TCRC036	PN0000884891	38.1	39.62	0.38	0.02	823.2
25TCRC036	PN0000884892	39.62	41.15	0.634	0.04	1189.9
25TCRC036	PN0000884893	41.15	42.67	0.982	0.02	1585.3
25TCRC036	PN0000884894	42.67	44.2	0.723	0.02	969.5
25TCRC036	PN0000884895	44.2	45.72	0.908	0.04	1401.6
25TCRC036	PN0000884896	45.72	47.24	0.842	0.03	1291.6
25TCRC036	PN0000884897	47.24	48.77	0.947	0.02	1169.3
25TCRC036	PN0000884898	48.77	50.29	0.766	0.02	805.9
25TCRC036	PN0000884899	50.29	51.82	0.944	0.02	1524.7
25TCRC007	PN0000883256	1.52	3.05	0.33	0.1	2990.4
25TCRC007	PN0000883257	3.05	4.57	0.089	0.03	774.2
25TCRC007	PN0000883258	4.57	6.1	0.03	0.02	344.4
25TCRC007	PN0000883259	6.1	7.62	0.017	0.03	566.8
25TCRC007	PN0000883261	7.62	9.14	0.015	0.02	284.6
25TCRC007	PN0000883262	9.14	10.67	-0.015	0.01	347.4
25TCRC007	PN0000883263	10.67	12.19	0.019	0.01	509
25TCRC007	PN0000883264	12.19	13.72	0.022	0.01	352
25TCRC007	PN0000883266	13.72	15.24	0.161	0.01	786.2
25TCRC007	PN0000883267	15.24	16.76	0.212	0.01	1400.5
25TCRC007	PN0000883268	16.76	18.29	0.139	0.04	852.8
25TCRC007	PN0000883269	18.29	19.81	0.489	0.04	716.8
25TCRC007	PN0000883271	19.81	21.34	1.077	0.08	423.7
25TCRC007	PN0000883272	21.34	22.86	0.683	0.08	326.9
25TCRC007	PN0000883273	22.86	24.38	0.201	0.03	576.3
25TCRC007	PN0000883274	24.38	25.91	0.525	0.04	837.7
25TCRC007	PN0000883275	25.91	27.43	0.163	0.05	1153.5
25TCRC007	PN0000883276	27.43	28.96	0.086	0.02	130.8
25TCRC007	PN0000883277	28.96	30.48	0.154	0.02	123.1
25TCRC007	PN0000883278	30.48	32	0.121	0.02	580
25TCRC007	PN0000883279	32	33.53	0.04	0.02	624.1
25TCRC007	PN0000883280	33.53	35.05	0.178	0.04	504.2
25TCRC012	PN0000883481	0	1.52	0.192	0.12	478.3
25TCRC012	PN0000883482	1.52	3.05	0.176	0.1	536.5
25TCRC012	PN0000883483	3.05	4.57	insufficient sample	0.03	344.9
25TCRC012	PN0000883484	4.57	6.1	0.076	0.02	241.1
25TCRC012	PN0000883486	6.1	7.62	-0.015	0.01	72.6
25TCRC012	PN0000883487	7.62	9.14	0.034	0.02	238.4
25TCRC012	PN0000883488	9.14	10.67	0.081	0.03	416
25TCRC012	PN0000883489	10.67	12.19	0.047	0.01	191.9
25TCRC012	PN0000883491	12.19	13.72	0.061	0.02	305.7
25TCRC012	PN0000883492	13.72	15.24	0.056	0.05	415.7
25TCRC012	PN0000883493	15.24	16.76	0.038	0.06	250
25TCRC012	PN0000883494	16.76	18.29	0.179	0.06	443.8
25TCRC012	PN0000883495	18.29	19.81	0.043	0.01	169.7

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC012	PN0000883496	19.81	21.34	-0.015	0.02	199.9
25TCRC012	PN0000883497	21.34	22.86	0.027	0.06	485.2
25TCRC012	PN0000883498	22.86	24.38	0.911	0.32	1427.1
25TCRC012	PN0000883499	24.38	25.91	1.775	0.75	5113.2
25TCRC012	PN0000883501	25.91	27.43	0.739	0.04	3122.3
25TCRC012	PN0000883502	27.43	28.96	0.584	0.06	621.4
25TCRC012	PN0000883503	28.96	30.48	0.084	0.03	521.4
25TCRC012	PN0000883504	30.48	32	0.479	0.03	1689.5
25TCRC012	PN0000883506	32	33.53	0.649	0.24	1689.4
25TCRC012	PN0000883507	33.53	35.05	0.189	0.04	1781.5
25TCRC012	PN0000883508	35.05	36.58	0.566	0.05	1476.8
25TCRC012	PN0000883509	36.58	38.1	0.078	0.02	946.3
25TCRC012	PN0000883511	38.1	39.62	0.59	0.06	2086.8
25TCRC012	PN0000883512	39.62	41.15	0.094	0.03	995.3
25TCRC012	PN0000883513	41.15	42.67	-0.015	0.02	638.9
25TCRC012	PN0000883514	42.67	44.2	0.063	0.01	516.4
25TCRC012	PN0000883515	44.2	45.72	0.063	0.02	686.1
25TCRC012	PN0000883516	45.72	47.24	0.027	0.01	405
25TCRC012	PN0000883517	47.24	48.77	0.092	0.03	796.4
25TCRC012	PN0000883518	48.77	50.29	0.019	0.03	598.3
25TCRC013	PN0000883519	0	1.52	insufficient sample	0.07	480.8
25TCRC013	PN0000883521	1.52	3.05	0.282	0.12	529.2
25TCRC013	PN0000883522	3.05	4.57	0.102	0.07	473.2
25TCRC013	PN0000883523	4.57	6.1	0.072	0.02	238.2
25TCRC013	PN0000883524	6.1	7.62	0.078	0.04	514.7
25TCRC013	PN0000883526	7.62	9.14	0.049	0.03	494.1
25TCRC013	PN0000883527	9.14	10.67	0.134	0.16	570.7
25TCRC013	PN0000883528	10.67	12.19	0.336	0.39	522.9
25TCRC013	PN0000883529	12.19	13.72	0.142	0.1	711.5
25TCRC013	PN0000883531	13.72	15.24	0.166	0.09	955.3
25TCRC013	PN0000883532	15.24	16.76	0.21	0.2	1397.3
25TCRC013	PN0000883533	16.76	18.29	0.225	0.28	1046.5
25TCRC013	PN0000883534	18.29	19.81	0.182	0.14	571.8
25TCRC013	PN0000883535	19.81	21.34	0.091	0.02	400.7
25TCRC013	PN0000883536	21.34	22.86	0.044	0.02	342.3
25TCRC013	PN0000883537	22.86	24.38	-0.015	0.01	133.6
25TCRC013	PN0000883538	24.38	25.91	0.044	0.01	246.4
25TCRC013	PN0000883539	25.91	27.43	0.091	0.02	445.3
25TCRC013	PN0000883541	27.43	28.96	0.107	0.01	417.9
25TCRC013	PN0000883542	28.96	30.48	0.092	0.02	1081.9
25TCRC013	PN0000883543	30.48	32	0.388	0.03	949.6
25TCRC013	PN0000883544	32	33.53	0.238	0.03	1028.8
25TCRC013	PN0000883546	33.53	35.05	0.116	0.03	648.5
25TCRC013	PN0000883547	35.05	36.58	0.098	0.02	554
25TCRC013	PN0000883548	36.58	38.1	0.173	0.02	198.4
25TCRC013	PN0000883549	38.1	39.62	0.02	0.02	202.9
25TCRC013	PN0000883551	39.62	41.15	0.04	0.03	252.1

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC013	PN0000883552	41.15	42.67	0.031	0.03	311.6
25TCRC013	PN0000883553	42.67	44.2	0.114	0.02	823.5
25TCRC013	PN0000883554	44.2	45.72	0.061	0.02	520.8
25TCRC013	PN0000883555	45.72	47.24	0.614	0.07	1082.3
25TCRC013	PN0000883556	47.24	48.77	2.71	0.02	1618
25TCRC013	PN0000883557	48.77	50.29	0.85	0.01	1204.9
25TCRC016	PN0000883639	1.52	3.05	0.227	0.03	682.9
25TCRC016	PN0000883641	3.05	4.57	0.098	0.01	772.6
25TCRC016	PN0000883642	4.57	6.1	0.041	0.01	464.6
25TCRC016	PN0000883643	6.1	7.62	0.181	0.01	484.7
25TCRC016	PN0000883644	7.62	9.14	0.367	0.02	1916.1
25TCRC016	PN0000883646	9.14	10.67	0.406	0.02	1893.1
25TCRC016	PN0000883647	10.67	12.19	0.241	0.01	1206.2
25TCRC016	PN0000883648	12.19	13.72	-0.015	0.01	252.4
25TCRC016	PN0000883649	13.72	15.24	0.026	0.01	256.9
25TCRC016	PN0000883651	15.24	16.76	0.233	0.01	720.9
25TCRC016	PN0000883652	16.76	18.29	0.254	0.02	1124.7
25TCRC016	PN0000883653	18.29	19.81	0.278	0.02	625.9
25TCRC016	PN0000883654	19.81	21.34	0.117	0.04	580.8
25TCRC016	PN0000883655	21.34	22.86	0.366	3.92	376.4
25TCRC016	PN0000883656	22.86	24.38	0.475	3.72	300.8
25TCRC016	PN0000883657	24.38	25.91	0.217	0.06	1095.7
25TCRC016	PN0000883658	25.91	27.43	0.198	2.66	546.1
25TCRC016	PN0000883659	27.43	28.96	0.346	0.05	1133.1
25TCRC016	PN0000883661	28.96	30.48	0.666	0.08	1291.3
25TCRC016	PN0000883662	30.48	32	0.253	0.12	1070.7
25TCRC016	PN0000883663	32	33.53	0.145	0.07	1220.4
25TCRC016	PN0000883664	33.53	35.05	0.078	0.03	936.4
25TCRC016	PN0000883666	35.05	36.58	0.129	0.03	1128.6
25TCRC016	PN0000883667	36.58	38.1	0.197	0.18	887.4
25TCRC016	PN0000883668	38.1	39.62	0.084	0.03	758
25TCRC016	PN0000883669	39.62	41.15	0.398	0.06	1242.9
25TCRC016	PN0000883671	41.15	42.67	0.125	0.04	1369.4
25TCRC016	PN0000883672	42.67	44.2	0.18	0.04	1222.7
25TCRC016	PN0000883673	44.2	45.72	0.155	0.1	1529.4
25TCRC016	PN0000883674	45.72	47.24	0.244	0.06	1240.7
25TCRC016	PN0000883675	47.24	48.77	1.114	0.04	1478.5
25TCRC016	PN0000883676	48.77	50.29	0.399	0.12	1288.5
25TCRC016	PN0000883677	50.29	51.82	0.307	0.05	1034.4
25TCRC016	PN0000883678	51.82	53.34	0.286	0.02	1011.2
25TCRC016	PN0000883679	53.34	54.86	0.264	0.02	751.3
25TCRC016	PN0000883681	54.86	56.39	0.531	0.1	1514.5
25TCRC016	PN0000883682	56.39	57.91	0.369	0.02	1135.8
25TCRC016	PN0000883683	57.91	59.44	0.355	0.04	1466.4
25TCRC016	PN0000883684	59.44	60.96	0.645	0.05	1976
25TCRC016	PN0000883686	60.96	62.48	0.121	0.03	855.3
25TCRC016	PN0000883687	62.48	64.01	0.528	0.04	2302.1

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC016	PN0000883688	64.01	65.53	0.709	0.08	2016
25TCRC016	PN0000883689	65.53	67.06	0.428	0.07	966.2
25TCRC017	PN0000883691	0	1.52	insufficient sample	0.04	351.8
25TCRC017	PN0000883692	1.52	3.05	insufficient sample	0.08	681.8
25TCRC017	PN0000883693	3.05	4.57	0.071	0.02	424.5
25TCRC017	PN0000883694	4.57	6.1	0.106	0.01	363.4
25TCRC017	PN0000883695	6.1	7.62	0.035	0.01	228.7
25TCRC017	PN0000883696	7.62	9.14	0.059	0.01	308.8
25TCRC017	PN0000883697	9.14	10.67	0.103	0.01	370.4
25TCRC017	PN0000883698	10.67	12.19	-0.015	0.01	373.1
25TCRC017	PN0000883699	12.19	13.72	0.076	0.02	362.3
25TCRC017	PN0000883701	13.72	15.24	0.025	0.02	245.6
25TCRC017	PN0000883702	15.24	16.76	0.062	0.03	684.5
25TCRC017	PN0000883703	16.76	18.29	0.439	0.19	1462.8
25TCRC017	PN0000883704	18.29	19.81	-0.015	0.06	681.8
25TCRC017	PN0000883706	19.81	21.34	0.059	0.05	383.7
25TCRC017	PN0000883707	21.34	22.86	0.063	0.02	79.6
25TCRC017	PN0000883708	22.86	24.38	0.102	0.01	178.8
25TCRC017	PN0000883709	24.38	25.91	0.136	0.22	446.9
25TCRC017	PN0000883711	25.91	27.43	0.333	2.95	271.8
25TCRC017	PN0000883712	27.43	28.96	0.081	0.13	910.2
25TCRC017	PN0000883713	28.96	30.48	0.109	0.06	783.4
25TCRC017	PN0000883714	30.48	32	0.038	0.07	497.7
25TCRC017	PN0000883715	32	33.53	0.092	0.02	581.5
25TCRC017	PN0000883716	33.53	35.05	0.04	0.01	440.6
25TCRC017	PN0000883717	35.05	36.58	-0.015	0.03	647.2
25TCRC017	PN0000883718	36.58	38.1	0.039	0.02	481
25TCRC017	PN0000883719	38.1	39.62	0.067	0.01	471.8
25TCRC017	PN0000883721	39.62	41.15	0.056	0.01	481.2
25TCRC017	PN0000883722	41.15	42.67	0.053	0.01	291.7
25TCRC017	PN0000883723	42.67	44.2	0.085	0.01	578.4
25TCRC017	PN0000883724	44.2	45.72	0.303	0.05	950.4
25TCRC017	PN0000883726	45.72	47.24	0.158	0.04	1275.9
25TCRC017	PN0000883727	47.24	48.77	0.086	0.01	675.8
25TCRC017	PN0000883728	48.77	50.29	0.324	1.11	624.7
25TCRC017	PN0000883729	50.29	51.82	0.111	0.06	813.3
25TCRC017	PN0000883731	51.82	53.34	0.172	0.04	646.5
25TCRC017	PN0000883732	53.34	54.86	0.08	0.02	267.8
25TCRC018	PN0000883733	0	1.52	insufficient sample		
25TCRC018	PN0000883734	1.52	3.05	0.179	0.01	1067.4
25TCRC018	PN0000883735	3.05	4.57	0.315	0.01	1431
25TCRC018	PN0000883736	4.57	6.1	0.305	0.01	1698.9
25TCRC018	PN0000883737	6.1	7.62	0.612	0.02	2274.9
25TCRC018	PN0000883738	7.62	9.14	0.3	0.06	974.4
25TCRC018	PN0000883739	9.14	10.67	-0.015	0.02	454.4
25TCRC018	PN0000883741	10.67	12.19	0.042	0.01	165.5
25TCRC018	PN0000883742	12.19	13.72	0.027	0.01	203.7

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC018	PN0000883743	13.72	15.24	0.032	0.01	234.2
25TCRC018	PN0000883744	15.24	16.76	0.044	0.01	441.7
25TCRC018	PN0000883746	16.76	18.29	0.249	0.05	496.5
25TCRC018	PN0000883747	18.29	19.81	0.165	0.03	467.2
25TCRC018	PN0000883748	19.81	21.34	0.184	0.16	330.5
25TCRC018	PN0000883749	21.34	22.86	0.831	7.54	287.2
25TCRC018	PN0000883751	22.86	24.38	0.807	1.85	1030.3
25TCRC018	PN0000883752	24.38	25.91	0.277	0.07	725.9
25TCRC018	PN0000883753	25.91	27.43	0.813	0.06	973.6
25TCRC018	PN0000883754	27.43	28.96	0.346	0.05	721.5
25TCRC018	PN0000883755	28.96	30.48	0.441	0.02	819.8
25TCRC018	PN0000883756	30.48	32	1.562	2.62	809.9
25TCRC018	PN0000883757	32	33.53	0.129	0.55	238.3
25TCRC018	PN0000883758	33.53	35.05	0.56	0.1	975.9
25TCRC018	PN0000883759	35.05	36.58	0.336	0.1	755.9
25TCRC018	PN0000883761	36.58	38.1	0.113	0.02	222.3
25TCRC018	PN0000883762	38.1	39.62	0.308	0.02	1148.5
25TCRC018	PN0000883763	39.62	41.15	0.42	0.15	1113.6
25TCRC018	PN0000883764	41.15	42.67	0.373	0.01	638.7
25TCRC018	PN0000883766	42.67	44.2	0.48	0.02	761.3
25TCRC018	PN0000883767	44.2	45.72	0.495	0.04	871.5
25TCRC018	PN0000883768	45.72	47.24	0.961	0.59	1615.8
25TCRC018	PN0000883769	47.24	48.77	0.501	0.03	4641.3
25TCRC018	PN0000883771	48.77	50.29	2.013	0.02	4736.2
25TCRC018	PN0000883772	50.29	51.82	1.407	0.36	4077.3
25TCRC018	PN0000883773	51.82	53.34	3.977	1.21	3623
25TCRC018	PN0000883774	53.34	54.86	1.332	2.83	1481.3
25TCRC018	PN0000883775	54.86	56.39	2.185	1.53	2361.6
25TCRC018	PN0000883776	56.39	57.91	2.628	5.97	1363.4
25TCRC018	PN0000883777	57.91	59.44	1.791	0.26	2815.1
25TCRC018	PN0000883778	59.44	60.96	0.493	0.06	475.9
25TCRC018	PN0000883779	60.96	62.48	0.479	0.04	738.8
25TCRC018	PN0000883781	62.48	64.01	0.227	0.02	785.5
25TCRC018	PN0000883782	64.01	65.53	0.24	0.02	818.9
25TCRC018	PN0000883783	65.53	67.06	0.106	0.01	729.4
25TCRC036	PN0000884861	0	1.52	insufficient sample	0.14	674.2
25TCRC036	PN0000884862	1.52	3.05	0.607	0.08	1378.2
25TCRC036	PN0000884863	3.05	4.57	0.731	0.06	1349.4
25TCRC036	PN0000884864	4.57	6.1	1.619	0.32	1300.7
25TCRC036	PN0000884866	6.1	7.62	0.435	0.02	2223.4
25TCRC036	PN0000884867	7.62	9.14	0.381	0.02	1602.3
25TCRC036	PN0000884868	9.14	10.67	0.337	0.01	1217.8
25TCRC036	PN0000884869	10.67	12.19	0.062	0.02	1366.4
25TCRC036	PN0000884871	12.19	13.72	-0.015	0.02	514.6
25TCRC036	PN0000884872	13.72	15.24	0.633	0.1	1350.6
25TCRC036	PN0000884873	15.24	16.76	0.072	0.04	477.9
25TCRC036	PN0000884874	16.76	18.29	0.052	0.02	346.7

HoleID	SampleID	From M	To M	Au g/t Photonassay	Sb %	As ppm
25TCRC036	PN0000884875	18.29	19.81	0.058	0.01	560.1
25TCRC036	PN0000884876	19.81	21.34	0.051	0.01	669
25TCRC036	PN0000884877	21.34	22.86	0.132	0.01	1144.5
25TCRC036	PN0000884878	22.86	24.38	0.187	0.1	942.1
25TCRC036	PN0000884879	24.38	25.91	0.123	0.02	1168.7
25TCRC036	PN0000884881	25.91	27.43	0.097	0.01	985.4
25TCRC036	PN0000884882	27.43	28.96	0.188	0.01	900.6
25TCRC036	PN0000884883	28.96	30.48	0.873	0.05	1176.2
25TCRC036	PN0000884884	30.48	32	0.358	0.03	702.8
25TCRC036	PN0000884886	32	33.53	0.457	0.23	441
25TCRC036	PN0000884887	33.53	35.05	0.275	0.02	890
25TCRC036	PN0000884888	35.05	36.58	0.431	0.01	1563.1
25TCRC036	PN0000884889	36.58	38.1	0.278	0.02	835.8
25TCRC036	PN0000884891	38.1	39.62	0.38	0.02	823.2
25TCRC036	PN0000884892	39.62	41.15	0.634	0.04	1189.9
25TCRC036	PN0000884893	41.15	42.67	0.982	0.02	1585.3
25TCRC036	PN0000884894	42.67	44.2	0.723	0.02	969.5
25TCRC036	PN0000884895	44.2	45.72	0.908	0.04	1401.6
25TCRC036	PN0000884896	45.72	47.24	0.842	0.03	1291.6
25TCRC036	PN0000884897	47.24	48.77	0.947	0.02	1169.3
25TCRC036	PN0000884898	48.77	50.29	0.766	0.02	805.9
25TCRC036	PN0000884899	50.29	51.82	0.944	0.02	1524.7