

16 March 2026

ASX Market Announcements

**DRILLING RESULTS (pXRF) RECEIVED FOR RARE EARTH ELEMENTS (“REEs”) AT BEELITZ PROSPECT, LIMESTONE COAST IN SOUTH AUSTRALIA**

***Amendment to “DRILLING RESULTS (pXRF) RECEIVED FOR RARE EARTH ELEMENTS (REEs”) AT BEELITZ PROSPECT, LIMESTONE COAST IN SOUTH AUSTRALIA” - Announcement dated 24 February 2026***

*This amended announcement replaces the original release in full. It includes a revised JORC Table, the additions of cross-section diagrams and location map showing the corresponding drill hole positions and cautionary statement on pXRF results.. No new material information has been added and all other content remains unchanged.*

Ausmon Resources Limited (“Company”) is pleased to announce that it has received drilling results for a road verge drilling program completed this month in Limestone Coast, South Australia (**Figure 1**) for REEs at **Beelitz Prospect** within the **Wilkawatt** EL 6975 and **Peake** EL 7015 tenements.

20 vertical holes were completed for an average depth of 18 metres per hole for a total of approximately 364 metres drilling at spacing of approximately 500 metres reduced from earlier drilling of 1 km spacing. (**Table 1**). The aim is to identify potential areas within **Beelitz Prospect** for future grid based drill testing which can assist in planning REEs resource estimates.

**Significant pXRF Drilling Results<sup>1</sup> (ppmTREE):**

**26BZAC018 14-18m 4m@289 incl 15-16m: 1m@400**

**26BZAC014 16-18m 2m@332 incl 16-17m: 1m@495**

**26BZAC004 3-6m 3m@256**

**26BZAC005 1-2m 2m@259**

**26BZAC017 7-9m 2m@279**

**Note: The results are partial results for only 5 of the 14 REE’s (Ce, Pr, La, Nd and Y). 42 samples of > 200ppm TREE have been submitted to ALS in Adelaide for the full suite of REE elements by Method ME MS 81**

<sup>1</sup>In relation to the disclosure of pXRF results, the Company cautions that estimates from pXRF results above should not be considered a proxy for quantitative analysis of a laboratory assay result. Assay results are required to determine the actual widths and grade of the mineralisation.

A total of 46 samples (**Table 2**) including 4 QA/QC samples have been sent to ALS in Adelaide for geochemical analyses by ME MS 81 that targets the full suite of REE elements. Once the results have been received each REE element will be converted to its oxide value and combined to obtain Total Rare Earth Oxide (“TREEO”) results that will be a key component on any decision on any additional drilling programs at Beelitz.

Chief Geologist said: "The pXRF results from the recent Beelitz Road Verge Aircore Drilling Program are encouraging and follow on from the similarly encouraging results received from Shallow Aircore Drilling at the Jabuck Prospect in 2025. Discussions are underway to carry our grid based vertical shallow Aircore Drilling either at the Jabuck or Beelitz Prospect or both to determine the REE resource potential.




Figure 1: Ausmon South Australia Tenements Parrakie, Wilkawatt, Peake and Wolseley in relation to the target REEs Loxton/Parilla Sands




Figure 2: Maximum ppm TREO in the 2024 and 2025 Aircore drilling programs that targeted the potentially REE mineralised Loxton Parilla Sands (brown)




Figure 3: Beelitz Prospect February 2026 Max In Hole ppmTREE on satellite image base




Figure 4: Beelitz Prospect All Results Max In Hole ppmTREE and TREO on satellite image base

AUSMON RESOURCES LIMITED - BEELITZ PROSPECT in LIMESTONE COAST

Diagrammatic representation of drill holes cross sections based on pXRF scan of February 2026 program selected samples with significant results  
(Horizontal not to scale)

NOTE: The pXRF scan results are partial results of TREE for only 5 (Ce, Pr, La, Nd and Y) of the 14 REEs





Figure 5: Beelitz Prospect showing locations of Holes in diagram of cross section

Hole #	Ten. ID	Tenement	Road	MGA94 Zone	Easting	Northing	Elevation	SWL	HoleID	EOH
1	EL7015	Peake	Beehive Road	54H	419573	6080044	87	61	26BZAC001	18
2	EL7015	Peake	Beehive Road	54H	420696	6079593	91	61	26BZAC002	18
3	EL7015	Peake	Beehive Road	54H	423309	6078338	83	48.77	26BZAC003	18
4	EL7015	Peake	Beehive Road	54H	423603	6077177	83	48.77	26BZAC004	18
5	EL6975	Wilkawatt	Beelitz Rd	54H	425109	6079729	94	54.86	26BZAC005	18
6	EL6975	Wilkawatt	Beelitz Rd	54H	425632	6079705	97	54.86	26BZAC006	18
7	EL6975	Wilkawatt	Beelitz Rd	54H	426152	6079673	88	54.86	26BZAC007	18
8	EL6975	Wilkawatt	Parrakie South Rd	54H	432273	6078182	78	51.8	26BZAC008	18
9	EL6975	Wilkawatt	Parrakie South Rd	54H	432288	6076316	76	51.8	26BZAC009	18
10	EL6975	Wilkawatt	Parrakie South Rd	54H	432304	6075160	81	41.5	26BZAC010	18
11	EL6975	Wilkawatt	Parrakie South Rd	54H	432313	6073460	74	41.5	26BZAC011	18
12	EL6975	Wilkawatt	Pfeiffer Road	54H	425305	6070234	89	54.86	26BZAC012	20
13	EL6975	Wilkawatt	Geranium South Rd	54H	424756	6070475	9	54.86	26BZAC013	20
14	EL6975	Wilkawatt	Badman Rd	54H	424663	6078929	75	54.86	26BZAC014	18
15	EL6975	Wilkawatt	Badman Rd	54H	425121	6078582	74	54.86	26BZAC015	18
16	EL6975	Wilkawatt	Badman Rd	54H	425609	6078229	78	54.86	26BZAC016	18
17	EL6975	Wilkawatt	Badman Rd	54H	426480	6077567	73	59.44	26BZAC017	18
18	EL6975	Wilkawatt	Badman Rd	54H	426955	6077341	71	59.44	26BZAC018	18
19	EL6975	Wilkawatt	Badman Rd	54H	428735	6076310	79	38.5	26BZAC019	18
20	EL6975	Wilkawatt	Badman Rd	54H	430963	6075471	88	38.5	26BZAC020	18
									Total m	364

**Table 1 Wilkawatt and Peake February 2026 Drill Collars –Beelitz Prospect**

HoleID	mFrom	mTo	Width	CheckType	SampleType	SampleID	ParentSample ID	Parent CheckType	StandardID	Sample Quality	Sample Condition	DateLogged	SampledBy
				STD	Pulp	PKAC0314		STD	OREAS460	NR	NR	05-Jan-2026	PeterT
26BZAC001	5.00	6.00	1.00	Primary	Chip	PKAC0315		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC001	8.00	9.00	1.00	Primary	Chip	PKAC0316		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC001	9.00	10.00	1.00	Primary	Chip	PKAC0317		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC002	1.00	2.00	1.00	Primary	Chip	PKAC0318		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC002	14.00	15.00	1.00	Primary	Chip	PKAC0319		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC002	17.00	18.00	1.00	Primary	Chip	PKAC0320		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC003	1.00	2.00	1.00	Primary	Chip	PKAC0321		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC004	3.00	4.00	1.00	Primary	Chip	PKAC0322		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC004	4.00	5.00	1.00	Primary	Chip	PKAC0323		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC004	5.00	6.00	1.00	Primary	Chip	PKAC0324		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC005	1.00	2.00	1.00	Primary	Chip	PKAC0325		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC006	9.00	10.00	1.00	Primary	Chip	PKAC0326		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC006	9.00	10.00	1.00	FDUP	Chip	PKAC0327	PKAC0326	FDUP		GOOD	Dry	05-Jan-2026	PeterT
26BZAC007	7.00	8.00	1.00	Primary	Chip	PKAC0328		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC007	10.00	11.00	1.00	Primary	Chip	PKAC0329		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC007	12.00	13.00	1.00	Primary	Chip	PKAC0330		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC007	13.00	14.00	1.00	Primary	Chip	PKAC0331		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC007	17.00	18.00	1.00	Primary	Chip	PKAC0332		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC008	1.00	2.00	1.00	Primary	Chip	PKAC0333		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC008	2.00	3.00	1.00	Primary	Chip	PKAC0334		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC008	14.00	15.00	1.00	Primary	Chip	PKAC0335		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC008	17.00	18.00	1.00	Primary	Chip	PKAC0336		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC009	15.00	16.00	1.00	Primary	Chip	PKAC0337		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC009	16.00	17.00	1.00	Primary	Chip	PKAC0338		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC010	17.00	18.00	1.00	Primary	Chip	PKAC0339		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC010	3.00	4.00	1.00	Primary	Chip	PKAC0340		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC010	16.00	17.00	1.00	Primary	Chip	PKAC0341		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC011	0.00	1.00	1.00	Primary	Chip	PKAC0342		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC012	10.00	11.00	1.00	Primary	Chip	PKAC0343		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC013	6.00	7.00	1.00	Primary	Chip	PKAC0344		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC014	4.00	5.00	1.00	Primary	Chip	PKAC0345		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC014	16.00	17.00	1.00	Primary	Chip	PKAC0346		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC014	17.00	18.00	1.00	Primary	Chip	PKAC0347		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC015	9.00	10.00	1.00	Primary	Chip	PKAC0348		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC016	15.00	16.00	1.00	Primary	Chip	PKAC0349		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC017	7.00	8.00	1.00	Primary	Chip	PKAC0350		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC017	8.00	9.00	1.00	Primary	Chip	PKAC0351		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC017	8.00	9.00	1.00	FDUP	Chip	PKAC0352	PKAC0351	FDUP		GOOD	Dry	05-Jan-2026	PeterT
26BZAC018	15.00	16.00	1.00	Primary	Chip	PKAC0353		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC018	16.00	17.00	1.00	Primary	Chip	PKAC0354		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC018	17.00	18.00	1.00	Primary	Chip	PKAC0355		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC019	0.00	1.00	1.00	Primary	Chip	PKAC0356		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC019	12.00	13.00	1.00	Primary	Chip	PKAC0357		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC020	0.00	1.00	1.00	Primary	Chip	PKAC0358		Primary		GOOD	Dry	05-Jan-2026	PeterT
26BZAC020	5.00	6.00	1.00	Primary	Chip	PKAC0359		Primary		GOOD	Dry	05-Jan-2026	PeterT
				BLK	Pulp	PKAC0360		BLK	OREAS21f	NR	Dry	05-Jan-2026	PeterT

**Table 2 ALS sampling numbers –Beelitz Prospect**

Future work programs at Beelitz subject to the drilling results to involve:

- Negotiating land access agreements with land holders and occupiers and running community meetings for support of additional shallow aircore drilling.
- Delineating proposed drill collars within the prospect where access is available and rank based on drill hole assays.
- Finalising drill collars on the selected grid drill area and, plan drilling and funding, and conduct drilling.

Australian Rare Earths (ASX:AR3), exploring to the south of the Company's tenements has reported significant exploration success with estimated JORC 2012 resource of 236 Mt @ 748 ppm Total Rare Earth Oxides (TREO) (AR3 ASX Release on 30 September 2024).

### **TREO\* Results of the 2024 and 2025 Aircore Drilling Programs in Limestone Coast**

In 2024, the Company completed 2 drilling programs for 100 holes along road verges within **Parrakie**. All holes intersected the target Loxton/Parilla Sands, and every drilled meter was scanned by pXRF and selected drill intervals were submitted to ALS Laboratory in Adelaide for the full REEs suite using method ME-MS81.

The significant drill intersections of TREO are as follows (See ASX Announcement of 29 July 2024):

*24PKAC052: 1m @ 1,253.9 ppm TREO from 12m, in clayey sand above Gambier Limestone*

*24PKAC068: 1m @ 1,156.8 ppm TREO from 17m, in clayey sand above Gambier Limestone*

*24PKAC094: 1m @ 1,015.2 ppm TREO from 12m, in Karoonda Surface ferricrete above Gambier Limestone*

*24PKAC071: 1m @ 1,019.4 ppm TREO from 19m, in clayey sand above Gambier Limestone*

*24PKAC079: 1m @ 912.6 ppm TREO from 9m, in sand*

*24PKAC054: 1m @ 847.3 ppm TREO from 19m, in clayey sand*

Drilling within **Peake, Wilkawatt and Parrakie** completed in May 2025 for 57 Aircore holes totalling 1,001 m with average depth of 18 m provided laboratory assay results in July 2025.

The significant assays – TREO are as follows (See AOA ASX Announcement of 30 July 2025):

*25PEAC005 11-12 m: 1 m @ 2,192 ppm*

*25WWAC027 12-15 m: 3 m @ 766.5 ppm (incl 12-13 m 1 m @ 1,088 ppm)*

*25PEAC006 8-9 m: 1 m @ 505 ppm*

*25WWAC030 16-17 m: 1 m @ 495 ppm*

*25WWAC029 12-13 m: 1 m @ 472 ppm*

*25WWAC033 14-15 m: 1 m @ 472 ppm*

A total of 23 vertical holes was completed for 418 m in September 2025.

The significant assays – TREO are as follows (See AOA ASX Announcements of 8 October 2025 and 20 November 2025):

*25PKAC004 16-18m 2m @ 689.04 ppm (incl 16-17m: 1m @ 763.87 ppm)*

*25PKAC005 15-16m 1m @ 895.95 ppm*

*25PKAC006 11-12m 1m @ 1038.88 ppm*

*25PKAC007 12-13m 1m @ 1,452.73 ppm*

*25PKAC008 5-6m 1m @ 856.89 ppm*

*25PKAC018 14-17m 3m @ 379.58 ppm (incl 16-17m: 1m @ 764.22 ppm)*

25PKAC20 17-20m 3m @ 485.24 ppm (incl 18-19m: 1m @ 658.55 ppm)

25PKAC021 15-18m 3m @ 429 ppm (incl 16-17m: 1n @ 578.65 ppm)

ppmTREO=(Ce<sub>2</sub>O<sub>3</sub>+Dy<sub>2</sub>O<sub>3</sub>+Er<sub>2</sub>O<sub>3</sub>+Eu<sub>2</sub>O<sub>3</sub>+Gd<sub>2</sub>O<sub>3</sub>+Ho<sub>2</sub>O<sub>3</sub>+La<sub>2</sub>O<sub>3</sub>+Lu<sub>2</sub>O<sub>3</sub>+Nd<sub>2</sub>O<sub>3</sub>+Pr<sub>6</sub>O<sub>11</sub>+Sc<sub>2</sub>O<sub>3</sub>+Sm<sub>2</sub>O<sub>3</sub>+Tb<sub>4</sub>O<sub>7</sub>+ Y<sub>2</sub>O<sub>3</sub>+Yb<sub>2</sub>O<sub>3</sub>

TREO – elements converted to oxides with oxides conversions in brackets Ce(1.1713), Dy(1.1477), Er(1.1435), Eu(1.1579), Gd(1.1526), Ho(1.1455), La(1.1728), Lu(1.1371), Pr(1.2082), Nd(1.1664), Sc(1.5338), Sm(1.1596), Tb(1.1510), Y(1.2699) and Yb(1.1387)

### **Competent Person Statement**

*The information in the report above that relates to Exploration Results, Exploration Targets and Mineral Resources is based on information compiled by Mr Mark Derriman, who is the Company's Consultant Geologist and a member of The Australian Institute of Geoscientists (1566). Mr Mark Derriman has sufficient experience that is relevant to the style of mineralization and type of deposit under consideration and to the activities which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the Australasian Code for Reporting of Exploration Results, Exploration Targets, Mineral Resources and Ore Reserves. Mr Mark Derriman consents to the inclusion in this report of matters based on his information in the form and context in which it appears.*

### **Forward-Looking Statement**

*This document may include forward-looking statements. Forward-looking statements include, but are not limited to, statements concerning planned exploration program and other statements that are not historical facts. When used in this document, the words such as "could", "plan", "estimate", "expect", "intend", "may", "potential", "should" and similar expressions are forward-looking statements. Although Ausmon Resources Limited believes that its expectations reflected in these forward-looking statements are reasonable, such statements involve risks and uncertainties and no assurance can be given that actual results will be consistent with these forward-looking statements.*

### **Authorised by**

Eric Sam Yue

Executive Director/Secretary

### **Contact:**

T: 02 9264 6988

E: [office@ausmonresources.com.au](mailto:office@ausmonresources.com.au)

# JORC Code, 2012 Edition – Table 1 Peake (EL 7015) and Wilkawatt (EL 6975) pXRF Drilling Results Received

## Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	<ul style="list-style-type: none"> <li>• <i>Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling.</i></li> <li>• <i>Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used.</i></li> <li>• <i>Aspects of the determination of mineralisation that are Material to the Public Report.</i></li> <li>• <i>In cases where 'industry standard' work has been done this would be relatively simple (eg 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay'). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.</i></li> </ul>	<ul style="list-style-type: none"> <li>• 3kg samples of the meter samples were collected using a spear tube inserted into the 1m sample pile and placed in prenumbered calico bags for every meter.</li> <li>• The drilling was completed on the 3<sup>rd</sup> February 2026</li> <li>• A hand-held Garmin GPS unit was used to record the drill collars as MGA 2020 Zone 54</li> <li>• All samples were analysed with an Olympus Vanta M Series handheld XRF including rhodium (Rh) anode 50 KV X-Ray Tube and large area SDD (Silicon Drift Detector) with read times of 60 seconds (20 seconds per beam) with the instrument in soil mode.</li> <li>• In built instrument calibration carried out at the start and end of each day.</li> <li>• Samples of the 3kg larger sample were placed into pre numbered plastic chip trays (1 tray/hole) with the compartment filled to the top of the compartment (representative of 1m of drilling). Once the sampling of the hole had been completed the chip tray was closed and then next opened on the motel room for the pXRF sampling.</li> <li>• All holes were dry and the samples in the chip trays were dry and at the end of each day the Vanta was placed on the surface of the 1m chip tray compartment and a single reading was taken. The pXRF was then used to take subsequent 1m readings.</li> <li>• The readings were taken in an air conditioned motel room with no dust contamination.</li> <li>• The readings were not corrected and results are raw results</li> <li>• At the end of each day an instrument calibration was completed, all drill samples scanned with the pXRF and 6 x OREAS standards were scanned including a Blank, 3 x REE standards (460,462,464) and 2 other low grade standards 45d and 21f.</li> <li>• Statistical analyses was carried out by the Companies database managers Earth SQL who determined the correlations to be good.</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>Drilling techniques</i>	<ul style="list-style-type: none"> <li>• <i>Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).</i></li> </ul>	<ul style="list-style-type: none"> <li>• Twenty (20) vertical aircore holes were completed for 364m.</li> <li>• Drilled by GPS Drilling</li> <li>• Drilling along district council verges</li> <li>• Holes were not oriented</li> </ul>
<i>Drill sample recovery</i>	<ul style="list-style-type: none"> <li>• <i>Method of recording and assessing core and chip sample recoveries and results assessed.</i></li> <li>• <i>Measures taken to maximise sample recovery and ensure representative nature of the samples.</i></li> <li>• <i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i></li> </ul>	<ul style="list-style-type: none"> <li>• A 3kg split was collected for every meter in a pre-numbered calico bag for later laboratory analyses on selected samples by ALS in Adelaide, the remainder of the meter interval was put back down the hole as part of the rehabilitation.</li> <li>• There was little contamination, and the holes were dry</li> <li>• The visual estimation was that the recovery was very good.</li> <li>• Every effort was made by the drillers to maximise recovery.</li> <li>• A representative sample of every meter was collected in pre numbered plastic chip trays</li> <li>• All chip trays and rehabilitation were photographed</li> </ul>
<i>Logging</i>	<ul style="list-style-type: none"> <li>• <i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i></li> <li>• <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i></li> <li>• <i>The total length and percentage of the relevant intersections logged.</i></li> </ul>	<ul style="list-style-type: none"> <li>• The drill holes were logged by an experienced geological contractor employed by Perth Based Consultancy Speccy Science(SS)</li> <li>• The detail of the logging is appropriate for the early stage of exploration.</li> <li>• Every meter was logged individually</li> </ul>
<i>Sub-sampling techniques and sample preparation</i>	<ul style="list-style-type: none"> <li>• <i>If core, whether cut or sawn and whether quarter, half or all core taken.</i></li> <li>• <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i></li> <li>• <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i></li> <li>• <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i></li> <li>• <i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i></li> <li>• <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i></li> </ul>	<ul style="list-style-type: none"> <li>• All of the sample was collected and placed in prenumbered calico bags.</li> <li>• The meter samples were scanned with the Evident Vanta pXRF and based on the pXRF readings and detailed geological logging of all samples was completed.</li> <li>• This is appropriate for the early level of exploration and appropriate for the material being sampled.</li> </ul>
<i>Quality of assay data</i>	<ul style="list-style-type: none"> <li>• <i>The nature, quality and appropriateness of the assaying and</i></li> </ul>	<ul style="list-style-type: none"> <li>• <b>Evident M Series Vanta</b></li> </ul>

Criteria	JORC Code explanation	Commentary
and laboratory tests	<p>laboratory procedures used and whether the technique is considered partial or total.</p> <ul style="list-style-type: none"> <li>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</li> <li>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</li> </ul>	<ul style="list-style-type: none"> <li>Soil Mode – the following elements were analysed Cu, Pb, Zn, As, Sb, Bi, Hg, P, S, Cl, K, Ca, Ti, V, Cr, Mn, Fe, Co, Ni, Rb, Sr, Y, Zr, Mo, Cd, Sn, W, Th, U, Te, Nb, Sc, Pr, Nd, Ce, La. (These results are included in the report)</li> </ul> <p>Geochemical analysis by handheld XRF should be considered as a preliminary indication only and subject to confirmation by laboratory assay. Results from pXRF analysis can vary significantly from laboratory assay.</p>
Verification of sampling and assaying	<ul style="list-style-type: none"> <li>The verification of significant intersections by either independent or alternative company personnel.</li> <li>The use of twinned holes.</li> <li>Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.</li> <li>Discuss any adjustment to assay data.</li> </ul>	<ul style="list-style-type: none"> <li>Sample sites were chosen by the Speccy Science Principal Geologist and verified by the site geologist.</li> <li>All primary data, data entry procedures, data verification and electronic data storage is per Kaili procedures.</li> <li>All drill collars was based on hand-held GPS sample locations.</li> <li>Appropriate sampling techniques were used based on discussions with ALS laboratory</li> <li>pXRF is used as a preliminary analysis to identify samples with anomalous elements of interest. Samples selected based on the results of the pXRF analysis to be sent for laboratory multi-element assay.</li> </ul>
Location of data points	<ul style="list-style-type: none"> <li>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</li> <li>Specification of the grid system used.</li> <li>Quality and adequacy of topographic control.</li> </ul>	<ul style="list-style-type: none"> <li>All drill collars were initially surveyed using a hand-held GPS accurate to 3 meters.</li> <li>The grid system used in MGA 2020 Zone 54.with the drill collars located in the field with a hand-held GPS using the MGA 2020 Zone 54datum.</li> <li>There is little height variation across the area of drilling</li> </ul>
Data spacing and distribution	<ul style="list-style-type: none"> <li>Data spacing for reporting of Exploration Results.</li> <li>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</li> <li>Whether sample compositing has been applied.</li> </ul>	<ul style="list-style-type: none"> <li>Drill spacing is appropriate for this stage of Exploration.</li> <li>Sample spacing was designed to allow appropriate anomaly definition for this early stage of exploration.</li> <li>Compositing of samples has not been applied</li> </ul>
Orientation of data in	<ul style="list-style-type: none"> <li>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering</li> </ul>	<ul style="list-style-type: none"> <li>Drill traverses were designed along road verges with available sites for an aircore drilling operation targeting the flat lying Loxton Parilla</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>relation to geological structure</i>	<p><i>the deposit type.</i></p> <ul style="list-style-type: none"> <li><i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i></li> </ul>	Sands to a depth of 18m.
<i>Sample security</i>	<ul style="list-style-type: none"> <li><i>The measures taken to ensure sample security.</i></li> </ul>	<ul style="list-style-type: none"> <li>All samples were secured by field geologist and delivered to the laboratory after the sampling program was completed by the Speccy Science Senior Geologist</li> </ul>
<i>Audits or reviews</i>	<ul style="list-style-type: none"> <li><i>The results of any audits or reviews of sampling techniques and data.</i></li> </ul>	<ul style="list-style-type: none"> <li>The sampling technique was reviewed onsite by Speccy Science and the site geologist.</li> </ul>

## Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<ul style="list-style-type: none"> <li><i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i></li> <li><i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i></li> </ul>	<ul style="list-style-type: none"> <li>Drilling completed in EL 7015 (Peake) and EL 6975 (Wilkawatt), in South Australia, Australia</li> <li>The tenements are owned by AusBCM, a subsidiary of Ausmon Resources Limited.</li> <li>The tenements are located in South Australia approximately 200km east of Adelaide</li> <li>Lameroo and Pinaroo are the nearest town</li> <li>There are no JVs and Royalties</li> <li>There are no Native Title claimants</li> <li>The tenements are located in the Limestone Coast Inspectorate</li> </ul>
<i>Exploration done by other parties</i>	<ul style="list-style-type: none"> <li><i>Acknowledgment and appraisal of exploration by other parties.</i></li> </ul>	<ul style="list-style-type: none"> <li>Churchill explored for diatomite bearing siltstone in the top of the Parilla sand in the central portion of the licence.</li> <li>Agricola Minerals for diatomite deposits near the town of Germanium bearing siltstone in the top of the Parilla sand in the central portion of the licence following the work of Churchill who didn't measure absorbencies – no diatomite indicated.</li> <li>Iluka Resources explored for heavy minerals across the tenement with rutile and zircon not being abundant.</li> </ul>

Criteria	JORC Code explanation	Commentary
Geology	<ul style="list-style-type: none"> <li>• <i>Deposit type, geological setting and style of mineralisation.</i></li> </ul>	<ul style="list-style-type: none"> <li>• The holes have been drilling into unconsolidated Murray Basin sediments comprising sand, silt, and clay. The Murray Basin sediments lie unconformably on the Mt Gambier Limestone. The clay component of the Murray Basin sediments is the potential host to the REE minerals with the REE minerals being ionically bonded to the clays.</li> </ul>
Drill hole Information	<ul style="list-style-type: none"> <li>• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> <ul style="list-style-type: none"> <li>○ <i>easting and northing of the drill hole collar</i></li> <li>○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i></li> <li>○ <i>dip and azimuth of the hole</i></li> <li>○ <i>down hole length and interception depth</i></li> <li>○ <i>hole length.</i></li> </ul> </li> <li>• <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i></li> </ul>	<ul style="list-style-type: none"> <li>• All drill collar information is included in a Table in the announcement</li> </ul>
Data aggregation methods	<ul style="list-style-type: none"> <li>• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i></li> <li>• <i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i></li> <li>• <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i></li> </ul>	<ul style="list-style-type: none"> <li>• The sample results were reported a single meter assays and there was no sample aggregation</li> </ul>
Relationship between mineralisation widths and intercept lengths	<ul style="list-style-type: none"> <li>• <i>These relationships are particularly important in the reporting of Exploration Results.</i></li> <li>• <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i></li> <li>• <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i></li> </ul>	<ul style="list-style-type: none"> <li>• The holes have been drilling into unconsolidated Murray Basin sediments comprising sand, silt, and clay. The Murray Basin sediments lie unconformably on the Mt Gambier Limestone. The clay component of the Murray Basin sediments is the potential host to the REE minerals with the REE minerals being ionically bonded to the clays.</li> <li>• the sampling is appropriate for this level of exploration</li> </ul>

Criteria	JORC Code explanation	Commentary
<i>Diagrams</i>	<ul style="list-style-type: none"> <li>• <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i></li> </ul>	<ul style="list-style-type: none"> <li>• A table showing the drill collar locations in relation to ELs 7015 and 6975, is included in the announcement.</li> </ul>
<i>Balanced reporting</i>	<ul style="list-style-type: none"> <li>• <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i></li> </ul>	<ul style="list-style-type: none"> <li>• All exploration results for the multi elements are included a tables in the announcement</li> </ul>
<i>Other substantive exploration data</i>	<ul style="list-style-type: none"> <li>• <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i></li> </ul>	<ul style="list-style-type: none"> <li>• There is no other relevant information to add</li> </ul>
<i>Further work</i>	<ul style="list-style-type: none"> <li>• <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i></li> <li>• <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i></li> </ul>	<ul style="list-style-type: none"> <li>• Infill and extension drilling along the road verges ahead of more closely spaced drilling within freehold land parcels adjacent to the road drilling sited within EL7015 and EL 6975.</li> </ul>

Project	TenementName	TenementNo	HoleID	DepthFrom	DepthTo	Y_ppm	Ce_ppm	La_ppm	Nd_ppm	Pr_ppm
LimestoneCoast	Peake	EL7015	26BZAC001	0	1	7	65	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	1	2	10	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	2	3	16	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	3	4	20	66	58	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	4	5	14	67	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	5	6	18	81	0	182	0
LimestoneCoast	Peake	EL7015	26BZAC001	6	7	15	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	7	8	14	63	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	8	9	16	51	0	147	0
LimestoneCoast	Peake	EL7015	26BZAC001	9	10	13	0	61	158	0
LimestoneCoast	Peake	EL7015	26BZAC001	10	11	16	0	51	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	11	12	15	72	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	12	13	5	0	42	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	13	14	5	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	14	15	6	0	61	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	15	16	8	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	16	17	7	63	53	0	0
LimestoneCoast	Peake	EL7015	26BZAC001	17	18	10	57	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	0	1	13	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	1	2	16	141	103	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	2	3	23	0	76	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	3	4	19	103	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	4	5	15	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	5	6	17	0	69	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	6	7	13	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	7	8	16	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	8	9	7	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	9	10	4	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	10	11	5	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	11	12	18	91	57	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	12	13	5	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	13	14	5	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	14	15	14	0	56	144	0
LimestoneCoast	Peake	EL7015	26BZAC002	15	16	6	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	16	17	10	0	55	0	0
LimestoneCoast	Peake	EL7015	26BZAC002	17	18	5	0	0	200	0
LimestoneCoast	Peake	EL7015	26BZAC003	0	1	13	91	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	1	2	13	68	0	0	113
LimestoneCoast	Peake	EL7015	26BZAC003	2	3	13	60	57	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	3	4	23	0	63	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	4	5	22	94	71	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	5	6	15	78	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	6	7	16	0	0	0	111
LimestoneCoast	Peake	EL7015	26BZAC003	7	8	23	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	8	9	19	0	51	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	9	10	15	85	86	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	10	11	16	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	11	12	14	101	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	12	13	7	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	13	14	9	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	14	15	8	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	15	16	9	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	16	17	22	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC003	17	18	24	0	68	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	0	1	8	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	1	2	6	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	2	3	10	0	0	0	0

LimestoneCoast	Peake	EL7015	26BZAC004	3	4	19	0	0	246	0
LimestoneCoast	Peake	EL7015	26BZAC004	4	5	17	72	64	0	111
LimestoneCoast	Peake	EL7015	26BZAC004	5	6	20	153	68	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	6	7	28	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	7	8	20	99	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	8	9	19	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	9	10	12	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	10	11	7	0	0	177	0
LimestoneCoast	Peake	EL7015	26BZAC004	11	12	4	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	12	13	3	0	0	167	0
LimestoneCoast	Peake	EL7015	26BZAC004	13	14	5	60	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	14	15	5	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	15	16	3	0	0	162	0
LimestoneCoast	Peake	EL7015	26BZAC004	16	17	0	0	0	0	0
LimestoneCoast	Peake	EL7015	26BZAC004	17	18	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	0	1	13	75	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	1	2	43	0	78	0	138
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	2	3	13	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	3	4	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	4	5	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	5	6	5	69	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	6	7	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	7	8	4	0	0	0	138
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	8	9	6	0	62	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	9	10	10	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	10	11	13	89	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	11	12	9	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	12	13	9	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	13	14	11	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	14	15	10	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	15	16	4	91	83	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	16	17	7	70	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC005	17	18	7	0	0	147	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	0	1	14	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	1	2	17	0	0	117	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	2	3	47	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	3	4	16	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	4	5	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	5	6	4	0	0	122	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	6	7	5	0	0	134	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	7	8	8	0	0	129	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	8	9	8	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	9	10	7	0	0	172	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	10	11	6	0	85	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	11	12	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	12	13	7	59	54	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	13	14	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	14	15	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	15	16	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	16	17	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC006	17	18	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	0	1	9	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	1	2	10	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	2	3	10	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	3	4	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	4	5	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	5	6	9	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	6	7	0	0	0	0	0

LimestoneCoast	Wilkawatt	EL6975	26BZAC007	7	8	5	0	55	166	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	8	9	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	9	10	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	10	11	3	0	0	176	102
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	11	12	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	12	13	4	0	65	0	113
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	13	14	5	0	56	150	105
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	14	15	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	15	16	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	16	17	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC007	17	18	3	0	0	136	97
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	0	1	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	1	2	5	72	67	0	113
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	2	3	8	0	0	158	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	3	4	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	4	5	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	5	6	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	6	7	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	7	8	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	8	9	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	9	10	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	10	11	6	0	42	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	11	12	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	12	13	10	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	13	14	39	63	46	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	14	15	63	214	102	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	15	16	20	69	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	16	17	12	82	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC008	17	18	12	0	0	146	96
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	0	1	12	77	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	1	2	10	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	2	3	9	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	3	4	5	0	0	141	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	4	5	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	5	6	5	0	69	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	6	7	6	0	0	137	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	7	8	0	0	45	0	87
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	8	9	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	9	10	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	10	11	22	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	11	12	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	12	13	12	0	0	148	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	13	14	6	0	56	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	14	15	8	94	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	15	16	6	91	55	119	81
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	16	17	16	62	0	138	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC009	17	18	62	121	57	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	0	1	4	0	0	0	89
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	1	2	14	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	2	3	15	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	3	4	33	98	87	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	4	5	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	5	6	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	6	7	4	0	0	0	98
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	7	8	8	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	8	9	12	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	9	10	6	0	0	156	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	10	11	6	0	0	0	0

LimestoneCoast	Wilkawatt	EL6975	26BZAC010	11	12	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	12	13	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	13	14	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	14	15	5	76	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	15	16	11	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	16	17	12	158	126	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC010	17	18	15	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	0	1	2	0	0	148	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	1	2	4	0	0	0	86
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	2	3	4	0	0	134	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	3	4	11	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	4	5	8	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	5	6	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	6	7	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	7	8	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	8	9	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	9	10	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	10	11	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	11	12	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	12	13	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	13	14	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	14	15	2	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	15	16	6	0	0	0	109
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	16	17	3	0	62	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC011	17	18	4	0	0	0	98
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	0	1	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	1	2	8	0	0	137	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	2	3	14	0	61	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	3	4	11	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	4	5	11	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	5	6	7	0	0	139	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	6	7	18	67	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	7	8	11	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	8	9	8	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	9	10	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	10	11	6	73	0	217	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	11	12	5	0	65	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	12	13	20	0	50	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	13	14	42	0	68	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	14	15	47	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	15	16	32	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	16	17	23	0	0	130	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	17	18	15	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	18	19	15	86	75	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC012	19	20	19	0	64	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	0	1	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	1	2	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	2	3	7	0	47	0	72
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	3	4	10	0	0	0	90
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	4	5	4	0	0	117	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	5	6	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	6	7	14	0	58	142	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	7	8	15	0	54	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	8	9	15	77	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	9	10	27	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	10	11	28	0	52	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	11	12	28	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	12	13	18	66	0	0	0

LimestoneCoast	Wilkawatt	EL6975	26BZAC013	13	14	11	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	14	15	15	79	62	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	15	16	13	0	52	0	71
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	16	17	16	96	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	17	18	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	18	19	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC013	19	20	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	0	1	9	0	0	0	132
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	1	2	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	2	3	6	0	50	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	3	4	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	4	5	4	73	0	170	114
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	5	6	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	6	7	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	7	8	3	75	71	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	8	9	4	55	58	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	9	10	3	49	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	10	11	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	11	12	5	0	44	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	12	13	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	13	14	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	14	15	6	0	55	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	15	16	10	68	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	16	17	28	250	0	217	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC014	17	18	106	0	63	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	0	1	26	70	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	1	2	8	0	0	157	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	2	3	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	3	4	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	4	5	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	5	6	5	0	0	110	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	6	7	5	0	0	156	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	7	8	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	8	9	3	84	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	9	10	0	0	0	189	92
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	10	11	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	11	12	5	0	0	161	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	12	13	4	0	48	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	13	14	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	14	15	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	15	16	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	16	17	0	0	0	133	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC015	17	18	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	0	1	11	95	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	1	2	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	2	3	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	3	4	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	4	5	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	5	6	4	0	0	129	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	6	7	4	55	40	0	92
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	7	8	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	8	9	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	9	10	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	10	11	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	11	12	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	12	13	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	13	14	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	14	15	3	0	0	0	0

LimestoneCoast	Wilkawatt	EL6975	26BZAC016	15	16	3	54	52	0	97
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	16	17	3	61	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC016	17	18	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	0	1	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	1	2	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	2	3	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	3	4	8	0	46	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	4	5	4	0	0	120	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	5	6	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	6	7	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	7	8	4	0	0	202	102
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	8	9	4	0	0	147	99
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	9	10	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	10	11	3	0	47	0	78
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	11	12	6	69	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	12	13	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	13	14	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	14	15	3	0	51	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	15	16	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	16	17	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC017	17	18	4	0	61	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	0	1	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	1	2	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	2	3	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	3	4	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	4	5	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	5	6	4	0	58	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	6	7	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	7	8	5	0	0	0	101
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	8	9	3	0	53	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	9	10	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	10	11	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	11	12	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	12	13	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	13	14	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	14	15	11	91	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	15	16	65	281	64	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	16	17	124	107	76	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC018	17	18	54	0	0	191	92
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	0	1	18	0	0	157	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	1	2	31	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	2	3	9	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	3	4	9	0	66	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	4	5	6	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	5	6	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	6	7	0	0	0	139	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	7	8	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	8	9	7	0	42	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	9	10	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	10	11	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	11	12	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	12	13	3	0	0	161	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	13	14	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	14	15	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	15	16	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	16	17	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC019	17	18	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	0	1	8	0	0	161	0

LimestoneCoast	Wilkawatt	EL6975	26BZAC020	1	2	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	2	3	7	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	3	4	5	0	0	115	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	4	5	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	5	6	6	63	0	124	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	6	7	5	0	0	0	91
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	7	8	4	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	8	9	5	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	9	10	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	10	11	3	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	11	12	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	12	13	0	0	0	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	13	14	0	0	48	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	14	15	0	0	0	142	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	15	16	3	0	41	0	0
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	16	17	0	0	0	0	81
LimestoneCoast	Wilkawatt	EL6975	26BZAC020	17	18	3	0	0	0	96