

Widespread, High-Grade Gold Mineralisation at Quinns, Maiden Drill Targets Expanded

Key Highlights:

- **Rock chip sampling has returned 65.2 g/t Au (QURK116), 16.63 g/t Au (QURK083), 8.77 g/t Au (QURK082), and 4.38 g/t Au (QURK093)** extending known high-grade mineralisation at the Fennell Gold Prospect.
- **Three targets now advance to maiden drill design - Fennell, Finlay and the newly identified Venture prospect** - each anchored by high-grade gold in outcrop, historic workings or soil geochemistry.
- Mapping at the **Fennell prospect** has expanded the mineralised zone from 130m to 250m wide and 150m of strike, defining a well-constrained target for first-pass drilling.
- **New Venture target defined by soil geochemistry over a 600m by 250m gold anomaly**, immediately along trend from the historic Enterprise Mine, which produced 865oz at an average grade of 19.3 g/t Au between 1897 – 1917.
- **AM5's 383km² Quinns tenure cover 20km of the Meekatharra greenstone belt, where prior operators predominately targeted** VMS copper-zinc mineralisation, leaving the high-grade orogenic gold potential untested.
- **Quinns project lies ~10km from Monument Mining's Burnakura Mill and ~50km from Westgold Resources' Bluebird and Tuckabianna Mills**, providing a potential pathway for future development.
- **Expanded soil sampling, heritage surveys and a belt-wide geophysics review** are planned at Quinns, positioning AM5 to commence maiden drilling across the three targets in the near term.
- **Concurrent copper exploration at Quinns (WA)** positions AM5 for sustained news flow through H2 2026.

Antares Metals Ltd (ASX: AM5) (Antares, AM5 or the Company) has confirmed high-grade gold mineralisation at three separate prospects within its 100%-owned Quinns Gold and Copper-Zinc VMS Project in Western Australia. Rock chip sampling of 94 samples, completed across the Company's Meekatharra greenstone belt tenure, **returned results up to 65.2 g/t Au, with multiple samples grading above 3 g/t Au.**

The results are the product of the continued systematic modern gold exploration undertaken across the Quinns tenure. Previous operators focused on the project's extensive volcanogenic massive sulphide (VMS) copper-zinc mineralisation, leaving the orogenic gold potential effectively untested. AM5 is now fast-tracking maiden drill planning across all three targets.

The Quinns Project covers 383km² of the proven and prospective Meekatharra greenstone belt,

approximately 10km from Monument Mining's (TSX.V: MMY) Burnakura Mill and 50km from multiple Westgold Resources' (ASX: WGX) operating mills (see Figure 1). Proximity to established, third-party processing capacity is a material consideration for any future development pathway at Quinns.

Managing Director, Terry Topping commented:

“Quinns has been hiding in plain sight. Recent operators have chased the VMS copper-zinc, so nobody had systematically tested the gold. This recent work has delivered 65 g/t gold and has expanded the high grades at Fennell plus high grades at three more targets. The Venture anomaly sitting along trend from a mine that recovered nearly 20 g/t gold a century ago tells you how much of this belt has never been looked at properly. With the Burnakura mill 10km down the road and gold where it is today, the job now is simple: clear heritage, lock the targets, and get a rig turning”.




Figure 1. Location Map Quinns Project, West Australia.

94-Sample Program Delivers High-Grade gold at Three Separate Targets

An expanded mapping and rock chip sampling program completed in June 2026, comprising 94 rock chip samples (QRK080-173), has identified new gold mineralisation and extended known mineralisation across three historically worked area (Figure 6) (Appendix 2). Assays ranged from below detection to 65.2 g/t Au, with seven samples above 1 g/t Au and 22 samples above 0.1 g/t Au. Rock chip sampling is selective by nature and the results reported are not necessarily representative of the mineralisation present. Key results by target include:

Fennell Gold Prospect - Mineralised Zone Doubles in Width

A series of shallow workings bisecting the regional BIF, and outcropping quartz veins have been further sampled (see Figure 2) and returned:

- **Sample QURK116: 65.20 g/t Au**
- **Sample QURK083: 16.63 g/t Au**
- **Sample QURK082: 8.77 g/t Au**
- **Sample QURK093: 4.38 g/t Au**

The BIF-hosted structural setting is consistent with orogenic gold mineralisation typical of the Murchison Province. Mapping and sampling have expanded the mineralised area from 130m to 250m in width, with numerous mineralised quartz veins crosscutting the BIF contact over up to 150m of strike, providing a well-defined maiden drill target.




Figure 2: Rock chip sampling at the Fennell Gold Prospect

Finlay Gold Prospect - 90m of Untested Strike Confirmed

A line of shallow pits and shafts mapped over a strike length of 90m (see Figure 3), with previous results returning¹:

- Sample QURK048: **41.7 g/t Au**
- Sample QURK055: **2.27 g/t Au**
- Sample QURK004: **3.70 g/t Au**
- Sample QURK150: **1.67 g/t Au (new result)**

The 90m mapped northwest strike of the shallow historic workings confirms near-surface gold accumulation within the Finlay Prospect area. Several additional untested quartz veins are mapped to the southwest, subparallel to the historical workings. The target has never previously been investigated by a modern exploration.




Figure 3: Rock chip sampling at the Finlay Gold Prospect

¹ See AM5 ASX Announcement "Widespread High Grade Gold Mineralisation at Quinns, Three Priority Drill Targets Identified" 27 May 2026

New Gold Target Identified

Sampling of dry blowing spoil and shallow workings across a strike length of 20m by 10m (see Figure 4) returned:

- **Sample QURK158: 10.66 g/t Au**

The working measures 12m by 16m by 2.5 deep with minor quartz veins in weathered mafic volcanic is surrounded by extensive shallow dry blowing piles and metal detecting sites. This sample highlights the prospectivity of the area, and further work is required to understand the controls on gold mineralisation. The extent of surface disturbance indicates shallow aircore drilling will be required to fully assess this prospect.



Figure 4: Rock chip sampling at new gold prospect.

Venture Prospect – Soil Anomaly Extends Trend from a 19.3 g/t Historic Mine

A soil geochemical program has extended the known gold anomaly at the Venture Prospect, located southeast of the historic Enterprise Mine (M51/19 excised). The Venture target measures 600m by 250m, defined by a 10ppb gold anomaly and containing two distinct higher grade zones peaking at 1,570 ppb gold and 500 ppb gold. The previously mined quartz veins at Enterprise Mine trend southeast towards this anomalous zone, making Venture a priority target for aircore drilling. (see Figure 5)

The Enterprise Mine is reported to have produced 1,389.5 tons for 865.41 ounces of gold, at an average recovered grade of 0.62 ounces per ton (19.3 g/t Au), between 1897 and 1917. This

historical production information is sourced from public historical records and is not reported in accordance with the JORC Code (2012). It is provided as an indication of the mineralisation style and tenor in the district only. The Enterprise Mine is not held by Antares and the Company is not reporting a Mineral Resource of Ore Reserve in relation to it².




Figure 5: Gold soil chemical anomaly at Venture gold prospect.

Structurally Controlled Orogenic Gold Across 20km of Untested Belt

Gold mineralisation at the Quinns Goldfield is controlled by a combination of geological and structural factors. The main greenstone belt is known to host gold mineralisation, with local structural settings providing favourable traps for gold deposition.

AM5's 383km² tenure consolidates the southern extent of the Meekatharra greenstone belt, encompassing three granted exploration licences, four granted prospecting licences, four mining lease applications, and five exploration licence applications. The Company holds 20km of belt strike that has not been tested with modern gold-focused exploration.

The Company is undertaking a systematic review of all historical data alongside new field campaigns, applying modern geochemical and geophysical methods to complement direct sampling across areas of shallow cover. This integrated structural and geophysical approach has proven highly effective at unlocking orogenic gold systems across the Murchison Province and directly targets the discovery potential earlier explorers left untested.

² Feldtmann, F. R., (1921) The mining centres of Quinns and Jasper Hill, Murchison Goldfields




Figure 6: Rock chip sampling and results within the AM5 Quinns Gold and Copper Project

Next Steps

- Complete heritage surveys and finalise drill targeting at Fennell, Finlay, Venture and the newly identified prospect ahead of maiden drilling at Quinns.
- Commence maiden drilling at Quinns, with aircore planned to test the Venture soil anomaly and the shallow dry blowing target, and drilling designed to test the high-grade BIF-hosted structures at Fennell.
- Expand soil sampling and geochemistry along the 20km of Meekatharra greenstone belt strike held by the Company to generate the next round of drill targets.
- Advance follow-up exploration at the Conglomerate Creek and Cromwell copper discoveries at Mt Isa North (QLD), building on earlier results

This announcement has been approved for release by the Board of Antares Metals Limited.

Enquiries:

Terry Topping
Managing Director

Antares Metals Limited

E: ttopping@antaresmetals.com.au

Competent Person Statement:

The information in this report that relates to Exploration activities and Exploration Results has been approved by Mr. Terry Topping, a Competent Person who is a member of Australasian Institute of Mining and Metallurgy and is the Managing Director of Antares Metals Limited.

Mr Topping has sufficient experience that is relevant to the style of mineralisation and type of deposit under consideration and to the activity being undertaken to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Topping consents to the inclusion in the report of the matters based on his information in the form and context in which it appears. Mr Topping is the Managing Director of Antares Metals Limited and has a relevant interest in the Company securities.

Compliance Statement

The information in this release that relates to previously reported exploration results for Antares Metals are extracted from the ASX Announcements listed in footnotes to this release, which are also available on the Company's website at www.antaresmetals.com.au and the ASX website www.asx.com under the code AM5. Antares Metals Limited confirms that it is not aware of any new information or data that materially affects the information included in the relevant Company announcements, and ongoing results are published as further assays are received.


About Antares Metals

Antares Metals Ltd (ASX:AM5) is a multi-commodity explorer advancing district-scale projects across two of Australia's premier mineral provinces, the Mt Isa district of northwest Queensland and the goldfields of Western Australia.

The Company's Mt Isa North Copper-Uranium Project covers approximately 1,937km² and sits within a world-renowned base metals mining district, surrounded by major copper and uranium operations. The project hosts multiple copper and uranium prospects at various stages of exploration, with field programs, geochemical surveys, and drilling activities progressing across the tenure.

In Western Australia, the Quinns Gold and Copper-Zinc VMS Project is located in the Meekatharra Greenstone Belt, a proven goldfield with multiple historic workings and high-grade targets. The Company's Katanning Gold Project occupies the southern Yilgarn Craton, positioned directly along strike from Ausgold's (ASX: AUC) multi-million-ounce Katanning Gold Project.

Antares is focused on building shareholder value through systematic, catalyst-driven exploration across copper, gold, and uranium, commodities underpinned by strong and growing global demand.



Appendix 1 - JORC Code, 2012 Edition – Table 1

Section 1 Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria	JORC Code Explanation	Commentary
Sampling techniques	Nature and quality of sampling (e.g., cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling. Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. Aspects of the determination of mineralisation that are Material to the Public Report.	94 new rock chip sample results and 558 soil sampling results are reported. Sample Representativity 94 rock chips were collected from outcrop and number of historical workings for laboratory analysis. 558 soil samples (-80# sieved) were collected on 50m x 100m and 100m x 100m grid spacings - Industry-standard practice was used in the processing of samples for assay. Assaying Rocks 94 Rock Chip samples (QURK080 to QURK173) were submitted to an ISO certified commercial laboratory, ALS Laboratories in Perth, WA. - Sample preparation comprised drying and pulverisation prior to analysis (PUL-21 and PUL-31h lab codes). - Samples were submitted to ALS Laboratories for gold analysis. - Au was analysed by lab code Au-ICP21, 30 gram charge Fire Assay, with analysis by (ICP-AES). Samples returning results greater than 10g/t Au were analysed by lab code Au-GRA21, 30 gram charge Fire Assay, with Gravimetric analysis. Assaying Soils 558 sol samples (QUS182-223 inclusive and QUS224 to QURK1254, even numbers only) were submitted to an ISO certified commercial laboratory, ALS Laboratories in Perth, WA for gold analysis. - Sample preparation comprised drying and pulverisation prior to analysis (PUL-31L lab code). - Au was analysed by lab code AuME-TL43, Aqua Regia digest, 25 gram charge with analysis by Inductively Coupled Plasma Mass Spectrometry (ICPMS)
Drilling techniques	Drill type (e.g., core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) And details (e.g., core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).	No drill results or drilling is discussed in this announcement.

Criteria	JORC Code Explanation	Commentary
Drill sample recovery	Method of recording and assessing core and chip sample recoveries and results assessed. Measures taken to maximise sample recovery and ensure representative nature of the samples. Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	- No drill results or drilling is discussed in this announcement - All samples discussed in this announcement are rock chip and soil samples, which were collected and sent for assay analysis.
Logging	Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies. Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) The total length and percentage of the relevant intersections logged.	- The rock chips were geologically described with alteration, mineralisation and other observations including colour and lithology. - All the rock and soil samples were sent for laboratory testing.
Sub-sampling techniques and sample preparation	If core, whether cut or sawn and whether quarter, half or all core taken. If non-core, whether riffled, tube sampled, rotary split, etc. And whether sampled wet or dry. For all sample types, the nature, quality and appropriateness of the sample preparation technique. Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples. Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling. Whether sample sizes are appropriate to the grain size of the material being sampled.	- No drill results or drilling is discussed in this announcement - No sub-sampling techniques were used. - Industry-standard practice was used in the processing of rock chip and soil samples for assay. - The rock chip and soil samples were sent for laboratory testing.
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total. For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc. Nature of quality control procedures adopted (e.g., standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e., lack of bias) and precision have been established.	Assaying Rocks 94 rock chip samples were submitted to ALS Laboratories in Perth, WA. - The samples were sorted, wet-weighed, dried, and then weighed again. Primary preparation involved crushing and splitting the sample with a riffle splitter where necessary to obtain a pulverised sub-fraction in a vibrating pulveriser. All coarse residues have been retained. - Samples were submitted for gold analysis by 30g lead collection fire assay. - No blanks, standards or duplicates were included by AM5 with the field samples. ALS inserts Certified Reference Material (CRM) samples and blanks into each batch of samples being analysed as part of their QAQC procedures. This included re-assaying a number of duplicate samples. Assaying Soils 558 soil samples were submitted to ALS Laboratories in Perth, WA for gold analysis.

Criteria	JORC Code Explanation	Commentary
		- The samples were sorted, wet-weighed, dried, and then weighed again. Primary preparation involved pulverising 250 grams of sample in a vibrating pulveriser to provide a 25 gram pulverised sub-fraction for analysis (PUL-31L lab code). All coarse residues have been retained - Samples were submitted for gold analysis by 25g Aqua regia Digest with analysis by Inductively Coupled Plasma Mass Spectrometry (ICPMS) - No blanks, standards or duplicates were included by AM5 with the field samples. ALS inserts Certified Reference Material (CRM) samples and blanks into each batch of samples being analysed as part of their QAQC procedures. This included re-assaying a number of duplicate samples
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel. The use of twinned holes. Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. Discuss any adjustment to assay data.	- No verification outside the Company was completed - ALS randomly insert analytical blanks, standards and duplicates into the sample batches for laboratory QAQC performance monitoring. - The results in this release have not been subject to additional sample verification beyond those mentioned above.
Location of data points	Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. Specification of the grid system used. Quality and adequacy of topographic control.	- Sample locations were determined by handheld GPS, with a horizontal accuracy of $\pm 3\text{m}$. - The Grid used is GDA94 Zone 50 - The locations of the rock chip samples are referenced in the body of the report (text and images) and included in Appendix 2. - The locations of the soil samples are referenced in the body of the report (text and images) and included in Appendix 3.
Data spacing and distribution	Data spacing for reporting of Exploration Results. Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. Whether sample compositing has been applied.	- Rock chips were collected from outcrop and a number of historical workings. - Soil samples (-80# sieved) were collected on a 50m x 100m and 100m x 100m spaced grid - No Mineral Resource or Ore Reserve estimations are being reported. - No sample compositing has been applied
Orientation of data in relation to geological structure	Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	- Rock chip samples were collected at random from outcrops and historical workings encountered in the field. - Soil samples (-80# sieved) were collected on a 50m x 100m and 100m x 100m spaced grid pattern, targeting structurally controlled gold mineralisation. The sampling is considered to be close spaced and provides unbiased sampling of multiple structural orientations.

Criteria	JORC Code Explanation	Commentary
Sample security	The measures taken to ensure sample security.	- All rock chip and soil samples were collected and accounted for by Company employees or contractors. All rock chip samples were bagged into individual calico sample bags and transported in polyweave bags closed with cable ties. All soil samples were collected into paper geochemex sample bags and transported in polyweave bags closed with cable ties - All samples were delivered to the laboratory by Company employees or contractors. - The appropriate manifest of sample numbers and a sample submission form containing laboratory instructions were submitted to the laboratory. Any discrepancies between sample submissions and samples received were routinely followed up and accounted for.
Audits or reviews	The results of any audits or reviews of sampling techniques and data.	No audits have been conducted on the data.

Section 2 Reporting of Exploration Results

(Criteria listed in the preceding section also apply to this section)

Criteria	JORC Code Explanation	Commentary
Mineral tenement and land tenure status	Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings. The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.	- The Fennel, Finlay and other reported prospects are situated within the Quinns Gold & VMS Project, located ~50km south of Meekatharra, WA. - The sampling occurs on E5/51/1853, E51/1960, P51/3005, P51/3006 and P51/3007, which are owned by Antares Metals Limited, under a recently completed Tenement purchase agreement. - Antares Metals Ltd. (AM5) has completed a Tenement Purchase Agreement with Kilonova Metals Pty Ltd (Kilonova), CNN Investments Pty Ltd and Ross Neve (CNN group) to acquire 100% ownership of 3 Exploration Licences, 5 Prospecting Licences and 4 Mining Lease Applications. E51/1853 & E51/1960 (Kilonova). E51/1157, P51/3005, P51/3006, P51/3007, P51/3252, P51/3397 (application), M51/909 (application), M51/927 (application), M51/928 (application) and M51/929 (application) (CNN group). - Antares Metals has recently applied for an additional 5 exploration licences E20/1111, E51/2312, E51/2313, E51/2314 & E51/2316 adjacent to the Quinns Project. These licences increase the project area to 383km². - A 1% Net Smelter Royalty is held by the vendors of the recently acquired tenements.
Exploration done by other parties	Acknowledgment and appraisal of exploration by other parties.	- Significant past work has been carried out by other parties at the Quinns Gold and VMS Project, including CRA Exploration, Silver Swan Group and Caravelle Minerals Ltd. - The Austin VMS Deposit was discovered by CRAE during 1990-1991. Silver Swan completed additional drilling at the Austin deposit between 2008-2010. Silver Swan completed further drilling between 2010 and 2012 targeting depth and strike extensions to the Austin VMS deposit and a number of other regional VMS targets within the project area. - Other companies that have explored the Quinns area for base metal and gold mineralisation include Newmont, WMC, Emu Nickel and Saint Barbara.
Geology	Deposit type, geological setting and style of mineralisation.	Quinns - Regional Geology The Quinns Gold and VMS Project lies within the Meekatharra-Wydege Greenstone Belt, part of the north eastern Murchison Province in the Archaean Yilgarn Craton. The Meekatharra-Wydege Greenstone Belt consists of the Norie Group (2800 – 2815 Ma), the Polelle Group (2792 – 2734 Ma) and the Glen Group (~2720 Ma), which have been regionally metamorphosed, ranging from lower greenschist to amphibolite facies. (Wellman 2010) The E51/1853

Criteria	JORC Code Explanation	Commentary
		project area contains felsic volcanoclastic sedimentary rocks and BIF of the Yaloginda Formation (Norrie Group) and overlying basalts of the Meekatharra Formation (Pollelle Group). Quinns - Local Geology - The greater part of the Quinns Gold and VMS Project is covered by Quaternary transported sheet wash and alluvium which is reported to vary from 10 to 50m in depth. The project contains a sequence of felsic volcanic and volcanoclastics and mafic volcanic rocks separated by thin horizons of Banded Iron Formation (BIF). In the southern and eastern part of the project, the sequence is folded into an east-north easterly trending antiformal structure (the Quinn's Antiform) which has been refolded into eastern and western domes. The historical workings around the Quinn's mining area occur at its northeastern end. The structure terminates at its southwestern end in a structurally complex zone with little coherency abutting an apparent north-westerly trending high-strain zone. The Austin Cu-Zn VMS discovery lies on the northern margin of this structurally complex zone which is about 1 km wide. The southern part of the project area is extensively intruded by granite. - Both gold and base metal mineralization occurs within the Quinns Project area. Gold mineralization is hosted by quartz veins localized in the area that trend across the stratigraphy in some places concordant to BIF. The veins are generally steeply dipping, up to 0.5m thick and returned grades up to 15 g/t in historic mining. Small gold workings dating to the 1890s are widespread in the eastern parts of the project, as are scrapings by recent prospectors using metal detectors. - Base metal mineralization is hosted by felsic volcanic rocks. To the north and west of the Austin VMS deposit, a number of BIF units occur which are up to 10 to 20m in thickness, over a strike of almost 25km. Copper-zinc mineralization, as found at Austin and other prospects in the eastern parts of the area is hosted by altered rhyolites, with the following alteration sequence noted as the mineralisation is approached, silicification that is highly variable in chlorite in addition to sericite chlorite-pyrite, with variable amounts of magnetite variously banded silica magnetite talc-chlorite-pyrite, with zones of semi-massive to massive pyrite. Chalcopyrite-pyrrhotite-pyrite-magnetite and sphalerite-pyrite-magnetite with talc and/chlorite. Silica-sulphide (pyrite-pyrrhotite-chalcopyrite) zones also occur. - The Austin VMS deposit lies at the intersection of a series of east northeast, east southeast and north northwest trending structures and faults on the northern edge of the structural corridor terminating at the south western end of the Quinns Anti-form.

Criteria	JORC Code Explanation	Commentary
Drill hole Information	A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes: easting and northing of the drill hole collar elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar dip and azimuth of the hole down hole length and interception depth hole length. If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.	No drilling is reported and no drilling information is presented in this announcement.
Data aggregation methods	In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g., cutting of high grades) and cut-off grades are usually Material and should be stated. Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail. The assumptions used for any reporting of metal equivalent values should be clearly stated.	No grade aggregation, weighting, or cut-off methods were used for this announcement
Relationship between mineralisation widths and intercept lengths	These relationships are particularly important in the reporting of Exploration Results. If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported. If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g., ‘down hole length, true width not known’).	No drilling or mineralisation intercepts are reported in this announcement.
Diagrams	Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported. These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.	Images/maps are included in the body of the announcement.
Balanced reporting	Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.	- Results from soil and rock chip samples collected during this program have been sent to the laboratory and are reported in the announcement. - Results from the rock chip sampling are reported in Appendix 2. - Results from the soil sampling are reported in Appendix 3.

Criteria	JORC Code Explanation	Commentary
Other substantive exploration data	Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.	There is no other substantive exploration data to report.
Further work	The nature and scale of planned further work (e.g., tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.	- Plans for further work are outlined in the body of the announcement. - Further AC, RC and Diamond drilling is planned to investigate additional high priority gold and VMS targets identified within the Quinns Project area. - Further geophysical surveys to assist ongoing exploration efforts in areas where the prospective basement rocks are buried under cover, including IP and gravity is proposed in conjunction with newer geochemical methods including UltrafineTM sampling. - Interrogation of historical datasets is ongoing.

Appendix 2 - Table of Rock Chip Lab Assay Results

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QURK080	658314	7002960	0.36
QURK081	658311	7002964	0.23
QURK082	658320	7002974	8.77
QURK083	658312	7002984	16.63
QURK084	658316	7002986	0.14
QURK085	658323	7002986	0.03
QURK086	658323	7002997	0.47
QURK087	658331	7002891	0.04
QURK088	658361	7002938	0.01
QURK089	658463	7002928	0.02
QURK090	658518	7002920	0.07
QURK091	658272	7002925	0.71
QURK092	658274	7002914	0.21
QURK093	658273	7002911	4.38
QURK094	658241	7002870	0.05
QURK095	658247	7002868	0.03
QURK096	658236	7002864	0.16
QURK097	658232	7002863	0.04
QURK098	658450	7002906	0.00
QURK099	658449	7002878	0.01
QURK100	658458	7002862	0.01
QURK101	658405	7002877	0.00
QURK102	658415	7002898	0.86
QURK103	658415	7002903	0.03
QURK104	658421	7002900	0.87
QURK105	658423	7002898	0.86
QURK106	658426	7002904	1.03
QURK107	658426	7002919	0.01
QURK108	658389	7002886	0.01
QURK109	658316	7002820	0.02
QURK110	658232	7002844	0.06
QURK111	658234	7002846	0.69
QURK112	658186	7002832	0.14
QURK113	658180	7002826	0.00

Appendix 2 - Table of Rock Chip Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QURK114	658293	7002860	0.00
QURK115	658281	7002817	0.02
QURK116	658258	7002821	65.2
QURK117	658258	7002818	0.38
QURK118	659457	7004483	0.01
QURK119	659441	7004458	0.00
QURK120	659441	7004454	0.29
QURK121	659440	7004450	0.00
QURK122	659286	7004457	0.00
QURK123	659493	7004458	0.00
QURK124	659172	7004461	0.00
QURK125	659156	7004458	0.02
QURK126	659118	7004469	0.01
QURK127	659125	7004475	0.00
QURK128	658895	7004429	0.001
QURK129	658904	7004424	0.01
QURK130	658871	7004423	0.02
QURK131	658842	7004432	0.00
QURK132	658848	7004421	0.00
QURK133	658823	7004432	0.00
QURK134	658802	7004433	0.00
QURK135	658791	7004434	0.00
QURK136	658791	7004431	0.00
QURK137	658731	7004420	0.00
QURK138	658542	7004391	0.00
QURK139	660751	7007004	0.00
QURK140	660752	7007002	0.00
QURK141	660732	7006959	0.00
QURK142	660701	7006930	0.00
QURK143	660633	7006907	0.001
QURK144	660658	7006881	0.00
QURK145	660668	7006875	0.001
QURK146	660610	7006914	0.00
QURK147	660782	7007016	0.11

Appendix 2 - Table of Rock Chip Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QURK148	660786	7007012	0.06
QURK149	660798	7007016	0.01
QURK150	660794	7007016	1.67
QURK151	660761	7007079	0.01
QURK152	660701	7007173	0.01
QURK153	660650	7007185	0.01
QURK154	660792	7007265	0.09
QURK155	660840	7007241	0.00
QURK156	659395	7006951	0.02
QURK157	659419	7006943	0.01
QURK158	659403	7006994	10.66
QURK159	659708	7006508	0.01
QURK160	659754	7006421	0.00
QURK161	660217	7006500	0.00
QURK162	660229	7006499	0.01
QURK163	660187	7006494	0.02
QURK164	660037	7006554	0.02
QURK165	659971	7006569	0.00
QURK166	659857	7006561	0.00
QURK167	659299	7002291	0.001
QURK168	659283	7002245	0.00
QURK169	659273	7002225	0.01
QURK170	659266	7002209	0.00
QURK171	659184	7002184	0.00
QURK172	659208	7002195	0.00
QURK173	659076	7002458	0.001

Appendix 3 - Table of Soil Sampling Lab Assay Results

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS182	659200	7001350	3
QUS183	659250	7001350	28
QUS184	659300	7001350	294
QUS185	659350	7001350	62
QUS186	659400	7001350	15
QUS187	659450	7001350	22
QUS188	659500	7001350	11
QUS189	659550	7001350	8
QUS190	659600	7001350	5
QUS191	659650	7001350	7
QUS192	659700	7001350	6
QUS193	659750	7001350	9
QUS194	659800	7001350	11
QUS195	659850	7001350	5
QUS196	659850	7001250	2
QUS197	659800	7001250	3
QUS198	659750	7001250	4
QUS199	659700	7001250	3
QUS200	659650	7001250	2
QUS201	659600	7001250	5
QUS202	659550	7001250	3
QUS203	659500	7001250	6
QUS204	659450	7001250	5
QUS205	659400	7001250	15
QUS206	659350	7001250	16
QUS207	659300	7001250	37
QUS208	659250	7001250	27
QUS209	659200	7001250	5
QUS210	659200	7001200	2

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS211	659250	7001200	6
QUS212	659300	7001200	7
QUS213	659350	7001200	6
QUS214	659400	7001200	6
QUS215	659450	7001200	2
QUS216	659500	7001200	2
QUS217	659550	7001200	3
QUS218	659600	7001200	6
QUS219	659650	7001200	2
QUS220	659700	7001200	3
QUS221	659750	7001200	3
QUS222	659800	7001200	7
QUS223	659850	7001200	2
QUS224	661600	7003200	1
QUS226	661700	7003200	3
QUS228	661800	7003200	2
QUS230	661900	7003200	1
QUS232	662000	7003200	2
QUS234	662050	7003100	1
QUS236	661950	7003100	3
QUS238	661850	7003100	3
QUS240	661750	7003100	1
QUS242	661650	7003100	1
QUS244	661550	7003100	1
QUS246	661450	7003100	1
QUS248	661350	7003100	2
QUS250	661250	7003100	1
QUS252	661150	7003100	1
QUS254	661050	7003100	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS256	660950	7003100	1
QUS258	660850	7003100	1
QUS260	660750	7003100	1
QUS262	660650	7003100	2
QUS264	660550	7003100	2
QUS266	660300	7003000	1
QUS268	660400	7003000	1
QUS270	660500	7003000	1
QUS272	660600	7003000	1
QUS274	660700	7003000	1
QUS276	660800	7003000	1
QUS278	660900	7003000	1
QUS280	661000	7003000	1
QUS282	661100	7003000	1
QUS284	661200	7003000	1
QUS286	661300	7003000	1
QUS288	661400	7003000	1
QUS290	661500	7003000	1
QUS292	661600	7003000	1
QUS294	661700	7003000	1
QUS296	661800	7003000	2
QUS298	661900	7003000	2
QUS300	662000	7003000	1
QUS302	661700	7002900	1
QUS304	661600	7002900	1
QUS306	661500	7002900	1
QUS308	661400	7002900	1
QUS310	661300	7002900	1
QUS312	661200	7002900	1

Appendix 3 - Table of Soil Sampling Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS314	661100	7002900	1
QUS316	661000	7002900	1
QUS318	660900	7002900	1
QUS320	660800	7002900	1
QUS322	660700	7002900	1
QUS324	660600	7002900	0
QUS326	660500	7002900	1
QUS328	660400	7002900	1
QUS330	660300	7002900	1
QUS332	660200	7002900	1
QUS334	660100	7002900	2
QUS336	659950	7002800	1
QUS338	660050	7002800	2
QUS340	660150	7002800	1
QUS342	660250	7002800	1
QUS344	660350	7002800	0
QUS346	660450	7002800	1
QUS348	660550	7002800	1
QUS350	660650	7002800	1
QUS352	660750	7002800	1
QUS354	660850	7002800	1
QUS356	660950	7002800	1
QUS358	661050	7002800	1
QUS360	661150	7002800	1
QUS362	661250	7002800	4
QUS364	661350	7002800	1
QUS366	661450	7002800	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS368	661550	7002800	0
QUS370	661650	7002800	1
QUS372	661500	7002700	0
QUS374	661400	7002700	1
QUS376	661300	7002700	0
QUS378	661200	7002700	0
QUS380	661100	7002700	1
QUS382	661000	7002700	1
QUS384	660900	7002700	1
QUS386	660800	7002700	1
QUS388	660700	7002700	0
QUS390	660600	7002700	0
QUS392	660500	7002700	0
QUS394	660400	7002700	0
QUS396	660300	7002700	0
QUS398	660200	7002700	0
QUS400	660100	7002700	0
QUS402	660000	7002700	0
QUS404	659900	7002700	1
QUS406	659800	7002700	0
QUS408	659700	7002700	2
QUS410	659500	7002600	1
QUS412	659600	7002600	0
QUS414	659700	7002600	1
QUS416	659800	7002600	1
QUS418	659900	7002600	0
QUS420	660000	7002600	0

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS422	660100	7002600	1
QUS424	660200	7002600	0
QUS426	660300	7002600	0
QUS428	660400	7002600	0
QUS430	660500	7002600	1
QUS432	660600	7002600	0
QUS434	660700	7002600	0
QUS436	660800	7002600	1
QUS438	660900	7002600	2
QUS440	661000	7002600	1
QUS442	661100	7002600	1
QUS444	661200	7002600	2
QUS446	661300	7002600	1
QUS448	661400	7002600	2
QUS450	661350	7002500	0
QUS452	661250	7002500	1
QUS454	661150	7002500	1
QUS456	661050	7002500	1
QUS458	660950	7002500	1
QUS460	660850	7002500	1
QUS462	660750	7002500	1
QUS464	660650	7002500	1
QUS466	660550	7002500	2
QUS468	660450	7002500	0
QUS470	660350	7002500	1
QUS472	660250	7002500	0
QUS474	660150	7002500	1

Appendix 3 - Table of Soil Sampling Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS476	660050	7002500	1
QUS478	659950	7002500	0
QUS480	659850	7002500	0
QUS482	659750	7002500	0
QUS484	659650	7002500	0
QUS486	659550	7002500	1
QUS488	659450	7002500	0
QUS490	659350	7002500	1
QUS492	659250	7002500	4
QUS494	659150	7002500	4
QUS496	659050	7002500	3
QUS498	659000	7002400	1
QUS500	659100	7002400	1
QUS502	659200	7002400	2
QUS504	659300	7002400	1
QUS506	659400	7002400	1
QUS508	659500	7002400	1
QUS510	659600	7002400	0
QUS512	659700	7002400	1
QUS514	659800	7002400	0
QUS516	659900	7002400	1
QUS518	660000	7002400	0
QUS520	660100	7002400	0
QUS522	660200	7002400	0
QUS524	660300	7002400	0
QUS526	660400	7002400	0
QUS528	660500	7002400	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS530	660600	7002400	0
QUS532	660700	7002400	0
QUS534	660800	7002400	1
QUS536	660900	7002400	1
QUS538	661000	7002400	1
QUS540	661100	7002400	0
QUS542	661200	7002400	1
QUS544	660750	7002300	1
QUS546	660650	7002300	0
QUS548	660550	7002300	0
QUS550	660450	7002300	2
QUS552	660350	7002300	0
QUS554	660250	7002300	0
QUS556	660150	7002300	1
QUS558	660050	7002300	0
QUS560	659950	7002300	0
QUS562	659850	7002300	0
QUS564	659750	7002300	0
QUS566	659650	7002300	3
QUS568	659550	7002300	1
QUS570	659450	7002300	1
QUS572	659350	7002300	1
QUS574	659250	7002300	1
QUS576	659150	7002300	1
QUS578	659150	7002200	1
QUS580	659250	7002200	1
QUS582	659350	7002200	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS584	659450	7002200	1
QUS586	659550	7002200	1
QUS588	659650	7002200	3
QUS590	659750	7002200	0
QUS592	659850	7002200	0
QUS594	659950	7002200	0
QUS596	660050	7002200	1
QUS598	660150	7002200	0
QUS600	660250	7002200	2
QUS602	660350	7002200	1
QUS604	660450	7002200	2
QUS606	660550	7002200	1
QUS608	660650	7002200	1
QUS610	660650	7002100	1
QUS612	660550	7002100	1
QUS614	660450	7002100	1
QUS616	660350	7002100	1
QUS618	660250	7002100	1
QUS620	660150	7002100	0
QUS622	660050	7002100	0
QUS624	659950	7002100	0
QUS626	659850	7002100	0
QUS628	659750	7002100	1
QUS630	659650	7002100	1
QUS632	659550	7002100	1
QUS634	659450	7002100	0
QUS636	659350	7002100	1

Appendix 3 - Table of Soil Sampling Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS638	659250	7002100	1
QUS640	659150	7002100	0
QUS642	659650	7002000	2
QUS644	659750	7002000	1
QUS646	659850	7002000	1
QUS648	659950	7002000	1
QUS650	660050	7002000	1
QUS652	660150	7002000	4
QUS654	660250	7002000	1
QUS656	660350	7002000	1
QUS658	660450	7002000	0
QUS660	660550	7002000	0
QUS662	660450	7001900	0
QUS664	660350	7001900	0
QUS666	660250	7001900	0
QUS668	660150	7001900	0
QUS670	660050	7001900	0
QUS672	659950	7001900	0
QUS674	659850	7001900	0
QUS676	659750	7001900	0
QUS678	659650	7001900	0
QUS680	659750	7001800	0
QUS682	659850	7001800	0
QUS684	659950	7001800	0
QUS686	660050	7001800	0
QUS688	660150	7001800	0
QUS690	660250	7001800	0

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS692	660350	7001800	0
QUS694	660450	7001800	0
QUS696	660350	7001700	0
QUS698	660250	7001700	0
QUS700	660150	7001700	0
QUS702	660050	7001700	0
QUS704	659950	7001700	0
QUS706	659850	7001700	0
QUS708	659750	7001700	0
QUS710	659850	7001600	0
QUS712	659950	7001600	0
QUS714	660050	7001600	0
QUS716	660150	7001600	0
QUS718	660250	7001600	0
QUS720	660350	7001600	0
QUS722	660250	7001500	0
QUS724	660150	7001500	0
QUS726	660050	7001500	0
QUS728	659950	7001500	1
QUS730	659850	7001500	1
QUS732	659900	7001400	1
QUS734	660000	7001400	2
QUS736	660100	7001400	1
QUS738	660200	7001400	1
QUS740	660250	7001300	1
QUS742	660150	7001300	1
QUS744	660050	7001300	2

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS746	659950	7001300	1
QUS748	659900	7001200	2
QUS750	660000	7001200	1
QUS752	660100	7001200	2
QUS754	660200	7001200	1
QUS756	660250	7001100	1
QUS758	660150	7001100	2
QUS760	660050	7001100	1
QUS762	659950	7001100	1
QUS764	659850	7001100	1
QUS766	659750	7001100	1
QUS768	659650	7001100	0
QUS770	659550	7001100	4
QUS772	659450	7001100	6
QUS774	659350	7001100	2
QUS776	659250	7001100	1
QUS778	659150	7001100	1
QUS780	659050	7001100	1
QUS782	658950	7001100	1
QUS784	658850	7001100	2
QUS786	658750	7001100	0
QUS788	658650	7001100	0
QUS790	658550	7001100	1
QUS792	658450	7001100	1
QUS794	658350	7001100	1
QUS796	658550	7001200	0
QUS798	658650	7001200	1

Appendix 3 - Table of Soil Sampling Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS800	658750	7001200	0
QUS802	658850	7001200	1
QUS804	658950	7001200	1
QUS806	659050	7001200	1
QUS808	659150	7001200	4
QUS810	659100	7001300	3
QUS812	659000	7001300	1
QUS814	658900	7001300	3
QUS816	658800	7001300	1
QUS818	658700	7001300	1
QUS820	658800	7001400	1
QUS822	658900	7001400	0
QUS824	659000	7001400	1
QUS826	659100	7001400	1
QUS828	658150	7001000	0
QUS830	658250	7001000	0
QUS832	658350	7001000	0
QUS834	658450	7001000	1
QUS836	658550	7001000	0
QUS838	658650	7001000	0
QUS840	658750	7001000	0
QUS842	658850	7001000	0
QUS844	658950	7001000	0
QUS846	659050	7001000	1
QUS848	659150	7001000	1
QUS850	659250	7001000	0
QUS852	659350	7001000	2

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS854	659450	7001000	2
QUS856	659550	7001000	2
QUS858	659650	7001000	2
QUS860	659750	7001000	0
QUS862	659850	7001000	1
QUS864	659950	7001000	0
QUS866	660050	7001000	1
QUS868	660150	7001000	1
QUS870	660250	7001000	1
QUS872	660200	7000900	1
QUS874	660100	7000900	1
QUS876	660000	7000900	1
QUS878	659900	7000900	2
QUS880	659800	7000900	3
QUS882	659700	7000900	2
QUS884	659600	7000900	2
QUS886	659500	7000900	2
QUS888	659400	7000900	1
QUS890	659300	7000900	1
QUS892	659200	7000900	1
QUS894	659100	7000900	1
QUS896	659000	7000900	1
QUS898	658900	7000900	1
QUS900	658800	7000900	0
QUS902	658700	7000900	1
QUS904	658600	7000900	0
QUS906	658500	7000900	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS908	658400	7000900	1
QUS910	658300	7000900	0
QUS912	658200	7000900	1
QUS914	658100	7000900	1
QUS916	658000	7000900	1
QUS918	657750	7000800	1
QUS920	657850	7000800	1
QUS922	657950	7000800	1
QUS924	658050	7000800	1
QUS926	658150	7000800	0
QUS928	658250	7000800	0
QUS930	658350	7000800	0
QUS932	658450	7000800	0
QUS934	658550	7000800	0
QUS936	658650	7000800	0
QUS938	658750	7000800	0
QUS940	658850	7000800	1
QUS942	658950	7000800	0
QUS944	659050	7000800	1
QUS946	659150	7000800	1
QUS948	659250	7000800	1
QUS950	659200	7000700	1
QUS952	659100	7000700	1
QUS954	659000	7000700	1
QUS956	658900	7000700	1
QUS958	658800	7000700	1
QUS960	658700	7000700	3

Appendix 3 - Table of Soil Sampling Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS962	658600	7000700	0
QUS964	658500	7000700	1
QUS966	658400	7000700	1
QUS968	658300	7000700	1
QUS970	658200	7000700	1
QUS972	658100	7000700	1
QUS974	658000	7000700	1
QUS976	657900	7000700	0
QUS978	657800	7000700	1
QUS980	657700	7000700	0
QUS982	657600	7000700	1
QUS984	657350	7000600	1
QUS986	657450	7000600	1
QUS988	657550	7000600	1
QUS990	657650	7000600	1
QUS992	657750	7000600	1
QUS994	657850	7000600	0
QUS996	657950	7000600	0
QUS998	658050	7000600	0
QUS1000	658150	7000600	1
QUS1002	658250	7000600	0
QUS1004	658350	7000600	0
QUS1006	658450	7000600	1
QUS1008	658550	7000600	1
QUS1010	658650	7000600	1
QUS1012	658750	7000600	1
QUS1014	658850	7000600	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS1016	658950	7000600	0
QUS1018	659050	7000600	0
QUS1020	659000	7000500	1
QUS1022	658900	7000500	0
QUS1024	658800	7000500	0
QUS1026	658700	7000500	1
QUS1028	658600	7000500	0
QUS1030	658500	7000500	0
QUS1032	658400	7000500	1
QUS1034	658300	7000500	0
QUS1036	658200	7000500	0
QUS1038	658100	7000500	0
QUS1040	658000	7000500	0
QUS1042	657900	7000500	0
QUS1044	657800	7000500	1
QUS1046	657700	7000500	0
QUS1048	657600	7000500	1
QUS1050	657500	7000500	1
QUS1052	657400	7000500	0
QUS1054	657300	7000500	1
QUS1056	657200	7000500	1
QUS1058	657150	7000400	1
QUS1060	657250	7000400	0
QUS1062	657350	7000400	0
QUS1064	657450	7000400	0
QUS1066	657550	7000400	0
QUS1068	657650	7000400	2

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS1070	657750	7000400	1
QUS1072	657850	7000400	0
QUS1074	657950	7000400	1
QUS1076	658050	7000400	2
QUS1078	658150	7000400	0
QUS1080	658250	7000400	0
QUS1082	658350	7000400	1
QUS1084	658450	7000400	1
QUS1086	658550	7000400	1
QUS1088	658650	7000400	1
QUS1090	658750	7000400	0
QUS1092	658850	7000400	0
QUS1094	658700	7000300	1
QUS1096	658600	7000300	1
QUS1098	658500	7000300	0
QUS1100	658400	7000300	1
QUS1102	658300	7000300	1
QUS1104	658200	7000300	0
QUS1106	658100	7000300	0
QUS1108	658000	7000300	0
QUS1110	657900	7000300	0
QUS1112	657800	7000300	0
QUS1114	657700	7000300	0
QUS1116	657600	7000300	0
QUS1118	657500	7000300	1
QUS1120	657400	7000300	0
QUS1122	657300	7000300	0

Appendix 3 - Table of Soil Sampling Lab Assay Results (continued)

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS1124	657200	7000300	1
QUS1126	657150	7000200	0
QUS1128	657250	7000200	0
QUS1130	657350	7000200	0
QUS1132	657450	7000200	0
QUS1134	657550	7000200	0
QUS1136	657650	7000200	0
QUS1138	657750	7000200	6
QUS1140	657850	7000200	0
QUS1142	657950	7000200	0
QUS1144	658050	7000200	1
QUS1146	658150	7000200	0
QUS1148	658250	7000200	0
QUS1150	658350	7000200	0
QUS1152	658450	7000200	0
QUS1154	658550	7000200	1
QUS1156	658650	7000200	0
QUS1158	658450	7000100	0
QUS1160	658350	7000100	1
QUS1162	658250	7000100	1
QUS1164	658150	7000100	0
QUS1166	658050	7000100	1
QUS1168	657950	7000100	1
QUS1170	657850	7000100	1
QUS1172	657750	7000100	0
QUS1174	657650	7000100	0
QUS1176	657550	7000100	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS1178	657450	7000100	0
QUS1180	657350	7000100	1
QUS1182	657250	7000100	1
QUS1184	657150	7000100	1
QUS1186	657200	7000000	1
QUS1188	657300	7000000	1
QUS1190	657400	7000000	1
QUS1192	657500	7000000	1
QUS1194	657600	7000000	1
QUS1196	657700	7000000	0
QUS1198	657800	7000000	0
QUS1200	657900	7000000	1
QUS1202	658000	7000000	1
QUS1204	658100	7000000	1
QUS1206	658200	7000000	1
QUS1208	658300	7000000	1
QUS1210	658400	7000000	1
QUS1212	658250	6999900	1
QUS1214	658150	6999900	1
QUS1216	658050	6999900	1
QUS1218	657950	6999900	1
QUS1220	657850	6999900	1
QUS1222	657750	6999900	1
QUS1224	657650	6999900	1
QUS1226	657550	6999900	1
QUS1228	657450	6999900	1
QUS1230	657350	6999900	1

Sample Number	East MGA94 Zone 50	North MGA94 Zone 50	Au ppm
QUS1232	657250	6999900	0
QUS1234	657150	6999900	0
QUS1236	657200	6999800	0
QUS1238	657300	6999800	0
QUS1240	657400	6999800	0
QUS1242	657500	6999800	0
QUS1244	657600	6999800	0
QUS1246	657700	6999800	1
QUS1248	657800	6999800	0
QUS1250	657900	6999800	0
QUS1252	658000	6999800	0
QUS1254	658100	6999800	1