

ASX Announcement

ASX: GML

06 October 2026

INITIAL SOIL SAMPLING DEFINES TWO LARGE-SCALE GOLD ANOMALIES AT GLENBURGH SOUTH

FIRST RESULTS DELINEATE TWO 4KM LONG GOLD-IN-SOIL ANOMALIES

HIGHLIGHTS

- First assay results received from Gateway's regional soil sampling program at the Glenburgh South Project.
- Two coherent gold-in-soil anomalies defined, each extending for approximately 4km of strike (Figures 1 & 2).
- Anomalies coincide with interpreted regional structural corridors identified through recent geophysical interpretation.
- The Project is located within the highly prospective Glenburgh Gold District, immediately south of Benz Mining Corp's (ASX: BNZ) Glenburgh Gold Project.
- Results represent the first systematic geochemical testing of priority structural corridors at Glenburgh South.
- Field assistants currently collecting soil samples across two additional target areas.
- Geological field crews currently on site undertaking mapping, rock-chip sampling and prospect evaluation in preparation for first pass drill target testing.
- Gateway remains extremely well capitalised to undertake planned 2025 and 2026 exploration, following successful completion of the Company's recent \$45 million placement.

Management Comment

Gateway's Chief Executive Officer, Mr Richard Pugh, said: *"The first results from our regional soil sampling program have identified two sizeable gold-in-soil anomalies, each extending over approximately four kilometres of strike in a structurally favourable setting."*

While the absolute gold values are modest, the samples were collected over a very wide spaced 200m x 800m sampling grid. The scale and continuity of the anomalism is very encouraging for an early-stage, first-pass regional program and supports our view that the major structural corridors at Glenburgh South warrant further exploration. Infill sampling can likely pinpoint zones of stronger anomalism within the newly defined target areas."

The project is located within the broader Glenburgh Gold District, where recent exploration success by Benz Mining has highlighted the prospectivity of the region, with their discoveries leading to a current market capitalisation of ~\$1.8billion."

Our geological team is currently on site evaluating these anomalous trends through mapping and rock-chip sampling, while field crews continue collecting soil samples across two additional target areas. Together, these programs will help refine targets for ongoing exploration."

Introduction

Gateway Mining Limited (ASX: GML) (**Gateway** or the **Company**) is pleased to report the first assay results from its regional soil sampling program at its Glenburgh South Project in Western Australia's Gascoyne region.

New Gold Targets

The initial results have identified two coherent gold-in-soil anomalies, each extending for approximately four kilometres of strike length. The anomalies are associated with interpreted regional structural corridors identified through recent geophysical interpretation and occur within the broader Glenburgh Gold District, immediately south of Benz Mining Corp's (ASX: BNZ) Glenburgh Gold Project.

Geologists are currently undertaking field mapping, prospect evaluation and rock-chip sampling across the newly identified anomalous corridors, while field assistants continue to advance soil sampling across two additional target areas within the project area. The ongoing work is designed to better understand the geological controls on mineralisation and assist in refining targets for follow-up exploration.




Figure 1: New coherent surface gold anomalies (pink outlines) in relation to regional structures and Benz Mining Corp (BNZ's) Glenburgh Gold Discovery. Magnetic TMI image underlay.

Initial Results Support Targeting Model

The regional soil sampling program was designed to evaluate several large-scale structural corridors interpreted from detailed magnetic datasets and considered prospective for gold mineralisation.

The Glenburgh South Project is located immediately south of Benz Mining Corp's Glenburgh Gold Project and covers a substantial land position within the underexplored southern extension of the Glenburgh mineralised corridor.

Recent exploration success by Benz has reinforced the prospectivity of the broader district and highlighted the importance of regional structural trends that extend beyond currently defined mineral resources. Gateway's exploration strategy is focused on systematically evaluating these underexplored structural corridors through modern geochemical and geological techniques.

Results received to date have successfully defined two separate gold-in-soil anomalies extending for approximately four kilometres along strike. Both anomalies occur within structurally favourable corridors identified through recent geophysical interpretation and represent priority targets for follow-up exploration.

The broad nature of the anomalism is considered encouraging given the reconnaissance scale of the program and the subdued geochemical response often associated with large gold systems occurring beneath weathered cover.




Figure 2: Peak gold in soil anomalism (ppb) in relation to key regional structures. Magnetic TMI image underlay.

Ongoing Exploration and Next Steps

Geological field crews are currently undertaking follow-up work across the project area, including:

- Geological mapping;
- Rock-chip sampling;
- Structural observations and prospect evaluation;
- Collection of soil samples across two additional target areas;
- Integration of geochemical and geophysical datasets; and
- Target ranking for future exploration programs.

The objective of this work is to better understand the geological and structural controls associated with the gold anomalism and identify areas where mineralisation may be concentrated within the broader zone of anomalism.

With respect to the next steps, Gateway's immediate focus will be on:

- Completing geological mapping and rock-chip sampling across the newly identified anomalies;
- Completing soil sampling across two additional target areas within the project area;
- Receiving and interpreting additional soil assay results from the regional sampling program;
- Undertaking infill soil sampling where warranted;
- Further refining the structural interpretation of the project area;
- Integrating geochemical, geological and geophysical datasets; and
- Generating priority targets for first-pass drill testing.

Additional assay results from both the current anomaly areas and the two remaining target areas are expected over the coming months and will be incorporated into the Company's ongoing target portfolio.

Other Exploration

Drilling is ongoing at the Company's flagship Yandal Gold Project. Currently one RC rig is drilling at Cowza, and one aircore rig is testing some of the higher priority splay structure targets. The arrival of the first diamond rig has been delayed until next week.

The Company expects to release assays shortly from the next batch of RC drilling at Cowza.

This released has been authorised by:

Andrew Bray
Executive Chairman

Investors
Richard Pugh
Chief Executive Officer
T: 08 6317 9875

Media
Nicholas Read
Read Corporate
T: 08 9388 1474

or

Kar Chua
Company Secretary
T: 02 8316 3998

[Click here to subscribe to investor updates](#)

Follow us on:

LinkedIn: [@gateway-mining](#)

Twitter: [@gateway_mining](#)

Competent Person Statement

The information in this report that relates to Exploration Results is based on information compiled or reviewed by Mr Richard Pugh who is the Gateway Mining Ltd's Chief Executive Officer and is a current Member of the Australian Institute of Geoscientists (AIG). Mr Pugh has sufficient experience, which is relevant to the style of mineralisation and types of deposit under consideration and to the activities undertaken, to qualify as a Competent Person as defined in the 2012 Edition of the "Australasian Code of Reporting of Exploration Results, Mineral Resources and Ore Reserves". Mr Pugh consents to the inclusion in the report of the matters based on the information in the form and context in which it appears.

Forward Looking Statement

This announcement may contain certain forward-looking statements, guidance, forecasts, estimates, prospects, projections or statements in relation to future matters that may involve risks or uncertainties and may involve significant items of subjective judgement and assumptions of future events that may or may not eventuate (**Forward-Looking Statements**). Forward-Looking Statements can generally be identified by the use of forward-looking words such as "anticipate", "estimates", "will", "should", "could", "may", "expects", "plans", "forecast", "target" or similar expressions and may include, without limitation, statements regarding plans, strategies and objectives of management, anticipated production and expected costs. Indications of, and guidance on future earnings, cash flows, costs, financial position and performance are also Forward Looking Statements.

Persons reading this announcement are cautioned that such statements are only predictions, and that actual future results or performance may be materially different. Forward-Looking Statements, opinions and estimates included in this announcement are based on assumptions and contingencies which are subject to change, without notice, as are statements about market and industry trends, which are based on interpretation of current market conditions. Forward-Looking Statements are provided as a general guide only and should not be relied on as a guarantee of future performance.

No representation or warranty, express or implied, is made by Gateway that any Forward-Looking Statement will be achieved or proved to be correct. Further, Gateway disclaims any intent or obligation to update or revise any Forward-Looking Statement whether as a result of new information, estimates or options, future events or results or otherwise, unless required to do so by law.

APPENDIX A – GML SOIL SAMPLE SUMMARY STATISTICS AND SOIL SAMPLE RESULTS

	Au (ppb)
Minimum	-1
Maximum	8
Mean	0.28
Median	0
Range	9
Interquartile Range	2
Standard Deviation	1.30
1 st percentile	-1
5 th percentile	-1
10 th percentile	-1
25 th percentile	-1
75 th percentile	1
90 th percentile	2
95 th percentile	2
99 th percentile	5.3

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1440	402080	7180016	300	1
GSS1441	402078	7180216	300	2
GSS1442	402080	7180415	300	<1
GSS1443	402080	7180616	300	<1
GSS1444	402083	7180815	300	<1
GSS1446	402086	7181212	300	1
GSS1447	402088	7181413	300	<1
GSS1448	402090	7181617	300	1
GSS1452	402086	7182213	300	<1
GSS1458	402088	7183415	300	<1
GSS1459	402089	7183617	300	1
GSS1460	402088	7183818	300	1
GSS1461	402088	7184018	300	<1
GSS1463	402091	7184416	300	<1
GSS1464	402086	7184616	300	<1
GSS1465	402088	7184813	300	<1
GSS1491	402891	7179604	300	<1
GSS1492	402881	7179815	300	<1
GSS1493	402881	7180011	300	1

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1494	402881	7180211	300	<1
GSS1495	402886	7180410	300	1
GSS1496	402879	7180616	300	<1
GSS1497	402890	7180812	300	<1
GSS1498	402891	7181018	300	<1
GSS1499	402885	7181218	300	<1
GSS1501	402885	7181410	300	<1
GSS1502	402888	7181611	300	1
GSS1503	402884	7181819	300	6
GSS1504	402890	7182013	300	4
GSS1505	402886	7182211	300	1
GSS1506	402893	7182416	300	2
GSS1507	402890	7182618	300	<1
GSS1509	402889	7183010	300	<1
GSS1510	402886	7183215	300	<1
GSS1511	402883	7183413	300	<1
GSS1512	402893	7183613	300	<1
GSS1513	402887	7183811	300	1
GSS1514	402893	7184018	300	1
GSS1515	402890	7184211	300	1
GSS1516	402888	7184413	300	<1
GSS1517	402890	7184610	300	<1
GSS1518	402886	7184820	300	<1
GSS1520	403670	7174811	300	<1
GSS1521	403677	7175013	300	1
GSS1522	403672	7175215	300	2
GSS1523	403675	7175412	300	1
GSS1524	403673	7175612	300	1
GSS1525	403678	7175810	300	<1
GSS1526	403676	7176012	300	<1
GSS1527	403678	7176214	300	<1
GSS1528	403678	7176412	300	<1
GSS1529	403674	7176611	300	<1
GSS1530	403676	7176811	300	<1
GSS1531	403682	7177018	300	<1
GSS1532	403682	7177217	300	2
GSS1533	403678	7177415	300	<1
GSS1534	403683	7177613	300	<1
GSS1535	403679	7177810	300	<1
GSS1536	403686	7178028	300	<1

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1537	403682	7178212	300	1
GSS1538	403683	7178414	300	<1
GSS1539	403682	7178616	300	1
GSS1548	403681	7180414	300	1
GSS1551	403680	7180813	300	1
GSS1552	403691	7181017	300	<1
GSS1553	403688	7181214	300	3
GSS1554	403690	7181418	300	<1
GSS1555	403689	7181618	300	<1
GSS1556	403688	7181820	300	4
GSS1557	403685	7182017	300	1
GSS1558	403684	7182217	300	3
GSS1559	403685	7182415	300	1
GSS1560	403688	7182612	300	3
GSS1562	403690	7183016	300	<1
GSS1563	403689	7183216	300	<1
GSS1564	403688	7183414	300	1
GSS1567	403689	7184019	300	<1
GSS1569	403698	7184428	300	1
GSS1570	403683	7184615	300	<1
GSS1571	403688	7184814	300	1
GSS1572	404472	7174616	300	<1
GSS1573	404475	7174810	300	<1
GSS1574	404469	7175012	300	<1
GSS1575	404472	7175216	300	<1
GSS1576	404474	7175408	300	1
GSS1577	404469	7175616	300	1
GSS1578	404471	7175812	300	1
GSS1579	404474	7176008	300	1
GSS1582	404474	7176612	300	<1
GSS1583	404476	7176812	300	<1
GSS1584	404483	7177012	300	<1
GSS1585	404481	7177216	300	<1
GSS1586	404481	7177412	300	<1
GSS1587	404479	7177614	300	3
GSS1588	404486	7177813	300	2
GSS1589	404488	7178018	300	2
GSS1590	404487	7178220	300	1
GSS1591	404486	7178421	300	1
GSS1592	404483	7178619	300	1

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1593	404485	7178818	300	2
GSS1594	404482	7179009	300	2
GSS1595	404481	7179202	300	1
GSS1596	404482	7179412	300	2
GSS1597	404480	7179618	300	1
GSS1598	404480	7179810	300	<1
GSS1599	404478	7180010	300	1
GSS1601	404479	7180213	300	1
GSS1602	404483	7180416	300	1
GSS1603	404483	7180613	300	<1
GSS1604	404484	7180813	300	<1
GSS1605	404492	7181012	300	1
GSS1606	404486	7181211	300	1
GSS1607	404487	7181410	300	<1
GSS1608	404483	7181612	300	1
GSS1609	404486	7181812	300	1
GSS1610	404494	7182013	300	<1
GSS1611	404486	7182212	300	1
GSS1612	404492	7182413	300	1
GSS1613	404492	7182617	300	1
GSS1615	404491	7183012	300	1
GSS1616	404487	7183212	300	1
GSS1617	404493	7183411	300	1
GSS1618	404493	7183612	300	<1
GSS1619	404487	7183817	300	1
GSS1620	404486	7184014	300	<1
GSS1621	404489	7184221	300	<1
GSS1623	404483	7184617	300	<1
GSS1624	404490	7184815	300	1
GSS1625	405138	7179219	300	3
GSS1626	405127	7179416	300	<1
GSS1627	405130	7179618	300	1
GSS1628	405131	7179817	300	1
GSS1629	405130	7180017	300	<1
GSS1630	405275	7174606	300	<1
GSS1631	405276	7174811	300	<1
GSS1632	405273	7175012	300	<1
GSS1633	405272	7175214	300	<1
GSS1634	405272	7175413	300	<1
GSS1635	405274	7175611	300	<1

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1636	405275	7175813	300	<1
GSS1637	405273	7176013	300	<1
GSS1638	405275	7176216	300	1
GSS1639	405273	7176413	300	<1
GSS1641	405281	7176814	300	2
GSS1642	405290	7177009	300	1
GSS1643	405284	7177225	300	1
GSS1644	405279	7177417	300	3
GSS1645	405281	7177615	300	<1
GSS1648	405284	7178213	300	3
GSS1649	405283	7178417	300	4
GSS1653	405274	7179015	300	1
GSS1654	405284	7180213	300	<1
GSS1655	405280	7180416	300	<1
GSS1656	405284	7180625	300	1
GSS1657	405286	7180815	300	1
GSS1658	405292	7181018	300	<1
GSS1659	405288	7181221	300	<1
GSS1660	405288	7181411	300	<1
GSS1661	405291	7181612	300	<1
GSS1662	405285	7181815	300	8
GSS1663	405289	7182013	300	1
GSS1665	405290	7182415	300	1
GSS1666	405289	7182616	300	3
GSS1668	405287	7183011	300	<1
GSS1669	405287	7183213	300	<1
GSS1670	405291	7183415	300	1
GSS1671	405289	7183613	300	1
GSS1672	405286	7183815	300	1
GSS1673	405287	7184008	300	<1
GSS1674	405287	7184213	300	1
GSS1675	405291	7184415	300	<1
GSS1676	405292	7184616	300	1
GSS1677	405279	7184814	300	1
GSS1698	406084	7178614	300	1
GSS1699	406082	7178812	300	1
GSS1702	406088	7180211	300	<1
GSS1703	406076	7180413	300	<1
GSS1704	406084	7180612	300	2
GSS1705	406080	7180819	300	<1

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1706	406086	7181020	300	<1
GSS1707	406089	7181216	300	1
GSS1708	406089	7181419	300	<1
GSS1709	406091	7181616	300	1
GSS1710	406093	7181816	300	2
GSS1711	406093	7182015	300	1
GSS1712	406086	7182218	300	<1
GSS1713	406090	7182418	300	<1
GSS1714	406084	7182616	300	<1
GSS1715	406093	7182812	300	1
GSS1716	406089	7183021	300	1
GSS1717	406089	7183216	300	1
GSS1718	406086	7183419	300	<1
GSS1719	406091	7183605	300	1
GSS1720	406087	7183815	300	<1
GSS1721	406087	7184013	300	1
GSS1722	406090	7184214	300	1
GSS1723	406083	7184415	300	1
GSS1724	406086	7184610	300	<1
GSS1725	406088	7184817	300	<1
GSS1726	406152	7179215	300	<1
GSS1727	406145	7179417	300	1
GSS1728	406153	7179619	300	2
GSS1729	406149	7179815	300	1
GSS1730	406150	7180014	300	1
GSS1731	406874	7174611	300	<1
GSS1732	406873	7174812	300	1
GSS1733	406883	7175007	300	2
GSS1734	406875	7175212	300	<1
GSS1736	406877	7175614	300	1
GSS1737	406865	7175811	300	1
GSS1738	406872	7176004	300	1
GSS1739	406876	7176216	300	1
GSS1740	406875	7176412	300	7
GSS1784	407675	7174611	300	1
GSS1785	407677	7174813	300	<1
GSS1792	407673	7176234	300	<1
GSS1793	407674	7176414	300	<1
GSS1794	407675	7176599	300	<1
GSS1795	407670	7176825	300	2

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1796	407683	7177023	300	1
GSS1797	407680	7177213	300	<1
GSS1798	407682	7177412	300	1
GSS1799	407683	7177617	300	1
GSS1802	407680	7178015	300	1
GSS1803	407660	7178223	300	1
GSS1804	407680	7178419	300	1
GSS1805	407685	7178616	300	1
GSS1806	407687	7178813	300	1
GSS1807	407682	7179014	300	1
GSS1809	407685	7179416	300	1
GSS1811	407681	7179811	300	<1
GSS1813	407680	7180212	300	1
GSS1814	407686	7180420	300	<1
GSS1815	407672	7180620	300	1
GSS1816	407679	7180818	300	<1
GSS1817	407681	7181022	300	<1
GSS1818	407688	7181218	300	1
GSS1819	407689	7181419	300	<1
GSS1820	407685	7181615	300	<1
GSS1821	407690	7181818	300	1
GSS1822	407687	7182014	300	1
GSS1823	407687	7182221	300	<1
GSS1824	407686	7182414	300	1
GSS1826	407691	7182812	300	<1
GSS1827	407692	7183022	300	1
GSS1828	407687	7183216	300	<1
GSS1829	407691	7183421	300	1
GSS1830	407688	7183615	300	1
GSS1831	407692	7183820	300	1
GSS1832	407688	7184015	300	1
GSS1833	407692	7184219	300	<1
GSS1834	407693	7184412	300	<1
GSS1835	407691	7184611	300	1
GSS1836	407682	7184816	300	<1
GSS1838	408474	7174808	300	1
GSS1839	408485	7175029	300	2
GSS1841	408473	7175417	300	<1
GSS1842	408470	7175613	300	<1
GSS1843	408470	7175807	300	1

Sample ID	Coordinates (MGA2020 zone 50)			Au (ppb)
	Easting (metres)	Northing (metres)	RL (metres)	
GSS1844	408473	7176010	300	1
GSS1845	408470	7176213	300	2
GSS1846	408476	7176396	300	<1
GSS1847	408471	7176612	300	1
GSS1851	408482	7177215	300	1
GSS1852	408482	7177414	300	2
GSS1853	409278	7174612	300	<1
GSS1854	409274	7174813	300	1
GSS1856	409272	7175210	300	2
GSS1858	409273	7175613	300	1
GSS1860	409271	7176012	300	<1
GSS1861	409272	7176214	300	<1
GSS1862	409269	7176411	300	1
GSS1863	409273	7176614	300	1
GSS1864	409269	7176811	300	1
GSS1866	409279	7177217	300	1
GSS1867	409277	7177412	300	1

APPENDIX B: JORC TABLE 1 – GLENBURGH SOUTH PROJECT

Section 1 Sampling Techniques and Data

Criteria	JORC Code explanation	Commentary
Sampling techniques	- Nature and quality of sampling (eg cut channels, random chips, or specific specialised industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc). These examples should not be taken as limiting the broad meaning of sampling. - Include reference to measures taken to ensure sample representivity and the appropriate calibration of any measurement tools or systems used. - Aspects of the determination of mineralisation that are Material to the Public Report. - In cases where ‘industry standard’ work has been done this would be relatively simple (eg ‘reverse circulation drilling was used to obtain 1 m samples from which 3 kg was pulverised to produce a 30 g charge for fire assay’). In other cases more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (eg submarine nodules) may warrant disclosure of detailed information.	A total of 338 surface soil samples were collected using a -177um sieve and samples (50g of material) were collected in pre-numbered paper packets. These samples were submitted to ALS in Perth for gold (code: Au-TL44).
Drilling techniques	Drill type (eg core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc) and details (eg core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc).	No drilling is reported in this announcement.
Drill sample recovery	- Method of recording and assessing core and chip sample recoveries and results assessed. - Measures taken to maximise sample recovery and ensure representative nature of the samples. - Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.	No drilling is reported in this announcement.
Logging	Whether core and chip samples have been geologically and	Each soil sample site was recorded in both hardcopy and digital format

Criteria	JORC Code explanation	Commentary
	<i>geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i> <i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc) photography.</i> <i>The total length and percentage of the relevant intersections logged.</i>	that included; tenement ID, sampler ID, sample medium, regolith/regime, date sampled, moisture content, colour and general site observations. These were imported into the Gateway Mining Ltd database.
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken.</i> <i>If non-core, whether riffled, tube sampled, rotary split, etc and whether sampled wet or dry.</i> <i>For all sample types, the nature, quality and appropriateness of the sample preparation technique.</i> <i>Quality control procedures adopted for all sub-sampling stages to maximise representivity of samples.</i> <i>Measures taken to ensure that the sampling is representative of the in situ material collected, including for instance results for field duplicate/second-half sampling.</i> <i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	Standard reference material was inserted into every 50th sample sequence as to monitor laboratory QAQC processes.
Quality of assay data and laboratory tests	<i>The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.</i> <i>For geophysical tools, spectrometers, handheld XRF instruments, etc, the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.</i> <i>Nature of quality control procedures adopted (eg standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (ie lack of bias) and precision have been established.</i>	ALS performed analysis checks and inserted CRM into the sample sequence prior to analysis.
Verification of sampling and assaying	<i>The verification of significant intersections by either independent or alternative company personnel.</i> <i>The use of twinned holes.</i>	- All data is managed and hosted by Mitchell River Group who acted as the Database Manager for Gateway Mining Ltd. - No drilling is reported in this announcement.

	• Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols. • Discuss any adjustment to assay data.	
Location of data points	• Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation. • Specification of the grid system used. • Quality and adequacy of topographic control.	• The grid system used was MGA2020 Zone 50 and soils were collected using a handheld Garmin GPS that has an accuracy of +/- 3m.
Data spacing and distribution	• Data spacing for reporting of Exploration Results. • Whether the data spacing and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied. • Whether sample compositing has been applied.	• No drilling is reported in this announcement. • No sample composite has been applied.
Orientation of data in relation to geological structure	• Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type. • If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.	• Soils were collected perpendicular to the strike of known geological trends.
Sample security	• The measures taken to ensure sample security.	• Samples were collected by Omni GeoX (a contractor of the Company) field personnel and taken directly to ALS Laboratory in Perth for analysis. Sample details, dispatch information and analysis method were recorded in both hardcopy and digital format.
Audits or reviews	• The results of any audits or reviews of sampling techniques and data.	• No audits or reviews have been completed on the sampling techniques, but company standard operating procedures were adhered to, which is regarded as industry best practice.

Section 2: Reporting of Exploration Results

(Criteria listed in section 1, also apply to this section.)

Criteria	JORC Code explanation	Commentary
<i>Mineral tenement and land tenure status</i>	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i> <i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a licence to operate in the area.</i>	- Gateway Mining Ltd has an 80% interest across the following tenure: ○ E09/2957 ○ E09/2632 ○ E09/2769 ○ E09/2762 ○ E09/3013 (currently in application – 80% on grant) 20% free carried by original vendors of Glenburgh South Project until definitive feasibility study. 1.0% Gross Return Royalty to Quinn Royalty Pty Ltd on the above tenure. - Gateway Mining Ltd has 100% ownership of the following tenements: ○ E09/3036 (currently in application) ○ E09/3037 (currently in application) ○ E09/3039 (currently in application)
<i>Exploration done by other parties</i>	<i>Acknowledgment and appraisal of exploration by other parties.</i>	Historic exploration by Normandy in 1994-95, confirmed the area's potential, identifying a series of significant gold anomalies from stream sediment samples. The samples indicate gold grades up to 6.6ppb, consistent with the gold grades found in the stream sediment samples taken across the nearby Glenburgh deposit. One zone of anomalism in particular on E09/2632 was followed up with a program of closer spaced soil samples (400 metre by 200 metre spacings). In conjunction with this work, a regional ground gravity survey was re processed with the results from both sets of work highlighting an anomalous 13-kilometre surface gold anomaly, positioned on an identical structure to the one that hosts the 510Koz Glenburgh gold deposit.

Criteria	JORC Code explanation	Commentary
Geology	• <i>Deposit type, geological setting and style of mineralisation.</i>	• The project area is located in the Palaeoproterozoic Gascoyne Complex, the high-grade metamorphic core of the Capricorn Orogen. This project shares very similar geological characteristics and setting to the world class Tropicana gold discovery. The potential of the gneissic metamorphic belts surrounding the Yilgarn craton were only recognised in the last few decades – they remain highly underexplored presenting a substantial opportunity.
Drill hole Information	• <i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i> ○ <i>easting and northing of the drill hole collar</i> ○ <i>elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar</i> ○ <i>dip and azimuth of the hole</i> ○ <i>down hole length and interception depth</i> ○ <i>hole length.</i> • <i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	• No drilling is reported in this announcement.
Data aggregation methods	• <i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (eg cutting of high grades) and cut-off grades are usually Material and should be stated.</i> • <i>Where aggregate intercepts incorporate short lengths of high grade results and longer lengths of low grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i> • <i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	• No drilling is reported in this announcement. No data aggregation methods or metal equivalents have been applied to these exploration results.

Criteria	JORC Code explanation	Commentary
<i>Relationship between mineralisation widths and intercept lengths</i>	• <i>These relationships are particularly important in the reporting of Exploration Results.</i> • <i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i> • <i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (eg 'down hole length, true width not known').</i>	• No drilling is reported in this announcement.
<i>Diagrams</i>	• <i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	• Appropriate diagrams are contained within the main body of this announcement.
<i>Balanced reporting</i>	• <i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	• All gold assay statistics are presented in Appendix A to this announcement for clarity.
<i>Other substantive exploration data</i>	• <i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	• All meaningful and material information has been included in the main body of the announcement.
<i>Further work</i>	• <i>The nature and scale of planned further work (eg tests for lateral extensions or depth extensions or large-scale step-out drilling).</i> • <i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	• Complete geological mapping and rock-chip sampling across the newly identified anomalies. • Complete soil sampling across two additional target areas within the project area. • Receive and interpret additional soil assay results from the regional sampling program. • Undertake infill soil sampling where warranted. • Further refining the structural interpretation of the project area.

Criteria	JORC Code explanation	Commentary
		- Integrating geochemical, geological and geophysical datasets. - Generating priority targets for first-pass drill testing.