

Drill Hole Assays Confirm Strong Copper-Gold-Silver Mineralisation in Cactus Corridor, Utah USA

HIGHLIGHTS

- **Drill hole assays confirm strong copper-gold-silver mineralisation** along 550m of the Cactus Corridor between the historical Comet and Cactus mines
- **Seven of ten holes intersected significant mineralisation** which includes:
 - **DD26CT008: 19.7m @ 1.2% Cu, 1.4g/t Au, 24ppm Ag**
 - **DD26CT011: 12.7m @ 0.94% Cu, 1.4g/t Au, 16ppm Ag**
 - **DD26CT014: 25.9m @ 1.2% Cu, 0.16g/t Au, 6ppm Ag, 0.02% Mo**
- **The mineralisation potentially extends for a further 400m to the northwest** where past drilling at New Years has intersected strong copper mineralisation from surface including 26m @ 1.3% Cu
- **Mineralisation extends to depths of 300m below surface** as indicated in past Cactus Corridor drilling and historical mining
- **Potential for shallow copper-gold-silver mineralisation extending to +300m below surface** along the 1km long the Cactus Corridor
- Next steps will be determined following a review of assays for all drill holes



Figure 1: Mineralisation grading 1.37% Cu, 0.84g/t Au, 30ppm Ag in final 1.63m sample of DD26CT008 which was abandoned due to technical problems.

Hawk Resources Limited (ASX: HWK) (Hawk or the Company) is pleased to announce assay results for ten diamond holes, DD26CT006-015, drilled along the Cactus Corridor (**Corridor**) between the historical Comet and Cactus mines in Utah, USA. Assays are yet to be received for DD26CT016 at the northwest end of the Cactus mine which was the final hole in the programme. The Comet-Cactus zone is 550m of the approximately 1km long Cactus Corridor which extends from the historical Comet deposit, through the Cactus mine and on to the New Years prospect.

Seven holes have intersected copper-gold-silver mineralisation with one hole also intersecting highly anomalous molybdenum. Intersection highlights include:

- DD26CT008: **19.7m @ 1.2% Cu, 1.4g/t Au, 24ppm Ag**
- DD26CT011: **12.7m @ 0.94% Cu, 1.4g/t Au, 16ppm Ag**
- DD26CT014: **25.9m @ 1.2% Cu, 0.16g/t Au, 6ppm Ag, 0.02% Mo**

The objective of the drilling was to delineate the potential for near surface copper-gold mineralisation along the Cactus Corridor which is interpreted from historical (1964) vertical drill holes which had multiple +1% Cu intersections (see Figure 1).




Figure 1: Hawk 2026 mineralised drill hole intersections in the 550m long Comet-Cactus zone of the Cactus Corridor and historical ('R' & 'PCT' prefix) shallow drill hole intersections.

[illegible]

“The drill hole assays clearly highlight the potential for shallow copper-gold-silver mineralisation along at least 500m of the Cactus Corridor. This zone is open to the

Hawk Resources Limited ACN 165 079 201
Suite 1, Level 6, 350 Collins St Melbourne VIC 3000 Australia p: +61 3 8630 3321 e: info@hawkresources.com.au

northwest between the historical Cactus mine and New Years where Hawk intersected copper from surface two years ago and potentially extends to over 300m below surface based on historical drill holes and mine development. It is also clear that there are some mineralisation 'sweet spots' where grades exceed 1% copper and 1g/t gold which is exciting as historical deeper drill holes intersected similar grades.

"Hawk will now await the drill hole assays before determining its next steps at Cactus which will include further drilling."

All mineralised intersections are summarised in Table 1 and assay results for key metals in all holes are included in Appendix 2.

Table 1: Summary of key drill hole intersections

Hole ID	From (m)	To (m)	Interval (m)	Cu (%)	Au (g/t)	Ag (ppm)	Mo (%)	Comments
DD26CT007	26.50	48.62	22.12	0.51	0.12	11		
DD26CT008	72.00	91.74	19.74	1.21	1.41	24		Last assay 1.37% Cu, 0.84g/t Au, 30ppm Ag
DD26CT010	59.74	62.33	2.59	2.60	0.15	31		
DD26CT011	88.70	101.35	12.65	0.94	1.4	16		Last assay 0.43% Cu, 0.51g/t Au, 7ppm Ag
DD26CT012	79.74	103.00	23.26	0.62	0.07	4		
DD26CT014	27.30	41.59	14.29	0.60	0.48	11		
DD26CT014	88.00	113.90	25.90	1.21	0.16	6	0.02	Moly rich zone is 43.9m @ 0.03% Mo
DD26CT015	0.00	5.18	5.18	0.32	0.06	3		
	28.65	38.04	9.39	0.30	0.03	6		
	44.05	52.58	8.53	0.35	0.05	8		

Cactus Drilling Update

The drilling programme completed at the Cactus copper project has focused on intersecting copper-gold-silver mineralisation within 50m of surface along the Cactus Corridor in the 550m long zone between the historical Comet and Cactus mines. The Corridor trends northwest-southeast for a total distance of approximately 1km from the Comet mine in the southeast, through the Cactus mine and on to the New Years deposit in the northwest.

The programme has entailed drilling eleven 50m spaced angled holes along the interpreted Corridor between the historical Comet and Cactus mines.² The holes are designed to drill across the Corridor at shallow depths to determine the true thickness of near surface mineralisation. Each hole was designed to be approximately 100m long. Hole DD26CT011 is a re-drill of DD26CT008 from the same site after CT008 was abandoned due to technical problems while in visible copper mineralisation. The azimuth of these holes varies by four degrees (see Appendix 1).

Assays have been received for ten of the eleven holes drilled (DD26CT006-015) with results for the final hole, DD26CT016, at the northwest end of the Cactus mine awaited. Strong copper-gold-silver mineralisation has been intersected in seven holes (see Table 1) with one hole DD26CT014, also intersecting highly anomalous molybdenum. This molybdenum rich intersection extends for 43.9m and grades 0.03% Mo – significantly longer and higher grade than the copper rich zone. Hawk's neighbouring holes, DD26CT003-005, also intersected highly anomalous molybdenum zones of 30-46m grading 0.016-0.03% Mo. The depth of the mineralised intersections from the hole collar levels ranges from 0-77m.

The mineralisation throughout the holes primarily occurs in tourmaline breccia however in hole DD26CT012 the entire zone of mineralisation occurs in chlorite altered quartz monzonite. This green altered intrusive can be mineralised in its own right as CT012 demonstrates but it is also interpreted to be an indicator of close proximity to tourmaline breccia along with increased fracturing and sulphide content plus anomalous arsenic and antimony in assays. The copper mineralisation observed down the holes is dominantly chalcopyrite occurring in, veinlets, veins, fractures, coarse blebs and disseminations. It is typically associated with pyrite.

Hole DD26CT013 did not intersect significant copper-gold-silver mineralisation and potentially stopped short or passed above the target zone. It intersected a highly fractured zone and some narrow zones of green chloritic alteration along fractures which may be an indicator of close proximity to tourmaline breccia hosted mineralisation. It also has two samples with anomalous antimony and arsenic which are key indicators of mineralisation and has traversed between historical vertical holes R-13B and R-14 to its southeast which intersected 25.9m @ 1.62% Cu and 38m @ 1.42% Cu respectively and holes R-06 and R-07 to its northwest which intersected 22.1m @ 0.89% Cu and 7.2m @ 1.23% Cu (see Figure 1).

A full assessment of the results of the drilling programme will be carried out following receipt of the assays for hole DD26CT016.

² See HWK ASX announcement dated 27 July 2026

Cactus Background

The Cactus Corridor is a 1km long northwest trending structural zone which extends from the historical Comet deposit, through the Cactus mine and then to the New Years prospect (see Figure 3). The Cactus mine was the major producer in the district with reported production between 1905 and 1920 of 1.3Mt of ore grading 2.07% copper, 0.33g/t gold and 7.36g/t silver.³ No production records exist for the smaller neighbouring mines including Comet, New Years, Belmont, Coburn and Purity.

Comet, Cactus and New Years have all been interpreted as separate steeply dipping copper rich breccia pipes. Past drilling along this trend focused on the Cactus deposit, and to a lesser extent Comet, with holes drilled over more recent years typically aimed at intersecting the breccias at depths between 100–300m below surface. Historical drilling for near surface mineralisation was primarily a series of 31 vertical holes drilled in the 1960s which were assayed for copper only with seven holes drilled for gold at Comet in 2004 which underwent multi-element analyses. While these holes give an indication of copper and gold grades, they do not provide adequate geological information such as the depth of oxidation and the thickness of the mineralised zone or, apart from at Comet, assays for other metals such as gold and silver.

The historical drill holes included near surface high grade copper and gold intersections of (see Figure 2):

- **10.7m @ 3.6% Cu** within **38.1m @ 1.42% Cu** from surface (Hole R-14)
- **12.2m @ 2.8% Cu** within **25.9m @ 1.62% Cu** from 42.7m down hole (Hole R-13B)
- **12.2m @ 2.64% Cu** from 22.8m down hole (Hole R-13B)
- **16.7m @ 2.3% Cu** within **22.9m @ 1.84% Cu** from 39.6m down hole (Hole R-12)
- **25.9m @ 1.53 g/t Au** from surface (Hole PCT04-1A)
- **15.2m @ 1.15 g/t Au** from 1.5m down hole (Hole PCT01-1)
- **24.4m @ 1.0 g/t Au** from surface (Hole CT-2)

Hawk's past drilling into the Cactus Corridor includes two holes at New Years in 2024 and three holes into the northwestern end of the Cactus deposit completed in May 2026. The vertical New Years holes intersected **8.0m @ 1.31% Cu** within **30m @ 0.78% Cu** in NY2024DDH2 and **8.0m @ 2.8% Cu** within **26m @ 1.31% Cu** in NY2024DDH3 and successfully verified historical drill intercepts. The mineralisation is oxide and occurs from surface. At the northwestern end of the Cactus deposit, Hawk's 2026 drilling across the interpreted corridor intersected a wide copper mineralised zone with intercepts of:

³ See HWK ASX announcements dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025.

- **19.6m @ 1.25% Cu** within **80m @ 0.48% Cu** from surface (DD26CT003)
- **10.4m @ 0.97% Cu** within **72.9m @ 0.36% Cu** from 18m below surface (DD26CT004)
- **4.3m @ 2.2% Cu** and **5.8m @ 1.4% Cu** within **71.7m @ 0.45% Cu** from 14m below surface (DD26CT005).

Molybdenum rich intercepts of **30–46m grading 0.016–0.03% Mo** also occurred down these holes.

Soil samples collected by Hawk contain highly anomalous gold grades of up to 5.07g/t and 1.24g/t in the Comet and Cactus zones respectively. The gold grades correlate strongly with silver, arsenic and antimony assays indicating that these elements are strong pathfinders for gold mineralisation.

Cactus Next Steps

The next steps at Cactus will include:

- Obtaining and reviewing assay results for all Cactus Corridor drill holes(Q4, 2026)
- If assay results prove positive, designing the next phase of Cactus Corridor drilling (Q4, 2026)
- Carrying out followup drilling aimed at delineating an initial resource at Cactus (H1, 2027)

END

This announcement was authorised for release by the Board of Hawk Resources Limited.

HAWK RESOURCES LIMITED

ABN: 55 165 079 201

Suite 1, Level 6, 350 Collins Street, Melbourne, 3000, VIC

www.hawkresources.com.au

For further information:

Scott Caithness, Managing Director
Hawk Resources
M: +61 8 6143 6711
E: scott@hawkresources.com.au

Rod North, Managing Director
Bourse Communications Pty Ltd
M: +61 408 670 706
E: rod@boursecommunications.com.au



About Hawk Resources Limited

Hawk Resources specialises in critical and precious metal exploration.⁴ The Company has copper and gold projects in Utah, USA (Cactus, Meerkat and Detroit), five (5) lithium projects in Minas Gerais and Bahia, Brazil Resources Corp plus the Olympus scandium project in Western Australia (see Figures 4-7). Hawk's objective is to rapidly discover, delineate and develop critical and precious metal deposits for mining. The Company's project portfolio has high potential for discovery as it lies in under-explored geological belts with similar geology to neighbouring mining districts. Our exploration plans also include reviewing new opportunities to secure and upgrade our pipeline of projects.

For more information please visit: <https://hawkresources.com.au/>

Competent Persons Statement

The information contained in this announcement that relates to exploration results is based on, and fairly reflects, information compiled by Mr Scott Caithness, who is a Member of the Australian Institute of Mining and Metallurgy. Mr Caithness is the Managing Director of Hawk Resources and has sufficient experience which is relevant to the style of mineralisation and type of deposit under consideration and to the activity which he is undertaking to qualify as a Competent Person as defined in the 2012 Edition of the 'Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves'. Mr Caithness consents to the inclusion in this announcement of the matters based on his information in the form and context in which it appears. Mr Caithness holds securities in the Company.

Cautionary Statement

The Company stresses that the pre-Hawk assay data from historical soil samples and drill holes noted in this announcement were not subject to modern quality assurance and quality control practices and hence are not JORC compliant. All historical assays for soils, rocks and drill holes are regarded as indicative of exploration potential only.

In relation to the disclosure of pXRF and visual results, the Company cautions that estimates of copper mineral abundance from pXRF or visual results should not be considered a proxy for quantitative analysis of a laboratory assay result. Visual estimates

⁴ <https://www.energy.gov/cmm/what-are-critical-materials-and-critical-minerals>



also potentially provide no information regarding impurities or deleterious physical properties relevant to valuations. Lab assay results are required to determine the actual widths and grade of the mineralisation. Drill core from this programme is being sampled for laboratory analysis at ALS laboratories and results will be reported as soon as they become available.




Figure 3: Hawk Resources project locations in Utah, USA.



Figure 4: Hawk Resources' Meerkat project location in Arizona, USA.




Figure 5: Olympus scandium project location in Western Australia.





Figure 6: Hawk Resources project locations in Minas Gerais and Bahia, Brazil.



Appendix 1: Cactus Corridor drilling programme – all completed drill hole details (UTM Zone 12 (NAD83))

Hole ID	Length (m)	Azimuth	Dip	East	North	Status
DD26CT016	96.32	220°	-50°	299711.77E	4262746N	Completed
DD26CT015	102.71	230°	-50°	299758.5E	4262728N	Completed
DD26CT014	136.86	210°	-50°	299869.19E	4262692.12N	Completed
DD26CT013	92.81	212°	-51°	299907E	4262667N	Completed
DD26CT012	108.51	217°	-50°	299925.73E	4262617.86N	Completed
DD26CT011	101.35	236°	-60°	300071.35E	4262580.8N	Completed
DD26CT010	91.44	221°	-51°	299982.93E	4262626.32N	Completed
DD26CT009	93.57	218°	-68°	300023.26E	4262595.00N	Completed
DD26CT008	91.75	232°	-61°	300071.35E	4262580.8N	Completed
DD26CT007	92.51	200°	-61°	300117.29E	4262560.78N	Completed
DD26CT006	92.12	207°	-61°	300163.22E	4262540.76N	Completed

Appendix 2: Drill hole lab assays

Copper (Cu), gold (Au), silver (Ag) and molybdenum (Mo) lab assays for mineralised holes DD26CT007, CT008, CT010, CT011, CT012, CT014, CT015 (see Figures 1 & 2 in announcement). All samples were multi-element assayed using technique ME-MS41 by ALS Global.

DD26CT007

				WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41
SAMPLE ID	From	To	Interval	Recvd Wt.	Ag	Au	Cu	Mo
	m	m	m	kg	ppm	ppm	ppm	ppm
E259537	0.00	4.00	4.00	7.50	0.16	<0.02	69.00	1.32
E259538	4.00	8.00	4.00	9.28	1.18	<0.02	62.60	2.50
E259539	8.00	12.50	4.50	8.32	0.13	<0.02	48.00	2.65
E259540	12.50	13.87	1.37	3.32	0.22	<0.02	92.50	3.39
E259541	13.87	14.85	0.98	1.88	0.51	0.03	31.70	2.36
E259544	14.85	17.24	2.39	3.80	0.86	0.03	260.00	4.70
E259545	17.24	21.10	3.86	3.82	0.34	<0.02	127.50	2.22
E259546	21.10	23.47	2.37	6.82	0.45	<0.02	180.50	10.00
E259547	23.47	26.50	3.03	9.70	1.49	<0.02	430.00	11.50
E259548	26.50	28.07	1.57	6.12	17.40	0.13	9690.00	15.45
E259549	28.07	29.95	1.88	6.88	11.55	0.06	4610.00	19.05
E259550	29.95	32.00	2.05	7.26	3.99	0.05	3180.00	19.30
E259552	32.00	33.00	1.00	3.42	5.00	0.07	3500.00	19.30
E259553	33.00	35.36	2.36	5.46	3.38	0.12	2210.00	17.80
E259554	35.36	37.07	1.71	5.82	5.84	0.07	6110.00	17.10
E259555	37.07	38.40	1.33	4.60	10.50	0.07	4120.00	18.05
E259556	38.40	41.45	3.05	4.10	19.70	0.12	9800.00	24.50
E259557	41.45	43.00	1.55	5.70	15.90	0.06	6560.00	12.40
E259558	43.00	45.10	2.10	7.20	15.50	0.05	3410.00	8.17
E259559	45.10	47.09	1.99	7.48	5.50	0.52	1860.00	4.07
E259560	47.09	48.62	1.53	5.24	8.37	0.07	3850.00	3.95
E259561	48.62	50.60	1.98	6.92	8.96	0.04	1100.00	3.38
E259562	50.60	52.00	1.40	4.32	1.26	0.04	162.00	6.40
E259564	52.00	53.98	1.98	6.66	1.37	0.03	180.00	11.30
E259565	53.98	56.00	2.02	6.94	2.11	0.04	302.00	5.17
E259566	56.00	58.02	2.02	7.32	0.87	0.03	212.00	3.58
E259567	58.02	59.95	1.93	6.40	1.30	0.03	219.00	9.57
E259568	59.95	62.09	2.14	7.56	30.50	0.05	1970.00	5.25

E259569	62.09	63.60	1.51	5.80	26.00	0.04	1995.00	14.00
E259570	63.60	66.00	2.40	8.54	1.22	<0.02	339.00	8.34
E259571	66.00	67.88	1.88	7.40	0.54	<0.02	70.60	11.20
E259572	67.88	70.00	2.12	7.26	0.60	<0.02	100.00	17.40
E259573	70.00	72.03	2.03	8.10	0.18	<0.02	104.50	3.42
E259574	72.03	74.83	2.80	9.38	0.22	<0.02	52.70	3.65
E259576	74.83	77.98	3.15	11.78	0.11	<0.02	49.70	3.66
E259577	77.98	81.07	3.09	10.76	0.14	<0.02	46.90	2.23
E259578	81.07	84.00	2.93	10.84	0.18	<0.02	74.30	3.57
E259579	84.00	87.06	3.06	11.00	0.16	<0.02	56.30	4.78
E259580	87.06	90.02	2.96	11.32	0.13	<0.02	68.20	7.04
E259581	90.02	92.51	2.49	9.58	0.16	<0.02	45.70	15.25

DD26CT008

				WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41
SAMPLE ID	From	To	Interval	Recvd Wt.	Ag	Au	Cu	Mo
	m	m	m	kg	ppm	ppm	ppm	ppm
E259583	0.00	4.88	4.88	9.46	1.01	<0.02	61.50	1.06
E259584	4.88	9.75	4.87	6.76	0.26	<0.02	55.60	1.38
E259585	9.75	14.00	4.25	12.06	0.13	<0.02	77.70	1.60
E259586	14.00	19.00	5.00	20.12	0.14	<0.02	54.00	1.94
E259587	19.00	22.40	3.40	11.96	0.10	<0.02	52.60	1.51
E259588	22.40	26.21	3.81	12.64	0.21	<0.02	69.00	1.12
E259589	26.21	31.09	4.88	19.46	0.19	<0.02	79.00	2.53
E259590	31.09	36.04	4.95	15.4	0.16	<0.02	85.20	4.14
E259591	36.04	39.59	3.55	6.52	0.15	<0.02	40.40	2.63
E259592	39.59	40.82	1.23	3.78	0.12	<0.02	42.60	3.71
E259593	40.82	45.03	4.21	9.72	0.36	<0.02	53.80	2.92
E259595	45.03	49.07	4.04	9.64	0.37	<0.02	51.80	4.96
E259596	49.07	54.75	5.68	9.48	0.27	<0.02	86.10	3.07
E259597	54.75	59.00	4.25	12.16	0.21	<0.02	56.20	2.67
E259598	59.00	64.00	5.00	11.5	0.29	<0.02	90.70	2.42
E259599	64.00	67.00	3.00	8.72	0.21	<0.02	57.10	3.40
E259600	67.00	72.00	5.00	16.92	0.39	<0.02	110.50	2.96
E259601	72.00	75.56	3.56	12.74	2.30	0.01	4940.00	10.25



E259603	75.56	76.54	0.98	4.06	41.80	3.42	30700.00	26.10
E259604	76.54	78.19	1.65	5.72	0.39	0.01	227.00	1.64
E259606	78.19	80.00	1.81	3.38	39.90	0.65	8790.00	18.60
E259609	80.00	82.68	2.68	10.1	27.70	0.60	8940.00	23.90
E259610	82.68	84.92	2.24	8.38	30.40	2.75	13750.00	24.60
E259611	84.92	87.01	2.09	8.06	26.40	2.14	10900.00	15.85
E259613	87.01	88.57	1.56	5.22	24.30	2.66	22100.00	19.40
E259614	88.57	90.11	1.54	2.7	39.10	3.63	26000.00	18.20
E259617	90.11	91.74	1.63	6.5	30.00	0.84	13650.00	14.35

DD26CT010

				WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41
SAMPLE ID	From	To	Interval	Recvd Wt.	Ag	Au	Cu	Mo
	m	m	m	kg	ppm	ppm	ppm	ppm
E259649	0.00	5.00	5.00	6.42	0.31	<0.02	77.30	1.04
E259650	5.00	9.91	4.91	8.66	0.15	<0.02	56.40	1.61
E259651	9.91	14.34	4.43	3.48	0.14	<0.02	60.10	0.71
E259652	14.34	20.20	5.86	5.96	0.11	<0.02	40.90	1.34
E259653	20.20	26.52	6.32	5.86	0.23	<0.02	37.80	1.16
E259654	30.78	35.51	4.73	4.76	187.00	<0.02	936.00	2.50
E259655	35.51	39.03	3.52	8.66	0.19	<0.02	57.40	0.91
E259656	39.03	41.15	2.12	4.84	0.52	<0.02	86.30	1.92
E259657	41.15	45.87	4.72	10.06	0.53	<0.02	75.40	1.30
E259658	45.87	49.45	3.58	11.08	0.13	<0.02	70.90	2.04
E259659	49.45	52.60	3.15	7.22	0.12	<0.02	71.60	2.19
E259660	52.60	55.47	2.87	8.90	14.30	0.15	570.00	11.30
E259662	55.47	57.00	1.53	5.36	10.80	0.10	103.50	6.50
E259663	57.00	58.09	1.09	3.04	6.55	0.03	63.30	7.91
E259664	58.09	59.74	1.65	3.40	3.71	0.03	938.00	8.67
E259666	59.74	61.34	1.60	2.88	44.40	0.22	36500.00	4.38
E259669	61.34	62.33	0.99	8.36	10.55	0.04	9020.00	4.68
E259670	66.14	72.24	6.10	7.06	0.49	<0.02	250.00	2.00
E259671	72.24	75.59	3.35	8.30	1.85	<0.02	158.00	3.73
E259672	75.59	78.22	2.63	7.84	1.79	<0.02	160.00	2.78
E259673	78.22	80.85	2.63	5.92	0.38	<0.02	123.00	2.56



E259675	80.85	81.69	0.84	2.62	7.55	0.37	7970.00	3.76
E259676	81.69	84.96	3.27	8.32	0.70	<0.02	238.00	2.70
E259677	84.96	89.02	4.06	10.36	0.23	<0.02	66.10	1.84
E259678	89.02	91.00	1.98	6.98	0.18	<0.02	72.20	3.61
E259679	91.00	93.57	2.57	8.76	0.18	<0.02	87.70	1.87

DD26CT011

				WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41
SAMPLE ID	From	To	Interval	Recvd Wt.	Ag	Au	Cu	Mo
	m	m	m	kg	ppm	ppm	ppm	ppm
E259681	0.00	4.88	4.88	4.72	1.21	<0.02	71.20	2.15
E259682	4.88	9.75	4.87	8.04	0.26	<0.02	64.00	1.44
E259683	9.75	14.63	4.88	14.72	0.14	<0.02	59.30	3.01
E259684	14.63	18.98	4.35	12.14	0.20	<0.02	86.30	2.26
E259685	18.98	22.84	3.86	10.56	0.15	<0.02	70.30	3.37
E259686	22.84	27.00	4.16	13.78	0.17	<0.02	86.70	2.49
E259687	27.00	31.97	4.97	18.66	0.17	<0.02	76.10	5.15
E259688	31.97	36.92	4.95	18.70	0.11	<0.02	61.60	2.72
E259689	36.92	41.45	4.53	15.58	0.20	<0.02	52.50	4.73
E259690	41.45	44.20	2.75	10.46	0.15	<0.02	59.50	2.98
E259691	44.20	47.72	3.52	12.96	0.20	<0.02	49.90	5.69
E259692	47.72	50.05	2.33	8.92	0.20	<0.02	55.10	3.71
E259693	50.05	53.94	3.89	13.12	0.15	<0.02	61.80	5.21
E259695	53.94	57.04	3.10	11.72	0.16	<0.02	86.30	7.15
E259696	57.04	61.26	4.22	6.20	0.30	<0.02	67.90	5.73
E259697	61.26	65.23	3.97	11.54	0.15	<0.02	46.80	4.98
E259698	65.23	70.10	4.87	14.30	0.19	<0.02	45.90	4.98
E259699	70.10	74.57	4.47	10.70	0.20	<0.02	109.00	4.48
E259701	74.57	77.57	3.00	9.94	9.23	0.05	1640.00	7.92
E259702	77.57	79.06	1.49	5.30	0.31	<0.02	93.40	4.38
E259703	79.06	83.00	3.94	12.58	0.38	0.08	170.00	3.90
E259704	83.00	85.65	2.65	2.80	0.92	0.69	659.00	8.12
E259706	88.70	91.16	2.46	4.48	33.70	3.94	17750.00	16.30
E259707	91.16	92.56	1.40	4.90	27.40	2.51	13200.00	24.00
E259708	92.56	93.64	1.08	1.88	34.60	0.92	18950.00	24.70



E259711	93.64	95.10	1.46	6.82	21.80	1.54	14850.00	15.00
E259712	95.10	96.32	1.22	2.02	5.03	0.34	6900.00	4.61
E259713	96.32	100.13	3.81	11.54	0.31	0.01	159.00	10.30
E259714	100.13	101.35	1.22	4.68	6.91	0.51	4250.00	3.94

DD26CT012

				WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41
SAMPLE ID	From	To	Interval	Recvd Wt.	Ag	Au	Cu	Mo
	m	m	m	kg	ppm	ppm	ppm	ppm
E259716	0.00	4.88	4.88	4.52	0.90	<0.02	69.2	1.23
E259717	4.88	10.21	5.33	4.16	0.10	<0.02	71.6	2.38
E259718	10.21	14.17	3.96	6.00	0.15	<0.02	87.3	0.90
E259719	14.17	20.42	6.25	3.76	0.11	<0.02	69.5	1.74
E259720	20.42	25.14	4.72	3.28	0.31	<0.02	50.6	1.64
E259721	25.14	29.17	4.03	10.80	0.08	<0.02	44.6	2.39
E259722	29.17	33.52	4.35	10.52	0.13	<0.02	104.0	1.44
E259724	33.52	35.27	1.75	15.34	0.28	<0.02	76.9	48.50
E259725	35.27	38.00	2.73	4.46	0.26	<0.02	89.1	3.94
E259726	38.00	40.89	2.89	3.90	0.35	<0.02	95.9	2.83
E259727	40.89	44.96	4.07	12.22	0.24	<0.02	109.5	2.66
E259728	44.96	49.32	4.36	12.26	0.23	<0.02	76.0	3.52
E259729	49.32	53.08	3.76	13.54	0.15	<0.02	340.0	2.35
E259730	53.08	56.73	3.65	12.72	0.28	<0.02	365.0	3.48
E259731	56.73	60.05	3.32	11.90	0.32	<0.02	117.0	2.26
E259732	60.05	64.62	4.57	15.44	0.21	<0.02	139.0	4.05
E259733	64.62	69.10	4.48	15.02	0.18	<0.02	79.8	5.27
E259734	69.10	73.61	4.51	11.48	0.30	<0.02	80.5	3.86
E259735	73.61	76.04	2.43	8.50	0.59	<0.02	262.0	2.98
E259736	76.04	79.74	3.70	10.42	0.24	<0.02	138.5	4.22
E259737	79.74	82.04	2.30	8.34	2.02	0.02	2980.0	3.78
E259738	82.04	84.73	2.69	7.82	1.14	0.01	484.0	5.27
E259739	84.73	87.17	2.44	8.22	1.57	0.02	2790.0	2.16
E259740	87.17	90.22	3.05	11.82	3.48	0.01	1070.0	6.45
E259742	90.22	93.03	2.81	4.98	7.94	0.18	20700.0	6.94
E259745	93.03	96.96	3.93	13.60	2.62	0.02	3140.0	4.34



E259746	96.96	99.06	2.10	6.80	0.33	0.01	96.7	2.72
E259747	99.06	101.43	2.37	8.46	6.12	0.14	6420.0	68.00
E259748	101.43	103.00	1.57	5.78	10.55	0.29	25800.0	232.00
E259749	103.00	105.46	2.46	7.72	0.24	<0.02	262.0	5.47
E259750	105.46	108.51	3.05	10.44	0.13	<0.02	118.5	3.38

DD26CT014

				WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41
SAMPLE ID	From	To	Interval	Recvd Wt.	Ag	Au	Cu	Mo
	m	m	m	kg	ppm	ppm	ppm	ppm
E259782	0.00	5.08	5.08	5.84	0.86	<0.02	71.6	1.83
E259783	5.08	11.28	6.20	7.02	0.43	<0.02	2180.0	2.73
E259784	11.28	16.00	4.72	7.14	0.29	<0.02	216.0	20.20
E259785	16.00	21.12	5.12	8.66	0.16	<0.02	78.5	5.26
E259786	21.12	23.09	1.97	7.16	0.43	<0.02	167.5	9.20
E259787	23.09	24.21	1.12	4.08	1.40	0.36	1835.0	96.50
E259788	24.21	27.30	3.09	11.20	0.20	<0.02	93.2	11.90
E259789	27.30	28.90	1.60	6.84	11.60	0.36	7230.0	5.07
E259790	28.90	31.00	2.10	8.68	15.00	0.17	4800.0	11.40
E259791	31.00	33.00	2.00	6.84	14.05	1.38	8780.0	9.66
E259793	33.00	36.20	3.20	12.66	18.20	0.75	8760.0	12.85
E259794	36.20	38.27	2.07	5.88	4.85	0.19	5780.0	9.68
E259795	38.27	40.02	1.75	5.70	3.21	0.20	2820.0	16.85
E259796	40.02	41.59	1.57	4.54	2.10	0.06	1365.0	17.15
E259797	41.59	44.20	2.61	8.84	0.37	<0.02	190.5	12.90
E259798	44.20	47.00	2.80	10.46	0.18	<0.02	177.5	6.80
E259799	47.00	50.00	3.00	11.18	0.23	<0.02	175.5	9.72
E259800	50.00	53.02	3.02	10.54	0.32	0.09	223.0	10.95
E259801	53.02	54.79	1.77	6.10	0.11	<0.02	63.4	5.49
E259802	54.79	56.80	2.01	7.34	0.36	0.19	288.0	3.78
E259804	56.80	58.97	2.17	8.70	0.27	0.03	411.0	2.55
E259805	58.97	62.05	3.08	10.40	0.13	<0.02	47.8	3.95
E259806	62.05	64.14	2.09	7.92	0.69	0.02	167.5	2.63
E259807	64.14	67.20	3.06	9.28	0.29	<0.02	77.4	4.05
E259808	67.20	69.92	2.72	8.40	15.65	0.07	1980.0	9.84



E259809	69.92	73.00	3.08	10.04	0.43	<0.02	230.0	29.60
E259810	73.00	74.50	1.50	4.88	0.51	<0.02	214.0	7.73
E259811	74.50	77.05	2.55	9.12	0.54	<0.02	870.0	8.63
E259812	77.05	79.95	2.90	10.20	0.45	<0.02	271.0	6.28
E259813	79.95	83.21	3.26	11.30	5.79	0.19	5700.0	19.80
E259815	83.21	88.00	4.79	5.86	0.56	0.01	663.0	7.82
E259816	88.00	92.75	4.75	6.80	5.77	0.11	12700.0	54.10
E259817	92.75	93.57	0.82	3.14	17.35	0.34	13900.0	316.00
E259818	93.57	94.49	0.92	1.68	3.52	0.89	9890.0	29.20
E259819	94.49	100.74	6.25	8.36	7.00	0.18	6970.0	144.00
E259820	100.74	104.75	4.01	11.82	4.53	0.04	9470.0	138.00
E259821	104.75	108.07	3.32	10.08	3.46	0.07	13000.0	203.00
E259822	108.07	110.34	2.27	7.24	13.65	0.32	34900.0	768.00
E259823	110.34	111.86	1.52	4.94	5.86	0.09	12550.0	231.00
E259824	111.86	113.90	2.04	7.16	2.29	0.01	5440.0	262.00
E259826	113.90	115.98	2.08	6.62	0.76	<0.02	1670.0	7.28
E259828	115.98	117.96	1.98	3.42	0.47	0.02	741.0	441.00
E259830	117.96	118.57	0.61	1.16	0.04	<0.02	37.6	238.00
E259831	118.57	120.10	1.53	6.02	0.35	<0.02	432.0	74.40
E259832	120.10	121.77	1.67	5.14	0.56	<0.02	198.0	23.20
E259833	121.77	125.58	3.81	10.78	0.37	<0.02	675.0	424.00
E259834	125.58	128.90	3.32	6.70	1.30	<0.02	2200.0	1400.00
E259836	128.90	131.90	3.00	9.80	1.70	<0.02	1825.0	192.00
E259837	131.90	134.50	2.60	8.38	0.14	<0.02	96.7	6.31
E259838	134.50	136.86	2.36	6.88	0.16	<0.02	131.0	2.51

DD26CT015

				WEI-21	ME-MS41	ME-MS41	ME-MS41	ME-MS41
SAMPLE ID	From	To	Interval	Recvd Wt.	Ag	Au	Cu	Mo
	m	m	m	kg	ppm	ppm	ppm	ppm
E259840	0.00	2.13	2.13	1.34	7.35	0.12	4490.0	32.40
E259841	2.13	5.18	3.05	4.36	0.21	0.01	2290.0	7.78
E259842	5.18	8.46	3.28	8.08	0.16	<0.02	103.0	7.24



E259843	8.46	11.28	2.82	10.36	0.38	<0.02	81.1	15.80
E259844	11.28	14.05	2.77	8.98	0.22	<0.02	117.5	12.90
E259845	14.05	18.00	3.95	11.78	0.27	<0.02	189.0	8.92
E259846	18.00	20.89	2.89	9.78	0.29	<0.02	175.0	9.33
E259847	20.89	24.10	3.21	10.68	0.89	0.02	493.0	11.35
E259848	24.10	28.65	4.55	14.68	0.81	<0.02	719.0	5.84
E259849	28.65	33.15	4.50	13.00	10.15	0.01	2610.0	11.45
E259851	33.15	34.23	1.08	1.90	4.82	0.18	10600.0	42.50
E259854	34.23	38.04	3.81	11.28	1.09	0.01	1210.0	13.15
E259855	38.04	42.34	4.30	13.34	0.57	<0.02	520.0	9.54
E259856	42.34	44.05	1.71	5.54	0.42	<0.02	865.0	6.38
E259858	44.05	44.89	0.84	3.54	61.70	0.31	24600.0	29.60
E259859	44.89	48.83	3.94	12.30	1.48	0.01	978.0	18.00
E259860	48.83	52.58	3.75	8.14	2.73	0.04	1325.0	836.00
E259861	52.58	56.39	3.81	12.10	0.89	<0.02	931.0	44.60
E259862	56.39	60.05	3.66	10.82	0.28	<0.02	234.0	7.97
E259863	60.05	64.45	4.40	15.38	0.88	<0.02	1125.0	6.94
E259864	64.45	68.08	3.63	12.22	0.19	<0.02	250.0	7.56
E259865	68.08	72.15	4.07	14.18	0.12	<0.02	75.4	2.21
E259866	72.15	75.29	3.14	10.74	0.14	<0.02	102.5	2.11
E259867	75.29	79.15	3.86	12.26	0.14	<0.02	87.6	2.19
E259868	79.15	83.00	3.85	13.02	0.14	<0.02	150.5	2.64
E259869	83.00	86.11	3.11	9.78	0.14	<0.02	87.8	1.10
E259870	86.11	90.03	3.92	14.78	0.14	<0.02	85.2	2.45
E259871	90.03	93.57	3.54	12.48	0.13	<0.02	131.5	2.46
E259872	93.57	96.18	2.61	9.16	0.20	<0.02	215.0	2.27
E259873	96.18	99.06	2.88	9.80	0.14	<0.02	97.6	1.36
E259874	99.06	102.72	3.66	12.30	0.11	<0.02	67.8	2.01



Appendix 3: JORC Code, 2012 Edition – Table 1 Report in relation to drill holes and drill sample assays within the Cactus Corridor at the Cactus project, Utah, USA.

Section 1 - Sampling Techniques and Data

(Criteria in this section apply to all succeeding sections)

Criteria of JORC Code 2012	JORC Code (2012) explanation	Details of the Reported Project
Sampling techniques	<i>Nature and quality of sampling (e.g. cut channels, random chips, or specific specialized industry standard measurement tools appropriate to the minerals under investigation, such as down hole gamma sondes, or handheld XRF instruments, etc.). These examples should not be taken as limiting the broad meaning of sampling.</i>	Sample intervals of the HQ sized drill core has been determined based on whether the core is mineralised and ranges from 0.6m through to over 6.0m where the core is un-mineralised. Samples in mineralised core are most commonly in the range of 1-3m in length. All sample lengths for mineralised holes are outlined in Appendix 2. The samples consist of half core which were sent to the ALS lab in Nevada for multielement analysis. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>Include reference to measures taken to ensure sample representativeness and the appropriate calibration of any measurement tools or systems used.</i>	Sample intervals of the HQ sized drill core has been determined based on whether the core is mineralised and ranges from 0.6m through to over 6.0m where the core is un-mineralised. Samples in mineralised core are most commonly in the range of 1-3m in length. All sample lengths for mineralised holes are outlined in Appendix 2. The samples consist of half core which were sent to the ALS lab in Nevada for multielement analysis. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>Aspects of the determination of mineralisation that are Material to the Public Report. In cases where 'industry standard' work has been done this would be relatively simple (e.g. 'reverse circulation drilling was used to obtain 1 m samples from which 3 kg was</i>	Sample intervals of the HQ sized drill core has been determined based on whether the core is mineralised and ranges from 0.6m through to over 6.0m where the core is un-mineralised. Samples in mineralised core are most commonly in the range of 1-3m in length. All sample lengths for mineralised holes are outlined in Appendix 2. The samples consist of half core which were sent to the ALS lab in Nevada for multielement analysis. The ALS sample preparation and assaying techniques are outlined in the table below.

	<i>pulverised to produce a 30 g charge for fire assay’). In other cases, more explanation may be required, such as where there is coarse gold that has inherent sampling problems. Unusual commodities or mineralisation types (e.g. submarine nodules) may warrant disclosure of detailed information.</i>	<table><tr><th colspan="3">SAMPLE PREPARATION</th></tr><tr><th>ALS CODE</th><th colspan="2">DESCRIPTION</th></tr><tr><td>WEI-21</td><td colspan="2">Received Sample Weight</td></tr><tr><td>LOG-22</td><td colspan="2">Sample login – Rcd w/o BarCode</td></tr><tr><td>CRU-QC</td><td colspan="2">Crushing QC Test</td></tr><tr><td>PUL-QC</td><td colspan="2">Pulverizing QC Test</td></tr><tr><td>CRU-31</td><td colspan="2">Fine crushing – 70% <2mm</td></tr><tr><td>SPL-22Y</td><td colspan="2">Split Sample – Boyd Rotary Splitter</td></tr><tr><td>PUL-31</td><td colspan="2">Pulverize up to 250g 85% <75 um</td></tr><tr><td>LOG-24</td><td colspan="2">Pulp Login – Rcd w/o Barcode</td></tr><tr><td>CRU-21</td><td colspan="2">Crush entire sample</td></tr><tr><td>SND-ALS</td><td colspan="2">Send samples to internal laboratory</td></tr></table> <table><tr><th colspan="3">ANALYTICAL PROCEDURES</th></tr><tr><th>ALS CODE</th><th>DESCRIPTION</th><th>INSTRUMENT</th></tr><tr><td>ME-MS41</td><td>Ultra Trace Aqua Regia ICP-MS</td><td></td></tr><tr><td>ME-OG46</td><td>Ore Grade Elements – AquaRegia</td><td>ICP-AES</td></tr><tr><td>Cu-OG46</td><td>Ore Grade Cu – Aqua Regia</td><td></td></tr></table> The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project. Statement required by Nevada State Law NRS 519	SAMPLE PREPARATION			ALS CODE	DESCRIPTION		WEI-21	Received Sample Weight		LOG-22	Sample login – Rcd w/o BarCode		CRU-QC	Crushing QC Test		PUL-QC	Pulverizing QC Test		CRU-31	Fine crushing – 70% <2mm		SPL-22Y	Split Sample – Boyd Rotary Splitter		PUL-31	Pulverize up to 250g 85% <75 um		LOG-24	Pulp Login – Rcd w/o Barcode		CRU-21	Crush entire sample		SND-ALS	Send samples to internal laboratory		ANALYTICAL PROCEDURES			ALS CODE	DESCRIPTION	INSTRUMENT	ME-MS41	Ultra Trace Aqua Regia ICP-MS		ME-OG46	Ore Grade Elements – AquaRegia	ICP-AES	Cu-OG46	Ore Grade Cu – Aqua Regia	
SAMPLE PREPARATION																																																					
ALS CODE	DESCRIPTION																																																				
WEI-21	Received Sample Weight																																																				
LOG-22	Sample login – Rcd w/o BarCode																																																				
CRU-QC	Crushing QC Test																																																				
PUL-QC	Pulverizing QC Test																																																				
CRU-31	Fine crushing – 70% <2mm																																																				
SPL-22Y	Split Sample – Boyd Rotary Splitter																																																				
PUL-31	Pulverize up to 250g 85% <75 um																																																				
LOG-24	Pulp Login – Rcd w/o Barcode																																																				
CRU-21	Crush entire sample																																																				
SND-ALS	Send samples to internal laboratory																																																				
ANALYTICAL PROCEDURES																																																					
ALS CODE	DESCRIPTION	INSTRUMENT																																																			
ME-MS41	Ultra Trace Aqua Regia ICP-MS																																																				
ME-OG46	Ore Grade Elements – AquaRegia	ICP-AES																																																			
Cu-OG46	Ore Grade Cu – Aqua Regia																																																				
		The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																																																			
Drilling techniques	<i>Drill type (e.g. core, reverse circulation, open-hole hammer, rotary air blast, auger, Bangka, sonic, etc.) and details (e.g. core diameter, triple or standard tube, depth of diamond tails, face-sampling bit or other type, whether core is oriented and if so, by what method, etc.).</i>	A diamond drill rig was used for the Cactus drill programme. All holes have been drilled with HQ sized core. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																																																			
Drill sample recovery	<i>Method of recording and assessing core and chip sample recoveries and results assessed.</i> <i>Measures taken to maximize sample recovery and ensure representative nature of the samples.</i>	Core recoveries have been calculated by reconciling the length of core for a defined downhole interval vs the length of that interval. Overall drill sample recovery for the programme is estimated to be >90% for the programme however core recovery can drop below 50% in some highly fractured and broken zones down holes. These low recovery zones are typically early in the holes with recoveries typically improving with depth. Hole DD26CT010 had poor recovery throughout with <60% and well mineralised hole DD26CT011 had 3m of no core recovery immediately prior to entering its mineralised zone.																																																			

	<i>Whether a relationship exists between sample recovery and grade and whether sample bias may have occurred due to preferential loss/gain of fine/coarse material.</i>	The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
Logging	<i>Whether core and chip samples have been geologically and geotechnically logged to a level of detail to support appropriate Mineral Resource estimation, mining studies and metallurgical studies.</i>	Geological and structural logging plus photography of drill core has been completed. The holes in this programme are the first shallow holes into the Comet and Cactus zones of the Cactus Corridor since the 1960s hence the logging does not support a Mineral Resource estimation, mining studies or metallurgical studies. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>Whether logging is qualitative or quantitative in nature. Core (or costean, channel, etc.) photography.</i>	
	<i>The total length and percentage of the relevant intersections logged.</i>	
Sub-sampling techniques and sample preparation	<i>If core, whether cut or sawn and whether quarter, half or all core taken</i>	All drill core has been sampled on the basis of half drill core cut using a diamond saw. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>If non-core, whether riffled, tube sampled, rotary split, etc. and whether sampled wet or dry.</i>	All samples are half drill core. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>For all sample types, the nature, quality, and appropriateness of the sample preparation technique.</i>	All samples sent to the laboratory are half drill core which has been cut using a diamond saw. Sample preparation will be carried out by the lab in accordance with standard procedures as outlined below.

		<table><tr><th colspan="2">SAMPLE PREPARATION</th></tr><tr><th>ALS CODE</th><th>DESCRIPTION</th></tr><tr><td>WEI-21</td><td>Received Sample Weight</td></tr><tr><td>LOG-22</td><td>Sample login – Rcd w/o BarCode</td></tr><tr><td>CRU-QC</td><td>Crushing QC Test</td></tr><tr><td>PUL-QC</td><td>Pulverizing QC Test</td></tr><tr><td>CRU-31</td><td>Fine crushing – 70% <2mm</td></tr><tr><td>SPL-22Y</td><td>Split Sample – Boyd Rotary Splitter</td></tr><tr><td>PUL-31</td><td>Pulverize up to 250g 85% <75 um</td></tr><tr><td>LOG-24</td><td>Pulp Login – Rcd w/o Barcode</td></tr><tr><td>CRU-21</td><td>Crush entire sample</td></tr><tr><td>SND-ALS</td><td>Send samples to internal laboratory</td></tr></table> The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.	SAMPLE PREPARATION		ALS CODE	DESCRIPTION	WEI-21	Received Sample Weight	LOG-22	Sample login – Rcd w/o BarCode	CRU-QC	Crushing QC Test	PUL-QC	Pulverizing QC Test	CRU-31	Fine crushing – 70% <2mm	SPL-22Y	Split Sample – Boyd Rotary Splitter	PUL-31	Pulverize up to 250g 85% <75 um	LOG-24	Pulp Login – Rcd w/o Barcode	CRU-21	Crush entire sample	SND-ALS	Send samples to internal laboratory
SAMPLE PREPARATION																										
ALS CODE	DESCRIPTION																									
WEI-21	Received Sample Weight																									
LOG-22	Sample login – Rcd w/o BarCode																									
CRU-QC	Crushing QC Test																									
PUL-QC	Pulverizing QC Test																									
CRU-31	Fine crushing – 70% <2mm																									
SPL-22Y	Split Sample – Boyd Rotary Splitter																									
PUL-31	Pulverize up to 250g 85% <75 um																									
LOG-24	Pulp Login – Rcd w/o Barcode																									
CRU-21	Crush entire sample																									
SND-ALS	Send samples to internal laboratory																									
<i>Quality control procedures adopted for all sub-sampling stages to maximise representativeness of samples.</i>	All drill holes have been half core sampled at intervals based on the logged mineralisation as outlined in Appendix 2 of this announcement. All samples were sent to the ALS laboratory in Nevada for analysis. Sample preparation was carried out by the lab in accordance with standard procedures and Hawk inserted OREAS standards 22i, 508 and 509 plus blanks and duplicates into the sample batches on the basis of one for every 5-10 samples. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																									
<i>Measures taken to ensure that the sampling is representative of the in-situ material collected, including for instance results for field duplicate/second-half sampling.</i>	Half core has been sampled through the length of every hole with sample intervals determined based on mineralisation observed during logging. OREAS standards 22i, 508 and 509 plus blanks and duplicates were inserted into the sample batches on the basis of one for every 5-10 samples. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																									
<i>Whether sample sizes are appropriate to the grain size of the material being sampled.</i>	Half core has been sampled through the length of every hole with sample intervals determined based on mineralisation observed during logging. Sample weights range from 1.1-19.2kg and are typically in the range of 3-5kg (see Appendix 2). The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																									

		2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																																							
Quality of assay data and laboratory tests	The nature, quality and appropriateness of the assaying and laboratory procedures used and whether the technique is considered partial or total.	All samples were sent to the ALS lab in Nevada for analysis as outlined in the tables below. <table><tr><th colspan="2">SAMPLE PREPARATION</th></tr><tr><th>ALS CODE</th><th>DESCRIPTION</th></tr><tr><td>WEI-21</td><td>Received Sample Weight</td></tr><tr><td>LOG-22</td><td>Sample login – Rcd w/o BarCode</td></tr><tr><td>CRU-QC</td><td>Crushing QC Test</td></tr><tr><td>PUL-QC</td><td>Pulverizing QC Test</td></tr><tr><td>CRU-31</td><td>Fine crushing – 70% <2mm</td></tr><tr><td>SPL-22Y</td><td>Split Sample – Boyd Rotary Splitter</td></tr><tr><td>PUL-31</td><td>Pulverize up to 250g 85% <75 um</td></tr><tr><td>LOG-24</td><td>Pulp Login – Rcd w/o Barcode</td></tr><tr><td>CRU-21</td><td>Crush entire sample</td></tr><tr><td>SND-ALS</td><td>Send samples to internal laboratory</td></tr></table> <table><tr><th colspan="3">ANALYTICAL PROCEDURES</th></tr><tr><th>ALS CODE</th><th>DESCRIPTION</th><th>INSTRUMENT</th></tr><tr><td>ME-MS41</td><td>Ultra Trace Aqua Regia ICP-MS</td><td></td></tr><tr><td>ME-OG46</td><td>Ore Grade Elements – AquaRegia</td><td>ICP-AES</td></tr><tr><td>Cu-OG46</td><td>Ore Grade Cu – Aqua Regia</td><td></td></tr></table> The results of this assay were based solely upon the content of the sample submitted. Any decision to invest should be made only after the potential investment value of the claim 'or deposit has been determined based on the results of assays of multiple samples of geological materials collected by the prospective investor or by a qualified person selected by him/her and based on an evaluation of all engineering data which is available concerning any proposed project. Statement required by Nevada State Law NRS 519 The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 11 September 2026.	SAMPLE PREPARATION		ALS CODE	DESCRIPTION	WEI-21	Received Sample Weight	LOG-22	Sample login – Rcd w/o BarCode	CRU-QC	Crushing QC Test	PUL-QC	Pulverizing QC Test	CRU-31	Fine crushing – 70% <2mm	SPL-22Y	Split Sample – Boyd Rotary Splitter	PUL-31	Pulverize up to 250g 85% <75 um	LOG-24	Pulp Login – Rcd w/o Barcode	CRU-21	Crush entire sample	SND-ALS	Send samples to internal laboratory	ANALYTICAL PROCEDURES			ALS CODE	DESCRIPTION	INSTRUMENT	ME-MS41	Ultra Trace Aqua Regia ICP-MS		ME-OG46	Ore Grade Elements – AquaRegia	ICP-AES	Cu-OG46	Ore Grade Cu – Aqua Regia	
SAMPLE PREPARATION																																									
ALS CODE	DESCRIPTION																																								
WEI-21	Received Sample Weight																																								
LOG-22	Sample login – Rcd w/o BarCode																																								
CRU-QC	Crushing QC Test																																								
PUL-QC	Pulverizing QC Test																																								
CRU-31	Fine crushing – 70% <2mm																																								
SPL-22Y	Split Sample – Boyd Rotary Splitter																																								
PUL-31	Pulverize up to 250g 85% <75 um																																								
LOG-24	Pulp Login – Rcd w/o Barcode																																								
CRU-21	Crush entire sample																																								
SND-ALS	Send samples to internal laboratory																																								
ANALYTICAL PROCEDURES																																									
ALS CODE	DESCRIPTION	INSTRUMENT																																							
ME-MS41	Ultra Trace Aqua Regia ICP-MS																																								
ME-OG46	Ore Grade Elements – AquaRegia	ICP-AES																																							
Cu-OG46	Ore Grade Cu – Aqua Regia																																								
	For geophysical tools, spectrometers, handheld XRF instruments, etc., the parameters used in determining the analysis including instrument make and model, reading times, calibrations factors applied and their derivation, etc.	All samples were sent to the ALS lab in Nevada for analysis. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026.																																							
	Nature of quality control procedures adopted (e.g. standards, blanks, duplicates, external laboratory checks) and whether acceptable levels of accuracy (i.e. lack of bias) and precision have been established.	OREAS standards 22i, 508 and 509 plus blanks and duplicates were inserted into the sample batches on the basis of one for every 5-10 samples. A thorough review of the results is still in progress however an initial review indicates acceptable levels of accuracy. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 11 September 2026.																																							

		2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																												
Verification of sampling and assaying	The verification of significant intersections by either independent or alternative company personnel.	This announcement is approved by the Hawk Board and all geochemical analyses are independently reviewed. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																												
	The use of twinned holes.	Hawk’s angled drill holes along the Cactus Corridor are drilling for near surface copper and gold mineralisation across the same zone as vertical holes drilled in the 1960s and holes into the Comet gold mineralisation in 2004 hence while they are testing the same zones, they are not designed to twin the historical holes. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																												
	Documentation of primary data, data entry procedures, data verification, data storage (physical and electronic) protocols.	All holes have been logged to capture key information on rock types, alteration, structure, mineralisation, core recovery and drill core size. This information is stored digitally in the company’s data base. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																												
	Discuss any adjustment to assay data.	No adjustments have ben made to assay data. Mineralised intervals have been calculated as follows: <table><tr><th>Cu Grade</th><th>Sample interval</th><th rowspan="2">Cu x m</th><th rowspan="2">Σ Cu x m</th><th rowspan="2">Σ Intervals (m)</th><th>Average Cu Grade</th></tr><tr><th>(ppm)</th><th>(m)</th><th>(Σ Cu x m/Σ Intervals)</th></tr><tr><td>32700</td><td>1.00</td><td>32700</td><td rowspan="4">192762.5</td><td rowspan="4">4.86</td><td rowspan="4">39663ppm (3.97%)</td></tr><tr><td>8190</td><td>1.05</td><td>8599</td></tr><tr><td>51900</td><td>1.29</td><td>66951</td></tr><tr><td>55600</td><td>1.52</td><td>84512</td></tr></table> The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September						Cu Grade	Sample interval	Cu x m	Σ Cu x m	Σ Intervals (m)	Average Cu Grade	(ppm)	(m)	(Σ Cu x m/Σ Intervals)	32700	1.00	32700	192762.5	4.86	39663ppm (3.97%)	8190	1.05	8599	51900	1.29	66951	55600	1.52
Cu Grade	Sample interval	Cu x m	Σ Cu x m	Σ Intervals (m)	Average Cu Grade																									
(ppm)	(m)				(Σ Cu x m/Σ Intervals)																									
32700	1.00	32700	192762.5	4.86	39663ppm (3.97%)																									
8190	1.05	8599																												
51900	1.29	66951																												
55600	1.52	84512																												

		2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
<i>Location of data points</i>	<i>Accuracy and quality of surveys used to locate drill holes (collar and down-hole surveys), trenches, mine workings and other locations used in Mineral Resource estimation.</i>	All drill sites have been located using a Garmin Montana 750i GPS.
	<i>Specification of the grid system used.</i>	All data are recorded in a UTM zone 12 (North) NAD83 grid.
	<i>Quality and adequacy of topographic control.</i>	The elevation data for sample sites is collected by the Garmin Montana 750i GPS used to locate each sample site. Elevation data is not considered critical for the proposed programme. No new topographic data has been generated for this announcement.
<i>Data spacing and distribution</i>	<i>Data spacing for reporting of Exploration Results.</i>	The drill holes along the Cactus Corridor have been designed at approximately 50m spacings. Some variation in this spacing has occurred due to topography and access considerations. All hole collar co-ordinates are outlined in Appendix 1 of the announcement. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>Whether the data spacing, and distribution is sufficient to establish the degree of geological and grade continuity appropriate for the Mineral Resource and Ore Reserve estimation procedure(s) and classifications applied.</i>	It is unknown at this stage whether the drilling data generated in this programme to date is sufficient to establish geological and grade continuity for Mineral Resource and Ore reserve estimation. Results will be interpreted following receipt of all lab assays results. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>Whether sample compositing has been applied.</i>	No sample compositing has been carried out. Half core has been sampled through the length of every hole with sample intervals determined based on mineralisation observed during logging. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.

<i>Orientation of data in relation to geological structure</i>	<i>Whether the orientation of sampling achieves unbiased sampling of possible structures and the extent to which this is known, considering the deposit type.</i>	All holes are designed to traverse the interpreted position of the Cactus Corridor structural zone which hosts copper mineralisation in tourmaline breccias within the Cactus granodiorite. The more accurate location and width of this structural zone is expected to be outlined from this programme. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>If the relationship between the drilling orientation and the orientation of key mineralised structures is considered to have introduced a sampling bias, this should be assessed and reported if material.</i>	No sampling bias has been introduced. All holes have been designed to drill across the trend of the Cactus Corridor structural zone and cut across the steep NE dip of the zone. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
<i>Sample security</i>	<i>The measures taken to ensure sample security</i>	Half core has been sampled through the length of every hole with sample intervals determined based on mineralisation observed during logging. All samples were securely submitted to the ALS lab in Nevada for analysis. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
<i>Audits or reviews</i>	<i>The results of any audits or reviews of sampling techniques and data.</i>	Not Applicable

Section 2 – Reporting of Exploration Results

(Criteria in this section apply to all succeeding sections)

Criteria of JORC Code 2012	JORC Code (2012) explanation	Details of the Reported Project
<i>Mineral tenement and land tenure status</i>	<i>Type, reference name/number, location and ownership including agreements or material issues with third parties such as joint ventures, partnerships, overriding royalties, native title interests, historical sites, wilderness or national park and environmental settings.</i>	The Cactus Prospect comprises over 300 patented and unpatented claims which are governed by the Cactus lease agreement entered into with the private landowners and held by Hawk in its own right. The Cactus lease agreements grant Hawk all rights to access the property and to explore for and mine minerals, subject to a retained royalty of 3% to the landholder. Hawk holds options to reduce the royalty to 1% and to purchase the patented claims.
	<i>The security of the tenure held at the time of reporting along with any known impediments to obtaining a license to operate in the area.</i>	All licences covering the Cactus project are granted.
<i>Exploration done by other parties (2.2)</i>	<i>Acknowledgment and appraisal of exploration by other parties.</i>	A large amount of historical exploration has been carried out by numerous different parties dating back to the 1800's. Historical mining records including level plans and production records exist for the Cactus and Comet mines for the period between 1905 and 1920 when the vast majority of production occurred. Since 1959, historical drilling has been carried out by multiple parties including Anaconda Company, Rosario Exploration Company, Amax Exploration and Western Utah Copper Corporation/Palladon Ventures. Data has been acquired, digitized where indicated, and interpreted by Hawk. This announcement covers drill sample assays for 10 drill holes into the Cactus Corridor target.
<i>Geology</i>	<i>Deposit type, geological setting, and style of mineralisation.</i>	Mineralisation throughout the Cactus district is primarily copper-gold rich tourmaline breccias, structurally hosted mineralisation and oxide copper mineralised zones. Part of the larger Laramide mineralising event. Overprinted by Basin and Range tectonics. Copper mineralised tourmaline breccias has been logged in the Cactus Corridor drill holes.
<i>Drill hole Information</i>	<i>A summary of all information material to the understanding of the exploration results including a tabulation of the following information for all Material drill holes:</i>	This announcement provides an update on sample assaying results for 10 completed diamond drill holes along the Cactus Corridor zone at the Cactus project in Utah, USA. The drill hole information and mineralised hole assays are reported in Appendices 1 and 2 of this announcement.
	<i>Easting and Northing of the drill hole collar. Elevation or RL (Reduced Level – elevation above sea level in metres) of the drill hole collar.</i>	The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19

	<i>Dip and azimuth of the hole.</i>	September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																							
	<i>Down hole length and interception depth and hole length.</i>																								
	<i>If the exclusion of this information is justified on the basis that the information is not Material and this exclusion does not detract from the understanding of the report, the Competent Person should clearly explain why this is the case.</i>	The drill hole information is reported in Appendix 1 of this announcement. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																							
<i>Data aggregation methods</i>	<i>In reporting Exploration Results, weighting averaging techniques, maximum and/or minimum grade truncations (e.g. cutting of high grades) and cut-off grades are usually Material and should be stated.</i>	No weighting or averaging techniques have been used in this announcement. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.																							
	<i>Where aggregate intercepts incorporate short lengths of high-grade results and longer lengths of low-grade results, the procedure used for such aggregation should be stated and some typical examples of such aggregations should be shown in detail.</i>	As sample lengths throughout the hole are variable, the intersections reported in the announcement have been calculated using the procedure outlined below which results in an intersection of 4.86m grading 3.97% Cu. <table><tr><th>Cu Grade</th><th>Sample interval</th><th rowspan="2">Cu x m</th><th rowspan="2">Σ Cu x m</th><th rowspan="2">Σ Intervals (m)</th><th>Average Cu Grade</th></tr><tr><th>(ppm)</th><th>(m)</th><th>(Σ Cu x m/Σ Intervals)</th></tr><tr><td>32700</td><td>1.00</td><td>32700</td><td rowspan="4">192762.5</td><td rowspan="4">4.86</td><td rowspan="4">39663ppm (3.97%)</td></tr><tr><td>8190</td><td>1.05</td><td>8599</td></tr><tr><td>51900</td><td>1.29</td><td>66951</td></tr><tr><td>55600</td><td>1.52</td><td>84512</td></tr></table> The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.	Cu Grade	Sample interval	Cu x m	Σ Cu x m	Σ Intervals (m)	Average Cu Grade	(ppm)	(m)	(Σ Cu x m/Σ Intervals)	32700	1.00	32700	192762.5	4.86	39663ppm (3.97%)	8190	1.05	8599	51900	1.29	66951	55600	1.52
Cu Grade	Sample interval	Cu x m	Σ Cu x m	Σ Intervals (m)				Average Cu Grade																	
(ppm)	(m)				(Σ Cu x m/Σ Intervals)																				
32700	1.00	32700	192762.5	4.86	39663ppm (3.97%)																				
8190	1.05	8599																							
51900	1.29	66951																							
55600	1.52	84512																							
	<i>The assumptions used for any reporting of metal equivalent values should be clearly stated.</i>	Not applicable – no metal equivalent grades have been calculated for this announcement.																							

<i>Relationship between mineralisation widths and intercept lengths</i>	<i>These relationships are particularly important in the reporting of Exploration Results.</i>	The true width of the mineralised zone has not been calculated because some holes have ended in mineralisation. Also, the assays have not yet been received for the final hole in the programme. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
	<i>If the geometry of the mineralisation with respect to the drill hole angle is known, its nature should be reported.</i>	The Cactus Corridor zone copper-gold mineralisation occurs primarily in tourmaline breccias developed within a northwest trending structural zone within the Cactus intrusive stock. Historical drilling indicates that the breccia bodies dip steeply to the northeast hence the current holes have been designed to drill across this zone at shallow dip angles to provide an indication of the true width of mineralised zones.
	<i>If it is not known and only the down hole lengths are reported, there should be a clear statement to this effect (e.g. 'down hole length, true width not known').</i>	The potential down hole mineralisation lengths for all holes are estimates only and the final true lengths of the mineralised zone will only be available once sufficient drilling has been carried out across the mineralised zone. The downhole mineralisation lengths reported in the announcement have been estimated based on geological logging of sulphide mineralisation and the lab assays. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
<i>Diagrams</i>	<i>Appropriate maps and sections (with scales) and tabulations of intercepts should be included for any significant discovery being reported These should include, but not be limited to a plan view of drill hole collar locations and appropriate sectional views.</i>	Maps are presented in the text of this ASX release.
<i>Balanced reporting</i>	<i>Where comprehensive reporting of all Exploration Results is not practicable, representative reporting of both low and high grades and/or widths should be practiced to avoid misleading reporting of Exploration Results.</i>	All lab copper, gold, silver and molybdenum assays of drill core are reported in Appendix 2 of this announcement. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.

<i>Other substantive exploration data</i>	<i>Other exploration data, if meaningful and material, should be reported including (but not limited to): geological observations; geophysical survey results; geochemical survey results; bulk samples – size and method of treatment; metallurgical test results; bulk density, groundwater, geotechnical and rock characteristics; potential deleterious or contaminating substances.</i>	All current drill hole assay data is reported in this announcement. The historical results outlined in the announcement have been previously announced by Hawk and referenced in the body of the announcement. Relevant ASX announcements are dated 5 July 2023, 22 February 2024, 12 March 2024, 25 June 2024, 8 July 2024, 9 January 2025, 9 April 2025, 28 April 2025, 2 July 2025, 19 September 2025, 16 December 2025, 14 January 2026, 18 February 2026, 1 June 2026, 14 June 2026, 28 June 2026, 11 August 2026, 4 September 2026.
<i>Further work</i>	<i>The nature and scale of planned further work (e.g. tests for lateral extensions or depth extensions or large-scale step-out drilling). Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	1. Obtain and review assay results for the final drill hole along the Cactus Corridor (Q4 2026); 2. If results prove positive, design a followup phase of drilling along the Cactus Corridor (Q4 2026) 3. Carry out the followup drilling at Cactus (H1, 2027)
	<i>Diagrams clearly highlighting the areas of possible extensions, including the main geological interpretations and future drilling areas, provided this information is not commercially sensitive.</i>	Maps showing targets are presented in the text of this ASX release.