16/100 Railway Road
Daglish, WA, 6008
ASX:DES | desotoresources.com

4th November 2026 - ASX Announcement

GOLD ANOMALIES GUIDE FOLLOW-UP EXPLORATION ALONG THE SIGUIRI GOLD TREND

Highlights

- Regional exploration continues across DeSoto's 687km² southwest Siguiri portfolio, comprising the near-contiguous Yarakoura, Moussaya, Dalaban, Doutila, Woussoubadou, Branama, Moiko and Alamakono Projects.
- Sampling is progressing, with 1,105 sampling points completed, including 466 points at Yarakoura (Figure 1 & 2), which is located immediately south of Asara's Resources (ASX:AS1) 2.1Moz Kada Project[1], providing a priority area for testing potential southern extensions of favourable host rocks and regional structures into DeSoto's ground.
- The planned 2,239-point soil sampling program is designed to refine regional anomalies, using 200m × 200m grids at Yarakoura, Branama and Woussoubadou, and 800m × 100m grids at Moiko and Alamakono.
- DeSoto's western permits are also located just 40km east of ASX:PDI's exploration permits, which includes the 5.4Moz Bankan Deposit[2] (Kaninko Exploration Permit 5784), originally discovered by DeSoto Chairman Paul Roberts in April 2020.



Figure 1 – Regolith mapping and Soil sampling programs being completed at the Yarakoura Project, Guinea.

[1]AS1 ASX Announcement – Kada Interim Mineral Resource grows 125% to 2.1 Million ounces (31st August 2025)
[2]PDI ASX Announcement - Mineral Resources and Ore Reserves Update dated 28 September 2026. Mineral Resources and Ore Reserves as at 30 June 2026

- A regional field office has been established at Yarakoura, supporting access, logistics and exploration across the southwest Siguiri project portfolio.

Timbakouna Update

- 596 of a planned 1,195 power auger holes have been completed at Timbakouna with more than 2,500 samples currently in the lab with results pending.

DeSoto Resources Limited (ASX:DES) ("DES" or the "Company") is pleased to provide an update on exploration programs covering the Yarakoura, Moussaya, Dalaban, Doutila, Woussoubadou, Branama, Moiko and Alamakono Projects, 687km² of near contiguous ground in the southwest Siguiri, Guinea (Figure 2).




Figure 2 – DeSoto's Western Permits, comprising Yarakoura, Moussaya, Dalaban, Doutila, Woussoubadou, Branama, Moiko and Alamakono Projects with soil sampling locations, completed and planned.

Project Details and Structual Setting

The projects, Yarakoura, Moussaya, Dalaban, Doutila, Woussoubadou, Branama, Moiko and Alamakono, lie within the interpreted Siguiri Gold Mineralisation Trend, a regional geological and structural corridor

hosting AngloGold Ashanti's Siguiri Gold Mine and Asara Resources' Kada Gold Project, which has a reported 2.1 Moz Indicated and Inferred Mineral Resource[3].

Yarakoura lies immediately south of Asara's broader Kada Project tenure, providing a priority area for testing potential southern extensions of favourable host rocks and regional structures into DeSoto's ground.

Exploration at Kada has demonstrated the broader extent of gold anomalism along the regional corridor. Asara has reported an approximately 18km gold-in-auger anomaly at Bamfele, aligned with its interpreted north–south mineralised trend. This provides further regional context for DeSoto's systematic evaluation of prospective ground to the south.

Intersecting structural trends provide an exploration model for assessing new targets. Asara has identified northeast–southwest structures cutting the principal north–south corridor and considers comparable intersections an important control on higher-grade mineralisation at Massan. This supports evaluating similar structural settings within DeSoto's southwest Siguiri portfolio.

DeSoto's exploration is designed to test the geological continuity and discovery potential of the corridor within its own project areas. Follow-up soil sampling, geological mapping and regolith assessment will help determine whether the BLEG anomalies relate to favourable bedrock sources and identify priorities for subsequent auger sampling and, where warranted, deeper drilling.

Regional interpretation identifies multiple prospective structural settings, including north–south sedimentary belts containing interpreted Tarkwaian conglomerates, granitoid contacts and cross-cutting northeast–southwest faults. These features provide a geological framework for prioritising geochemical anomalies and subsequent exploration.

Previous BLEG Programs

During 2025/2026 Initial Bulk leach extractable gold (BLEG) sampling programs identified anomalous gold values ranging from 6.62 ppb to 56.20 ppb Au[4], highlighting several areas for more detailed geochemical investigation, especially in the Yarakoura, Woussoubadou and Branama areas.

A total of 202 BLEG samples, including 20 duplicates, were collected across all eight projects. The program sampled drainage systems to identify gold anomalism and guide follow-up exploration towards potential mineralised sources upstream.

Strategic land position in the Siguiri Basin

Since February 2025, the Company has acquired approximately 1,300km² of highly prospective gold tenure across more than 23 Reconnaissance Authorisations and Exploration Permits in the Siguiri Basin (Figure. 3).

The Company is applying a strategic, basin-scale approach to exploration, focused on developing a broad structural architecture interpretation to support ongoing ground selection, target generation and exploration prioritisation.

The Siguiri Basin forms part of the broader Birimian Gold Belt, within the West African Craton. The craton extends across West Africa and is recognised as one of the world's most richly endowed gold provinces. Gold deposits across the region occur in a range of orogenic and intrusion-related styles, reflecting the diversity of host rocks, including sedimentary sequences, mafic intrusions, volcanic rocks and granitoids.

The Siguiri Basin forms part of the Birimian Gold Province, within the West African Craton. The craton is recognised as one of the world's most richly endowed gold provinces. Gold deposits across the region occur in a range of orogenic and intrusion-related styles, reflecting the diversity of greenstone and granitic host rocks.

Additional target areas continue to be evaluated using a mineral systems approach championed by Chairman Paul Roberts and Non-Executive Director Dr Barry Murphy. This approach is designed to identify

[3]AS1 ASX Announcement – Kada Interim Mineral Resource grows 125% to 2.1 Million ounces (31st August 2025)
[4]The full table of assay results can be found in Table 1.

structurally favourable positions, prospective host rocks and under-explored corridors capable of hosting significant gold mineralisation.




Figure 3 – Exploration Activities, including drilling at Timbakouna, currently underway across the Company's Siguri Basin Portfolio.

To the extent that this announcement contains references to prior exploration results which have been cross referenced to previous market announcements made by the Company, unless explicitly stated, no new information is contained. Full results and their locations can be found in previously released announcements as referenced in this announcement.

The Company confirms that it is not aware of any new information or data that materially affect the information included in the relevant prior market announcements. The Company is currently in the process of converting the Reconnaissance Authorisations to Exploration Permits.

-END-

This release is authorised by the Board of Directors of DeSoto Resources Limited.

For further information visit our website at DeSotoresources.com or contact:
Chris Swallow

Managing Director

P: +61 412 174 882
E: cs@desotoresources.com

COMPETENT PERSONS STATEMENT

The information in this report that relates to exploration results is based on and fairly represents information and supporting documentation prepared by Mr. Aime Nganare. Mr. Nganare is the Exploration Manager (Africa) for the company, is a member of the Australasian Institute of Mining and Metallurgy (AusIMM) and has sufficient experience of relevance to the styles of mineralisation and types of deposits under consideration, and to the activities undertaken to qualify as Competent Person as defined in the 2012 Edition of the Joint Ore Reserves Committee (JORC) Australasian Code for Reporting of Exploration Results, Mineral Resources and Ore Reserves.

Mr. Nganare consents to the inclusion in this report of the matters based on this information in the form and context in which they appear.

TABLE 1: BLEG Results from Yarakoura, Moussaya, Dalaban, Doutila, Woussoubadou, Branama, Moiko and Alamakono Projects (2025/2026)

SampleID	UTMEast	UTMNorth	Prospect	SampleType	Au_ppm	Au_ppb
MABL001	449343	1173606	Moiko Alamakono	STREAMBLEG	0.0016	1.6
MABL002	448971	1173537	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL004	448270	1174572	Moiko Alamakono	STREAMBLEG	0.0025	2.5
MABL005	448258	1173264	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL006	448079	1173479	Moiko Alamakono	STREAMBLEG	0.0029	2.9
MABL007	447277	1171326	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL008	447714	1171333	Moiko Alamakono	STREAMBLEG	0.002	2
MABL010	449000	1177926	Moiko Alamakono	STREAMBLEG	0.0016	1.6
MABL012	450474	1177719	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL013	451737	1176188	Moiko Alamakono	STREAMBLEG	0.0022	2.2
MABL015	450118	1174893	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL016	446443	1174761	Moiko Alamakono	STREAMBLEG	0.0026	2.6
MABL017	443233	1176418	Moiko Alamakono	STREAMBLEG	0.0025	2.5
MABL018	442706	1177381	Moiko Alamakono	STREAMBLEG	0.0026	2.6
MABL019	441771	1176620	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL020	442340	1177352	Moiko Alamakono	STREAMBLEG	0.0022	2.2

MABL021	442341	1178006	Moiko Alamakono	STREAMBLEG	0.0025	2.5
MABL022	445319	1178049	Moiko Alamakono	STREAMBLEG	0.0024	2.4
MABL023	445330	1170577	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL024	444211	1169771	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL026	438985	1177211	Moiko Alamakono	STREAMBLEG	0.0037	3.7
MABL027	439180	1176982	Moiko Alamakono	STREAMBLEG	0.0034	3.4
MABL028	439787	1176973	Moiko Alamakono	STREAMBLEG	0.0032	3.2
MABL029	439802	1177068	Moiko Alamakono	STREAMBLEG	0.004	4
MABL031	440665	1173538	Moiko Alamakono	STREAMBLEG	0.0024	2.4
MABL032	440506	1170122	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL033	441760	1168700	Moiko Alamakono	STREAMBLEG	0.0025	2.5
MABL034	442998	1168635	Moiko Alamakono	STREAMBLEG	0.0038	3.8
MABL035	442874	1169122	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL036	441680	1166297	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL037	451459	1170726	Moiko Alamakono	STREAMBLEG	0.0022	2.2
MABL038	450255	1168273	Moiko Alamakono	STREAMBLEG	0.0018	1.8
MABL039	450772	1167103	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL040	450442	1165700	Moiko Alamakono	STREAMBLEG	0.0022	2.2
MABL041	450795	1165647	Moiko Alamakono	STREAMBLEG	0.0018	1.8
MABL043	449716	1168350	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL045	448607	1168381	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL046	448709	1167857	Moiko Alamakono	STREAMBLEG	0.0023	2.3
MABL047	448707	1167089	Moiko Alamakono	STREAMBLEG	0.0022	2.2
MABL049	448176	1167180	Moiko Alamakono	STREAMBLEG	0.003	3
MABL050	447457	1166307	Moiko Alamakono	STREAMBLEG	0.0033	3.3
MABL051	447276	1166618	Moiko Alamakono	STREAMBLEG	0.0021	2.1

MABL052	442474	1165072	Moiko Alamakono	STREAMBLEG	0.0026	2.6
MABL053	442693	1165223	Moiko Alamakono	STREAMBLEG	0.0022	2.2
MABL054	443164	1164958	Moiko Alamakono	STREAMBLEG	0.0021	2.1
MABL055	443241	1165205	Moiko Alamakono	STREAMBLEG	0.0018	1.8
MABL056	447600	1171814	Moiko Alamakono	STREAMBLEG	0.002	2
BRA_BL_01	439065	1143207	BRANAMA	STREAM	0.0022	2.2
BRA_BL_02	436063	1141057	BRANAMA	STREAM	0.0017	1.7
BRA_BL_03	446545	1141588	BRANAMA	STREAM	0.0016	1.6
BRA_BL_04	446180	1142850	BRANAMA	STREAM	0.0017	1.7
BRA_BL_05	444043	1142674	BRANAMA	STREAM	0.0014	1.4
BRA_BL_06	448397	1141767	BRANAMA	STREAM	0.0016	1.6
BRA_BL_07	448220	1141314	BRANAMA	STREAM	0.0016	1.6
BRA_BL_08	443556	1144418	BRANAMA	STREAM	0.002	2
BRA_BL_09	437994	1150876	BRANAMA	STREAM	0.0028	2.8
BRA_BL_10	437468	1145811	BRANAMA	STREAM	0.0023	2.3
BRA_BL_12	437228	1144667	BRANAMA	STREAM	0.0023	2.3
BRA_BL_13	437162	1143399	BRANAMA	STREAM	0.0036	3.6
BRA_BL_14	436465	1142570	BRANAMA	STREAM	0.0183	18.3
BRA_BL_15	436058	1142172	BRANAMA	STREAM	0.0562	56.2
BRA_BL_16	438805	1142882	BRANAMA	STREAM	0.0018	1.8
BRA_BL_17	438450	1143489	BRANAMA	STREAM	0.0029	2.9
BRA_BL_18	446692	1141965	BRANAMA	STREAM	0.0013	1.3
BRA_BL_19	443325	1144456	BRANAMA	STREAM	0.0016	1.6
BRA_BL_20	451833	1143499	BRANAMA	STREAM	0.0022	2.2
BRA_BL_21	452075	1143271	BRANAMA	STREAM	0.0026	2.6
BRA_BL_23	450731	1144749	BRANAMA	STREAM	0.0028	2.8

BRA_BL_24	455771	1142880	BRANAMA	STREAM	0.0028	2.8
BRA_BL_25	452380	1140550	BRANAMA	STREAM	0.0022	2.2
BRA_BL_26	452975	1140656	BRANAMA	STREAM	0.0014	1.4
BRA_BL_27	455137	1140482	BRANAMA	STREAM	0.0016	1.6
BRA_BL_28	439187	1140527	BRANAMA	STREAM	0.0022	2.2
BRA_BL_29	443404	1143364	BRANAMA	STREAM	0.0032	3.2
BRA_BL_30	437716	1147608	BRANAMA	STREAM	0.0022	2.2
BRA_BL_31	440351	1143048	BRANAMA	STREAM	0.0017	1.7
DBN_BL_01	451288	1158268	DALABAN	STREAM	0.0018	1.8
DBN_BL_02	445797	1162279	DALABAN	STREAM	0.0019	1.9
DBN_BL_03	446267	1164257	DALABAN	STREAM	0.0019	1.9
DBN_BL_04	451778	1164052	DALABAN	STREAM	0.0019	1.9
DBN_BL_05	445081	1160361	DALABAN	STREAM	0.0019	1.9
DBN_BL_06	445577	1162107	DALABAN	STREAM	0.0014	1.4
DBN_BL_07	443753	1163760	DALABAN	STREAM	0.0021	2.1
DBN_BL_08	445116	1159872	DALABAN	STREAM	0.0021	2.1
DBN_BL_09	446005	1157539	DALABAN	STREAM	0.0026	2.6
DBN_BL_10	446127	1157405	DALABAN	STREAM	0.0027	2.7
DBN_BL_12	449892	1156658	DALABAN	STREAM	0.0017	1.7
DBN_BL_13	450413	1156161	DALABAN	STREAM	0.0019	1.9
DBN_BL_14	451795	1156242	DALABAN	STREAM	0.002	2
DBN_BL_15	451820	1157113	DALABAN	STREAM	0.0017	1.7
DBN_BL_16	451791	1153772	DALABAN	STREAM	0.0019	1.9
DBN_BL_17	450000	1152742	DALABAN	STREAM	0.0012	1.2
DBN_BL_18	448480	1152750	DALABAN	STREAM	0.0021	2.1
DBN_BL_19	446980	1154197	DALABAN	STREAM	0.002	2

DBN_BL_20	447170	1156197	DALABAN	STREAM	0.0019	1.9
DBN_BL_21	447628	1160880	DALABAN	STREAM	0.0017	1.7
DBN_BL_23	447458	1160844	DALABAN	STREAM	0.0017	1.7
DBN_BL_24	448316	1160282	DALABAN	STREAM	0.0019	1.9
DBN_BL_25	448113	1159470	DALABAN	STREAM	0.0017	1.7
DBN_BL_26	448362	1159442	DALABAN	STREAM	0.002	2
DBN_BL_27	448461	1160413	DALABAN	STREAM	0.0019	1.9
DBN_BL_28	450248	1162095	DALABAN	STREAM	0.0024	2.4
DBN_BL_29	450328	1162042	DALABAN	STREAM	0.002	2
DBN_BL_30	450502	1164227	DALABAN	STREAM	0.0017	1.7
DOUL_BL_01	468541	1191256	DOUTILABA	STREAM	0.0013	1.3
DOUL_BL_02	467979	1190514	DOUTILABA	STREAM	0.0019	1.9
DOUL_BL_03	467540	1189028	DOUTILABA	STREAM	0.002	2
DOUL_BL_04	465471	1186556	DOUTILABA	STREAM	0.0038	3.8
DOUL_BL_05	460463	1188027	DOUTILABA	STREAM	0.0018	1.8
DOUL_BL_06	461156	1190544	DOUTILABA	STREAM	0.0016	1.6
DOUL_BL_07	461238	1192316	DOUTILABA	STREAM	0.0023	2.3
DOUL_BL_08	461654	1196658	DOUTILABA	STREAM	0.0019	1.9
DOUL_BL_09	467122	1194799	DOUTILABA	STREAM	0.0018	1.8
DOUL_BL_10	469851	1193842	DOUTILABA	STREAM	0.0013	1.3
DOUL_BL_12	467215	1195071	DOUTILABA	STREAM	0.0016	1.6
DOUL_BL_13	467945	1190757	DOUTILABA	STREAM	0.0024	2.4
DOUL_BL_14	469061	1189007	DOUTILABA	STREAM	0.0017	1.7
DOUL_BL_15	469900	1189344	DOUTILABA	STREAM	0.0016	1.6
DOUL_BL_16	460369	1188335	DOUTILABA	STREAM	0.0014	1.4
DOUL_BL_17	469809	1191127	DOUTILABA	STREAM	0.0012	1.2

DOUL_BL_18	469320	1186642	DOUTILABA	STREAM	0.0017	1.7
DOUL_BL_19	469866	1195836	DOUTILABA	STREAM	0.0014	1.4
DOUL_BL_20	465819	1189934	DOUTILABA	STREAM	0.0012	1.2
MOU_BL_01	453578	1176740	MOUSSAYA	STREAM	0.0013	1.3
MOU_BL_02	453835	1172040	MOUSSAYA	STREAM	0.0012	1.2
MOU_BL_03	452967	1180255	MOUSSAYA	STREAM	0.0013	1.3
MOU_BL_04	452611	1180246	MOUSSAYA	STREAM	0.0015	1.5
MOU_BL_05	452505	1179261	MOUSSAYA	STREAM	0.0015	1.5
MOU_BL_06	453600	1171982	MOUSSAYA	STREAM	0.0016	1.6
MOU_BL_07	453034	1168802	MOUSSAYA	STREAM	0.0012	1.2
MOU_BL_08	457433	1171470	MOUSSAYA	STREAM	0.002	2
MOU_BL_09	455865	1174813	MOUSSAYA	STREAM	0.002	2
MOU_BL_10	456375	1175133	MOUSSAYA	STREAM	0.0021	2.1
MOU_BL_12	452650	1170922	MOUSSAYA	STREAM	0.0011	1.1
MOU_BL_13	452233	1170928	MOUSSAYA	STREAM	0.0017	1.7
MOU_BL_14	454396	1177109	MOUSSAYA	STREAM	0.0019	1.9
MOU_BL_15	453013	1177363	MOUSSAYA	STREAM	0.0017	1.7
MOU_BL_16	453445	1177987	MOUSSAYA	STREAM	0.0015	1.5
MOU_BL_17	452202	1181622	MOUSSAYA	STREAM	0.0016	1.6
MOU_BL_18	456821	1172452	MOUSSAYA	STREAM	0.0017	1.7
MOU_BL_19	456717	1172245	MOUSSAYA	STREAM	0.002	2
MOU_BL_20	457535	1184709	MOUSSAYA	STREAM	0.0007	0.7
MOU_BL_21	455097	1185101	MOUSSAYA	STREAM	0.0006	0.6
MOU_BL_23	452931	1185098	MOUSSAYA	STREAM	0.0006	0.6
MOU_BL_24	458967	1183663	MOUSSAYA	STREAM	0.0008	0.8
MOU_BL_25	458074	1182340	MOUSSAYA	STREAM	0.0017	1.7

MOU_BL_26	456890	1177557	MOUSSAYA	STREAM	0.0019	1.9
WOU_BL_01	455400	1152925	WOUSSOUBADOU	STREAM	0.0052	5.2
WOU_BL_02	455656	1153162	WOUSSOUBADOU	STREAM	0.0058	5.8
WOU_BL_03	457577	1150485	WOUSSOUBADOU	STREAM	0.0036	3.6
WOU_BL_04	456329	1147397	WOUSSOUBADOU	STREAM	0.0044	4.4
WOU_BL_05	459752	1149685	WOUSSOUBADOU	STREAM	0.0024	2.4
WOU_BL_06	456060	1144964	WOUSSOUBADOU	STREAM	0.0033	3.3
WOU_BL_07	453561	1145465	WOUSSOUBADOU	STREAM	0.0032	3.2
WOU_BL_08	453318	1145938	WOUSSOUBADOU	STREAM	0.004	4
WOU_BL_09	454249	1144594	WOUSSOUBADOU	STREAM	0.0041	4.1
WOU_BL_10	456023	1147131	WOUSSOUBADOU	STREAM	0.0042	4.2
WOU_BL_12	459821	1152953	WOUSSOUBADOU	STREAM	0.0025	2.5
WOU_BL_13	457831	1150679	WOUSSOUBADOU	STREAM	0.0025	2.5
WOU_BL_14	453921	1147591	WOUSSOUBADOU	STREAM	0.0025	2.5
WOU_BL_15	455385	1143676	WOUSSOUBADOU	STREAM	0.003	3
WOU_BL_16	456146	1148266	WOUSSOUBADOU	STREAM	0.0034	3.4
WOU_BL_17	451903	1148336	WOUSSOUBADOU	STREAM	0.0014	1.4
WOU_BL_18	454026	1149078	WOUSSOUBADOU	STREAM	0.0026	2.6
WOU_BL_19	452255	1151580	WOUSSOUBADOU	STREAM	0.0027	2.7
WOU_BL_20	454603	1151059	WOUSSOUBADOU	STREAM	0.0072	7.2
WOU_BL_21	453156	1153623	WOUSSOUBADOU	STREAM	0.0026	2.6
YAR_BL_01	448859	1202187	YARAKOURA	STREAM	0.0012	1.2
YAR_BL_02	453145	1206519	YARAKOURA	STREAM	0.0019	1.9
YAR_BL_03	455970	1208290	YARAKOURA	STREAM	0.0063	6.3
YAR_BL_04	454542	1203673	YARAKOURA	STREAM	0.0029	2.9
YAR_BL_05	456585	1202997	YARAKOURA	STREAM	0.0052	5.2

YAR_BL_06	456181	1208282	YARAKOURA	STREAM	0.0049	4.9
YAR_BL_07	456128	1209651	YARAKOURA	STREAM	0.0037	3.7
YAR_BL_08	455988	1205360	YARAKOURA	STREAM	0.0073	7.3
YAR_BL_09	451010	1201739	YARAKOURA	STREAM	0.0008	0.8
YAR_BL_10	455635	1205411	YARAKOURA	STREAM	0.0139	13.9
YAR_BL_12	449195	1203008	YARAKOURA	STREAM	0.0006	0.6
YAR_BL_13	450176	1200142	YARAKOURA	STREAM	0.0013	1.3
YAR_BL_14	449008	1198551	YARAKOURA	STREAM	0.0025	2.5
YAR_BL_15	451902	1194640	YARAKOURA	STREAM	0.0016	1.6
YAR_BL_16	451076	1196255	YARAKOURA	STREAM	0.0013	1.3
YAR_BL_17	447287	1193253	YARAKOURA	STREAM	0.0015	1.5
YAR_BL_18	448255	1191483	YARAKOURA	STREAM	0.0015	1.5
YAR_BL_19	450847	1192937	YARAKOURA	STREAM	0.0019	1.9
YAR_BL_20	450834	1192564	YARAKOURA	STREAM	0.0011	1.1
YAR_BL_21	449393	1192279	YARAKOURA	STREAM	0.0016	1.6
YAR_BL_23	451672	1198815	YARAKOURA	STREAM	0.0012	1.2
YAR_BL_24	453333	1208240	YARAKOURA	STREAM	0.0017	1.7
YAR_BL_25	450042	1206249	YARAKOURA	STREAM	0.0017	1.7

Section 1: Sampling Techniques and Data

Criterion	JORC Code Explanation	Historical data commentary
Sampling techniques	Nature, quality and representativity of each sample medium; field and laboratory methods.	Current exploration involves an active regional Bulk Leach Extractable Gold (BLEG) program and systematic grid soil sampling across the southwest Siguiri project areas. BLEG Sampling: A total of 202 stream sediment samples (including 20 duplicates) have been collected from regional drainage catchments to identify active upstream gold source vectors. Samples focus on active sediment traps within channels to optimize heavy mineral capture and representativity. Soil Geochemistry: Grid soil sampling is aggressively progressing with 1,105 points completed out of a planned 2,239-point basin-scale program. This includes 466 completed stations at Yarakoura. Grid Layouts: Systematic, tight-spaced 200 m × 200 m layouts are being deployed over high-priority structural target targets at Yarakoura, Branama, and Woussoubadou to refine historic trends, while broader 800 m × 100 m reconnaissance grids cover the Moiko and Alamakono horizons.
Drilling techniques	Drill type, diameter, depths and sampling particulars, if drilling results are reported.	No drilling or sub-surface sample data are reported within this specific tabular metadata disclosure. Table 1 concerns surface geochemical points only. Current auger drilling operations (22,000 m program) are underway, and sample assays remain in transit to the laboratory; these will be reported separately under dedicated JORC drilling criteria upon receipt of certified returns.
Drill sample recovery	Method and adequacy of drill recovery; possible recovery bias.	Not applicable to this surface geochemical data compilation. No sample-level mass recovery data or volumetric calculations are available for the historical surface collections. Potential representativity or collection bias cannot be verified at a granular level.
Logging	Whether geological and regolith logging is qualitative/quantitative, and its completeness.	No quantitative or qualitative geological logging, regolith horizon profiling, soil classification, or landscape descriptive codes are embedded within the raw per-row database text. Surface setting, landscape classification, and moisture parameters remain unverified for the legacy data blocks.

Criterion	JORC Code Explanation	Historical data commentary
Sub-sampling techniques and sample preparation	Subsample selection and preparation, quality control and representativity.	Historical documentation for the 2006 SearchGold termite surveys notes that a 2 kg sub-sample was pulverized to 95% passing 200 mesh prior to analytical splitting. Sub-sampling and preparation workflows for the Alliance soil database lines are not recorded in the handover tables. Field duplicate, coarse reject, or pulp split parameters are absent from the legacy electronic matrix. Consequently, potential field or laboratory sample preparation variance and nugget effects cannot be statistically modeled using this file alone.
Quality of assay data and laboratory tests	Analytical technique, detection limits, calibration, standards/blanks/duplicates and quality.	Analytical gold data are stored as Au_ppm and Au_ppb values. Historical search documents imply that SearchGold applied 24-hour bottle-roll cyanidation on its termite media to maximize sample volume representativity for coarse-gold environments. The electronic database lacks columns for laboratory identification names, original assay certificate numbers, specific detection limits, or per-batch QA/QC insertion returns (certified reference materials, blanks, duplicates). Original laboratory certificates and raw internal quality control performance charts have not been structurally audited by the Competent Person.
Verification of sampling and assaying	Independent verification, data entry/storage, assay adjustments and checks.	No independent twin-sampling, verification, or re-assaying of legacy pulps has been executed to validate these data rows. The data represents a legacy digital compilation. Certain high-tenor rounded values within the file and historical public descriptions regarding geographic background norm adjustments require thorough map matching and origin authentication. No modern electronic adjustments or transformations have been applied to the database grades by DeSoto.
Location of data points	Grid, survey accuracy, datum, GPS instruments and control.	Local coordinate positions are preserved as UTMEast and UTMNorth meters. The digital matrix does not define the source datum, projection sphere, or coordinate reference system (CRS) metadata. Provisional alignment checks cross-reference WGS84 / UTM Zone 29N based on regional Siguiri Basin geographic frameworks, but exact field tracking methods (such as early hand-held GPS variance vs. local baseline grids) remain unverified.

Criterion	JORC Code Explanation	Historical data commentary
Data spacing and distribution	Spacing, continuity implications, compositing.	Spacing is variable across the regional footprint, driven by historic compilation stitching, with documented prospect focus down to 200 m × 40 m layout grids. Sample density is sufficient to map broad surficial surface gold anomalism but does not imply or establish geological or grade continuity for Mineral Resource estimation purposes. No sample compositing or physical grade grouping has been performed on the tabular data.
Orientation of data in relation to geological structure	Whether sampling orientation or spacing is biased relative to mineralised structures.	Regional structures and mineralized corridors at Timbakouna display a predominant north-south structural shearing trend, flanked by subordinate east-west oriented extensional quartz vein networks. Surface geochemistry sampling traverses were historically oriented orthogonal to the primary regional shear trends to minimize cross-strike structural bias. However, the precise directional control and regolith-transport vector bias have not been quantitatively isolated.
Sample security	Security, handling, transport and laboratory reconciliation.	Chain-of-custody, transport security, and laboratory dispatch-reconciliation records are not documented within the legacy handover databases.
Audits or reviews	Results of independent audits / reviews.	No formal independent audit or technical peer review of the data ingestion pipelines has been conducted on this historical data block.

Section 2: Reporting of Exploration Results

Criterion	JORC Code Explanation	Refined Commentary & Compliance Disclosure
Mineral tenement and land tenure status	Tenements, ownership, security, access rights and impediments.	The regional exploration footprint encompasses DeSoto's 100% owned southwest Siguiri portfolio, covering a near-contiguous area of 687 km² in northeastern Guinea. Tenement Blocks: The consolidated land holding comprises the granted Yarakoura, Moussaya, Dalaban, Doutila, Woussoubadou, Branama, Moiko, and Alamakono Project permits. Strategic Position: The tenement blocks are situated within the prolific Siguiri Gold Trend, immediately along strike and south of Asara Resources' (ASX:AS1) 2.1Moz Kada Gold Project, and directly east of PDI Gold's 5.4Moz Bankan discovery corridor. Security & Security of Tenure: All project concessions are held in good standing under valid operational rights, with no known environmental, social, or native title impediments restricting year-round ground access or exploration logistics.

Criterion	JORC Code Explanation	Refined Commentary & Compliance Disclosure
Exploration done by other parties	Previous operators and nature of work; balanced historical provenance.	Historical exploration across the current project footprint was conducted by SearchGold Resources Inc. (from 2006 onwards) and the Ashanti-AGEM Alliance. Work completed by these prior operators included regional soil grid geochemistry, pioneering termite-mound geochemical grids, regional geological reconnaissance mapping, trenching, and limited legacy shallow drill test programs. Data entries marked with 'BGF' code designations relate to historic data tracking from Boure Gold Fields SARL source archives, which require structural historical title matching.
Geology	Deposit type, geological setting and style of mineralisation.	The Timbakouna project area is situated within the highly prospective Siguiri Basin of the Birimian Gold Belt, West African Craton. The local geology is dominated by strongly deformed, undulating, and folded palaeoproterozoic shales and greywackes. Gold mineralisation is categorized as orogenic/intrusion-related, displaying structural associations with a major regional north-south trending shear corridor and an interpreted felsic-to-intermediate dyke system. Mineralization styles include contact margins and extensive extensional quartz-vein and stockwork networks.
Drill hole information	Required material drill-hole collar, survey, intervals, depth and results.	No drill hole info or downhole structural intercepts are presented in this data release. The attached table relates exclusively to surface geochemical points. Any historic drilling metrics extracted from prior external literature must be reconciled separately with verified collar, survey, and assay tables prior to public disclosure.
Data aggregation methods	Grade averaging, top cuts, thresholds and treatment of extremes.	Analytical gold values in Table 1 are listed raw as delivered in the compiled file. No statistical averaging, length-weighted calculation, or spatial grouping has been applied. No high-grade capping or top-cutting has been introduced to the data values. The historical reference to 20 anomalous samples exceeding 0.5 g/t Au is a regional data count across the multi-operator historic district set, rather than a verified, on-tenure sample count within current permit borders.
Relationship between mineralisation widths and intercept lengths	Geological geometry and true widths.	Not applicable to surface point-source soil and termite-mound geochemistry data. Surface geochemical values do not imply or establish the true vertical depth, horizontal width, geometry, or down-dip continuity of mineralised structures.

Criterion	JORC Code Explanation	Refined Commentary & Compliance Disclosure
Diagrams	Appropriate coordinates, tenement boundaries, significant values, scale and legend.	Plans showing the context of current field operations, mapped structures, active artisanal workings, and higher tenor anomalous zones are presented in the body text (Figures 1 to 5). Spatial positions and boundaries are provisional pending the final execution of the official permit transformation surveys.
Balanced reporting	Report representative high and low values; avoid selective or misleading depiction.	Balanced reporting is achieved by publishing the compiled database rows in their entirety, representing both background below-detection results (e.g., 0.003–0.005 g/t Au) and anomalous high-tenor results. The data shows that surface gold distributions range widely across the old survey grid blocks, confirming the presence of distinct un-mineralized background areas alongside restricted anomalous trends.
Other substantive exploration data	Historical mapping, trenching, geophysics, structural context, contaminants etc.	The company has integrated this historical data compilation with its recently completed high-resolution airborne magnetic and radiometric geophysical surveys. Structural interpretation of the airborne geophysics was completed by DeSoto Non-Executive Director Dr. Barry Murphy, identifying complex intersecting fault trends, contrasting magnetic domains, and potential intrusive contacts that correlate with surface geochemical anomalies.
Further work	Nature/scale of exploration planned; areas for extensions.	Continuous verification and database cleaning are underway to reconcile original legacy lab certificates with concession spatial polygons. Field validation through systematic grid validation and orientation soil sampling will be deployed to verify the position and grade tenor of anomalies under cover. The compiled surface anomalies, structural trends, and interpreted dyke contacts are currently being systematically tested by an expanded 22,000 m power auger drilling program. This program targets the weathered bedrock profile (saprolite) beneath the lateritic cover to define targets for subsequent deeper reverse circulation (RC) and diamond bedrock drill testing.

